
ALT.NO	ALT.DATE	ZONE	ALTERATIONS	AUTHORITY



THIS DRAWING IS THE INTELLECTUAL PROPERTY OF RAIL COACH FACTORY, KAPURTHALA.
THIS DRAWING SHOULD NOT BE REPRODUCED, ALTERED, USED FOR MANUFACTURING OF COMPONENTS, SOLD OR TRANSFERRED WITHOUT PERMISSION FROM CHIEF DESIGN ENGINEER, RAIL COACH FACTORY, KAPURTHALA.

WELD LENGTH	ITEM	DESCRIPTION & DIMENSIONS	QPASSLY	DETAIL DRG	MATL. & SPEC.	REMARKS
NIL M	GROUP	ELECTRICAL	SUPERSEDES:	LA71410 ALT NIL		
WEIGHT	FILE	Z:\BKRM\LA71410□□□□ (2D)				
NIL KG	ARRANGEMENT OF UNDERFRAME WIRING FOR LHB EOG AC FIRST CLASS COACH (TO LAYOUT NO. LA90036)				SCALE	SSE/ED
S.AREA						CHD
NIL M²						DRN
~~LENGTH/DIA~~						
NIL M	RAIL COACH FACTORY, KAPURTHALA				REF.DRG.No.	NIL
~~WIDTH/THICK.~~	रेलकोच फैक्टरीकपूरथला		IRS		PL NO.	NIL
NIL M					DRG.NO.	LA71410
HEIGHT					ALT.	8
NIL M	SEE/D&D		DY.CEE/D&D		SIZE A1	SHEET 1/3


ANY MANUAL ALTERATION SHALL AUTOMATICALLY RENDER THIS DRAWING INVALID.

FOR UNTOLERANCED DIMENSIONS REFER MDG0008


DETAIL DRGS STARTING WITH "LI" ARE INTERNAL REFERENCE LISTS ONLY AND ARE NOT FOR ISSUE.

DATE OF FIRST ISSUE 04/08/2022


ALT.NO	ALT.DATE	ZONE	ALTERATIONS	AUTHORITY




VIEW FROM A-A




VIEW FROM D-D




VIEW FROM B-B



VIEW FROM X-X



VIEW FROM C-C



VIEW FROM Y-Y

THIS DRAWING IS THE INTELLECTUAL PROPERTY OF RAIL COACH FACTORY, KAPURTHALA.
THIS DRAWING SHOULD NOT BE REPRODUCED, ALTERED, USED FOR MANUFACTURING OF COMPONENTS, SOLD OR TRANSFERRED WITHOUT PERMISSION FROM CHIEF DESIGN ENGINEER, RAIL COACH FACTORY, KAPURTHALA.

WELD LENGTH	ITEM	DESCRIPTION & DIMENSIONS	QPASSLY	DETAIL DRG	MATL. & SPEC.	REMARKS
NIL M	GROUP	ELECTRICAL	SUPERSEDES:	LA71410 ALT NIL		
WEIGHT	FILE	Z:\BKRM\LA71410a.prt (2D)				
NIL KG	ARRANGEMENT OF UNDERFRAME WIRING FOR LHB EOG AC FIRST CLASS COACH (TO LAYOUT NO. LA90036)			SCALE	SSE/ED	
S.AREA					CHD	
NIL M²					DRN	
~~LENGTH/DIA~~	RAIL COACH FACTORY, KAPURTHALA			REF.DRG.No.	NIL	
NIL M						
~~WIDTH/THICK.~~	रेल कोच फैक्टरी कपूरथला		IRS	PL NO.	NIL	
NIL M				DRG.NO.	LA71410	
HEIGHT						
NIL M	SEE/D&D		DY.CEE/D&D	ALT. a	SIZE A1	SHEET 2/3


ANY MANUAL ALTERATION SHALL AUTOMATICALLY RENDER THIS DRAWING INVALID.

FOR UNTOLERANCED DIMENSIONS REFER MDG0008


DETAIL DRGS STARTING WITH "LI" ARE INTERNAL REFERENCE LISTS ONLY AND ARE NOT FOR ISSUE.

DATE OF FIRST ISSUE 04/08/2022


ALT.NO	ALT.DATE	ZONE	ALTERATIONS	AUTHORITY
a	29/01/2025	ALL	1. DRAWING MODIFIED & BOM UPDATED.	CR NO. 2300250018




VIEW FROM G-G



VIEW FROM E-E



VIEW FROM Z-Z



VIEW FROM F-F

38	CHAIN ASSEMBLY FOR SECURING IV ZS PLUG ASSEMBLY	02	CC71074	NIL	NIL	
37	TUBE CLAMP NW-48, ANNX.A, TAB.A-8, S.NO.-8	10	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A	

36	TUBE CLAMP NW-36, ANNX.A, TAB.A-8, S.NO.-7	21	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
35	TUBE CLAMP NW-29, ANNX.A, TAB.A-8, S.NO.-6	14	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
34	TUBE CLAMP NW-23, ANNX.A, TAB.A-8, S.NO.-4	26	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
33	TUBE CLAMP NW-17, ANNX.A, TAB.A-8, S.NO.-3	48	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
32	TUBE CLAMP NW-12, ANNX.A, TAB.A-8, S.NO.-2	08	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
31	HEX. LOCK NUT WITH PG THREAD PG-48, ANNX.A, TAB.A10, S.NO.-8	02	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
30	HEX. LOCK NUT WITH PG THREAD PG-36, ANNX.A, TAB.A10, S.NO.-7	08	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
29	HEX. LOCK NUT WITH PG THREAD PG-29, ANNX.A, TAB.A10, S.NO.-6	08	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
28	HEX. LOCK NUT WITH PG THREAD PG-21, ANNX.A, TAB.A10, S.NO.-5	14	NIL	RDSO/PE/SPEC/AC /0138-2009	COVD. IN EDTS-440,REV-A
27	HEX. LOCK NUT WITH PG THREAD PG-16, ANNX.A, TAB.A10, S.NO.-4	30	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
26	HEX. LOCK NUT WITH PG THREAD PG-11, ANNX.A, TAB.A10, S.NO.-2	04	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
25	END FITTING NW-48, ANNX.A, TAB.A-2, S.NO.-8	02	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
24	END FITTING NW-36, ANNX.A, TAB.A-2, S.NO.-7	08	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
23	END FITTING NW-29, ANNX.A, TAB.A-2, S.NO.-6	08	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
22	END FITTING NW-23, ANNX.A, TAB.A-2, S.NO.-5	14	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
21	END FITTING NW-17, ANNX.A, TAB.A-2, S.NO.-3	30	NIL	RDSO/PE/SPEC/AC /0138-2009	COVD. IN EDTS-440,REV-A
20	END FITTING NW-12, ANNX.A, TAB.A-2, S.NO.-2	04	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
19	POLYAMIDE FLEXIBLE CONDUIT, NW-48, ANNX.A, TAB.A-1, S.NO.-7	28	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
18	POLYAMIDE FLEXIBLE CONDUIT, NW-36, ANNX.A, TAB.A-1, S.NO.-6	57	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
17	POLYAMIDE FLEXIBLE CONDUIT, NW-29, ANNX.A, TAB.A-1, S.NO.-5	50	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
16	POLYAMIDE FLEXIBLE CONDUIT, NW-23, ANNX.A, TAB.A-1, S.NO.-4	57	NIL	RDSO/PE/SPEC/AC /0138-2009,REV1	COVD. IN EDTS-440,REV-A
15	POLYAMIDE FLEXIBLE CONDUIT, NW-17, ANNX.A, TAB.A-1, S.NO.-3	151	NIL	RDSO/PE/SPEC/AC /0138-2009	COVD. IN EDTS-440,REV-A
14	POLYAMIDE FLEXIBLE CONDUIT, NW-12, ANNX.A, TAB.A-1, S.NO.-2	05	NIL	RDSO/PE/SPEC/AC /0138-2009	COVD. IN EDTS-440,REV-A
13	SELF PRIMING MONOBLOCK PUMP ASSEMBLY WITH CONTROLLER	01	NIL	EDTS 186 REV A AM 2, CORR 1&2	ANNEXURE-1
12	CAPACITOR BANK FOR LHB EOG COACHES	01	NIL	EDML 130, REV 1 CORR-5, TY-2	NIL
11	WHEEL SET EARTHING EQUIPMENT	01	NIL	EDTS 101, REV C AM-2, CORR-7	NIL
10	FEEDER JUNCTION BOX	01	NIL	EDTS 328, REV C CORR-5, AM-7	TYPE-II
9	HIGH CAPACITY IV COUPLER UNIT (500 AMPS) FOR EOG TYPE AC COACHES/POWER CARS	01	NIL	RDSO/PE/SPEC/AC /0177-2013 REV0	WITH RCF ANNEXURE A, CORR 1
8	BATTERY FUSE BOX -VE	01	LW71002	NIL	NIL
7	BATTERY FUSE BOX +VE	01	LW71001	NIL	NIL
6	REGULATED BATTERY CHARGER 4.5 KW	01	NIL	RDSO/PE/SPEC/AC /0183-2018 REV1	NIL
5	110 V, 120 AH, VRLA SMF BATTERY SET WITH 19 MONOBLOCK (6 V) EACH WITH MODIFIED TRAY TO SHED 594	01	NIL	RDSO/PE/SPEC/AC /0009-2014 REV2	NIL
~~4~~	~~5 KVA, 415/190V, 3 PHASE DRY TYPE DISTRIBUTION TRANSFORMER~~	~~01~~	~~NIL~~	EDTS-366,REV-0, CORR-2	~~NIL~~
3	WIRE ROPE ASSEMBLY FOR 60 KVA TRANSFORMER	01	NIL	EDML-152 REV-A	NIL
2	55+5 KVA TRANSFORMER	01	NIL	RDSO/PE/SPEC/AC /0080-2007REV.3	WITH EDML-225 REV NIL
1	SET OF PANELS FOR LHB EOG/HOG GARIB RATH TYPE AC COACHES	01	NIL	RDSO/PE/SPEC/AC /0200-2020	REV-0, WITH RCF ANNEXURE-A

WELD LENGTH	ITEM	DESCRIPTION & DIMENSIONS	QPASSLY	DETAIL DRG	MATL. & SPEC.	REMARKS
NIL M	GROUP	ELECTRICAL	SUPERSEDES: LA71410 ALT NIL			
WEIGHT	FILE	Z:\BKRM\LA71410a.prt (2D)				
NIL KG	ARRANGEMENT OF UNDERFRAME WIRING FOR LHB EOG AC FIRST CLASS COACH (TO LAYOUT NO. LA90036)			SCALE	SSE/ED	
S.AREA					CHD	
NIL M^2					DRN	
~~LENGTH/DIA~~	RAIL COACH FACTORY, KAPURTHALA				REF.DRG.No. NIL	
NIL M						
~~WIDTH/THICK.~~	रेलकोच फैक्टरी कपूरथला	IRS		PL NO.	NIL	
NIL M				DRG.NO.	LA71410	
HEIGHT	SEE/D&D		DY.CEE/D&D	ALT.	a	SIZE A1 SHEET 3/3
NIL M						

THIS DRAWING IS THE INTELLECTUAL PROPERTY OF RAIL COACH FACTORY, KAPURTHALA.
THIS DRAWING SHOULD NOT BE REPRODUCED, ALTERED, USED FOR MANUFACTURING OF COMPONENTS, SOLD OR TRANSFERRED WITHOUT PERMISSION FROM CHIEF DESIGN ENGINEER, RAIL COACH FACTORY, KAPURTHALA.

ANY MANUAL ALTERATION SHALL AUTOMATICALLY RENDER THIS DRAWING INVALID.

FOR UNTOLERANCED DIMENSIONS REFER MDG0008

DETAIL DRGS STARTING WITH "LI" ARE INTERNAL REFERENCE LISTS ONLY AND ARE NOT FOR ISSUE.

DATE OF FIRST ISSUE 04/08/2022