

ALT.NO	ALT.DATE	ZONE	ALTERATIONS	AUTHORITY

A-A





THIS DRAWING IS THE INTELLECTUAL PROPERTY OF RAIL COACH FACTORY, KAPURTHALA.
THIS DRAWING SHOULD NOT BE REPRODUCED, ALTERED, USED FOR MANUFACTURING OF COMPONENTS, SOLD OR TRANSFERRED WITHOUT PERMISSION FROM CHIEF DESIGN ENGINEER, RAIL COACH FACTORY, KAPURTHALA.

WELD LENGTH	ITEM	DESCRIPTION & DIMENSIONS	QPASSLY	DETAIL DRG	MATL. & SPEC.	REMARKS
NIL M	GROUP	ELECTRICAL	SUPERSEDES:	LW71201 ALT 9		
WEIGHT	FILE	\\D:\lw71201s9h.prt (2D)				
NIL KG	ARRANGEMENT OF WIRING ON UNDERFRAME FOR AC 2-TIER EOG LHB TYPE COACHES			SCALE	SSE/ED	
S.AREA					CHD	
NIL M^2					DRN	
~~LENGTH/DIA~~	RAIL COACH FACTORY, KAPURTHALA			REF.DRG.No.	NIL	
NIL M						
~~WIDTH/THICK.~~	रेल कोच फैक्टरी कपूरथला	IRS		PL NO.	NIL	
NIL M				DRG.NO.	LW71201	
HEIGHT	SEE/D&D		DY.CEE/D&D	ALT.	h	SIZE A SHEET 1/9
NIL M						


ANY MANUAL ALTERATION SHALL AUTOMATICALLY RENDER THIS DRAWING INVALID.

DETAIL DRGS STARTING WITH "LI" ARE INTERNAL REFERENCE LISTS ONLY AND ARE NOT FOR ISSUE.

FOR UNTOLERANCED DIMENSIONS REFER MDG0008

DATE OF FIRST ISSUE 30/04/2008

ALT.NO	ALT.DATE	ZONE	ALTERATIONS	AUTHORITY



THIS DRAWING IS THE INTELLECTUAL PROPERTY OF RAIL COACH FACTORY, KAPURTHALA.
THIS DRAWING SHOULD NOT BE REPRODUCED / LENT / SOLD / MADE USE OF FOR ANY OTHER
COMMERCIAL PURPOSE OR TRANSFERRED WITHOUT PERMISSION FROM CHIEF DESIGN ENGINEER,
RAIL COACH FACTORY, KAPURTHALA.

WELD LENGTH	ITEM	DESCRIPTION & DIMENSIONS	QPASSLY	DETAIL DRG	MATL. & SPEC.	REMARKS
NIL M	GROUP	ELECTRICAL	SUPERSEDES: LW71201 ALT g			
WEIGHT	FILE	\\D:\lw71201s9h.prt (2D)				
NIL KG	ARRANGEMENT OF WIRING ON UNDERFRAME FOR AC 2-TIER EOG LHB TYPE COACHES				SCALE	SSE/ED
S.AREA						CHD
NIL M^2						DRN
~~LENGTH/DIA.~~	RAIL COACH FACTORY, KAPURTHALA				REF.DRG.No.	NIL
NIL M						
~~WIDTH/THICK.~~	रेल कोच फैक्टरी कपूरथला		IRS		PL NO.	NIL
NIL M					DRG.NO.	LW71201
HEIGHT					ALT.	h
NIL M	SEE/D&D		DY.CEE/D&D		SIZE	A1
					SHEET	2/9


ANY MANUAL ALTERATION SHALL AUTOMATICALLY RENDER THIS DRAWING INVALID.

DETAIL DRGS STARTING WITH "LI" ARE INTERNAL REFERENCE LISTS ONLY AND ARE NOT FOR ISSUE.

FOR UNTOLERANCED DIMENSIONS REFER MDG0008

DATE OF FIRST ISSUE 30/04/2008

ALT.NO	ALT.DATE	ZONE	ALTERATIONS	AUTHORITY



THIS DRAWING IS THE INTELLECTUAL PROPERTY OF RAIL COACH FACTORY', KAPURTHALA.
THIS DRAWING SHOULD NOT BE REPRODUCED, ALTERED, USED FOR MANUFACTURING OF
COMPONENTS AND/OR TRANSFERRED WITHOUT PERMISSION FROM CHIEF DESIGN ENGINEER,
RAIL COACH FACTORY', KAPURTHALA.

WELD LENGTH	ITEM	DESCRIPTION & DIMENSIONS	QPASSLY	DETAIL DRG	MATL. & SPEC.	REMARKS
NIL M	GROUP	ELECTRICAL	SUPERSEDES:	LW71201 ALT 9		
WEIGHT	FILE	\\D:\lw71201s9h.prt (2D)				
NIL KG	ARRANGEMENT OF WIRING ON UNDERFRAME FOR AC 2-TIER EOG LHB TYPE COACHES			SCALE	SSE/ED	
S.AREA					CHD	
NIL M²					DRN	
~~LENGTH/DIA~~						
NIL M	RAIL COACH FACTORY, KAPURTHALA			REF.DRG.No.	NIL	
~~WIDTH/THICK.~~	रेल कोच फैक्टरी कपूरथला		IRS	PL NO.	NIL	
NIL M				DRG.NO.	LW71201	
HEIGHT	SEE/D&D		DY.CEE/D&D	ALT.	h	SIZE A1 SHEET 3/9
NIL M						


ANY MANUAL ALTERATION SHALL AUTOMATICALLY RENDER THIS DRAWING INVALID.

DETAIL DRGS STARTING WITH "LI" ARE INTERNAL REFERENCE LISTS ONLY AND ARE NOT FOR ISSUE.

FOR UNTOLERANCED DIMENSIONS REFER MDG0008

DATE OF FIRST ISSUE 30/04/2008

ALT.NO	ALT.DATE	ZONE	ALTERATIONS	AUTHORITY



THIS DRAWING IS THE INTELLECTUAL PROPERTY OF RAIL COACH FACTORY, KAPURTHALA.
THIS DRAWING SHOULD NOT BE REPRODUCED, ALTERED, USED FOR MANUFACTURING OF COMPONENTS, SOLD OR TRANSFERRED WITHOUT PERMISSION FROM CHIEF DESIGN ENGINEER, RAIL COACH FACTORY, KAPURTHALA.

WELD LENGTH	ITEM	DESCRIPTION & DIMENSIONS	QPASSLY	DETAIL DRG	MATL. & SPEC.	REMARKS
NIL M	GROUP	ELECTRICAL	SUPERSEDES: LW71201 ALT g			
WEIGHT	FILE	\\D:\lw71201s9h.prt (2D)				
NIL KG						
S.AREA		ARRANGEMENT OF WIRING ON UNDERFRAME FOR AC 2-TIER EOG LHB TYPE COACHES				
NIL M^2						
~~LENGTH/DIA~~						
NIL M		RAIL COACH FACTORY, KAPURTHALA				
~~WIDTH/THICK.~~						
NIL M		रेलकोच फैक्टरी कपूरथला IRS				
HEIGHT						
NIL M		SEE/D&D DY.CEE/D&D				

SCALE	SSE/ED	
	CHD	
	DRN	
REF.DRG.No. NIL		
PL NO.	NIL	
DRG.NO.	LW71201	
ALT. h	SIZE A1	SHEET 4/9

ANY MANUAL ALTERATION SHALL AUTOMATICALLY RENDER THIS DRAWING INVALID.


FOR UNTOLERANCED DIMENSIONS REFER MDG0008

DETAIL DRGS STARTING WITH "LI" ARE INTERNAL REFERENCE LISTS ONLY AND ARE NOT FOR ISSUE.


DATE OF FIRST ISSUE 30/04/2008

ALT.NO	ALT.DATE	ZONE	ALTERATIONS	AUTHORITY


B-B



C-C



D-D



THIS DRAWING IS THE INTELLECTUAL PROPERTY OF RAIL COACH FACTORY, KAPURTHALA.
THIS DRAWING SHOULD NOT BE REPRODUCED, ALTERED, USED FOR MANUFACTURING OF COMPONENTS, SOLD OR TRANSFERRED WITHOUT PERMISSION FROM CHIEF DESIGN ENGINEER, RAIL COACH FACTORY, KAPURTHALA.

WELD LENGTH	ITEM	DESCRIPTION & DIMENSIONS	QPASSLY	DETAIL DRG	MATL. & SPEC.	REMARKS
NIL M	GROUP	ELECTRICAL	SUPERSEDES: LW71201 ALT g			
WEIGHT	FILE	\\D:\lw71201s9h.prt (2D)				
NIL KG	ARRANGEMENT OF WIRING ON UNDERFRAME FOR AC 2-TIER EOG LHB TYPE COACHES			SCALE	SSE/ED	
S.AREA					CHD	
NIL M^2						
~~LENGTH/DIA~~					DRN	
NIL M	RAIL COACH FACTORY, KAPURTHALA			REF.DRG.No.	NIL	
~~WIDTH/THICK.~~	रेल कोच फैक्टरी कपूरथला		IRS	PL NO.	NIL	
NIL M				DRG.NO.	LW71201	
HEIGHT	SEE/D&D		DY.CEE/D&D	ALT.	h	SIZE A1 SHEET 5/9
NIL M						

ANY MANUAL ALTERATION SHALL AUTOMATICALLY RENDER THIS DRAWING INVALID.


FOR UNTOLERANCED DIMENSIONS REFER MDG0008

DETAIL DRGS STARTING WITH "LI" ARE INTERNAL REFERENCE LISTS ONLY AND ARE NOT FOR ISSUE.


DATE OF FIRST ISSUE 30/04/2008

ALT.NO	ALT.DATE	ZONE	ALTERATIONS	AUTHORITY


E-E



F-F



G-G



THIS DRAWING IS THE INTELLECTUAL PROPERTY OF RAIL COACH FACTORY, KAPURTHALA.
THIS DRAWING SHOULD NOT BE REPRODUCED, ALTERED, USED FOR MANUFACTURING OF COMPONENTS, SOLD OR TRANSFERRED WITHOUT PERMISSION FROM CHIEF DESIGN ENGINEER, RAIL COACH FACTORY, KAPURTHALA.

WELD LENGTH	ITEM	DESCRIPTION & DIMENSIONS	QPASSLY	DETAIL DRG	MATL. & SPEC.	REMARKS
NIL M	GROUP	ELECTRICAL	SUPERSEDES:	LW71201 ALT 9		
WEIGHT	FILE	\\D:\lw71201s9h.prt (2D)				
NIL KG		ARRANGEMENT OF WIRING ON UNDERFRAME FOR AC 2-TIER EOG LHB TYPE COACHES			SCALE / SSE/ED	
S.AREA					CHD	
NIL M^2					DRN	
~~LENGTH/DIA.~~		RAIL COACH FACTORY, KAPURTHALA			REF.DRG.No. NIL	
NIL M						
~~WIDTH/THICK.~~		रेल कोच फैक्टरी कपूरथला IRS			PL NO.	NIL
NIL M					DRG.NO.	LW71201
HEIGHT						
NIL M		SEE/D&D		DY.CEE/D&D	ALT. h	SIZE A1 SHEET 6/9


ANY MANUAL ALTERATION SHALL AUTOMATICALLY RENDER THIS DRAWING INVALID.


FOR UNTOLERANCED DIMENSIONS REFER MDG0008

DETAIL DRGS STARTING WITH "LI" ARE INTERNAL REFERENCE LISTS ONLY AND ARE NOT FOR ISSUE.

DATE OF FIRST ISSUE 30/04/2008

ALT.NO	ALT.DATE	ZONE	ALTERATIONS	AUTHORITY





THIS DRAWING IS THE INTELLECTUAL PROPERTY OF RAIL COACH FACTORY, KAPURTHALA.
THIS DRAWING SHOULD NOT BE REPRODUCED, ALTERED, USED FOR MANUFACTURING OF
COMPONENTS NOR SHOULD IT BE TRANSFERRED WITHOUT PERMISSION FROM CHIEF DESIGN ENGINEER,
RAIL COACH FACTORY, KAPURTHALA.

WELD LENGTH	ITEM	DESCRIPTION & DIMENSIONS	DPASSLY	DETAIL DRG	MATL. & SPEC.	REMARKS
NIL M	GROUP	ELECTRICAL	SUPERSEDES:	LW71201 ALT 9		
WEIGHT	FILE	\\D:\lw71201s9h.prt (20)				
NIL KG		ARRANGEMENT OF WIRING ON UNDERFRAME FOR AC 2-TIER EOG LHB TYPE COACHES	SCALE	SSE/ED		
S.AREA				CHD		
NIL M^2				DRN		
~~LENGTH/DIA~~		RAIL COACH FACTORY, KAPURTHALA	REF.DRG.No.	NIL		
NIL M						
~~WIDTH/THICK.~~		रेल कोच फैक्टरी कपूरथला IRS	PL NO.	NIL		
NIL M			DRG.NO.	LW71201		
HEIGHT		SEE/D&D DY.CEE/D&D	ALT.	h	SIZE A1	SHEET 7/9
NIL M						


ANY MANUAL ALTERATION SHALL AUTOMATICALLY RENDER THIS DRAWING INVALID.

DETAIL DRGS STARTING WITH "LI" ARE INTERNAL REFERENCE LISTS ONLY AND ARE NOT FOR ISSUE.

FOR UNTOLERANCED DIMENSIONS REFER MDG0008

DATE OF FIRST ISSUE 30/04/2008

ALT.NO	ALT.DATE	ZONE	ALTERATIONS	AUTHORITY



THIS DRAWING IS THE INTELLECTUAL PROPERTY OF RAIL COACH FACTORY, KAPURTHALA.
THIS DRAWING SHOULD NOT BE REPRODUCED, ALTERED, USED FOR MANUFACTURING OF COMPONENTS SOLD OR TRANSFERRED WITHOUT PERMISSION FROM CHIEF DESIGN ENGINEER, RAIL COACH FACTORY, KAPURTHALA.

WELD LENGTH NIL M	ITEM	DESCRIPTION & DIMENSIONS	QPASSLY	DETAIL DRG	MATL. & SPEC.	REMARKS	
	GROUP	ELECTRICAL	SUPERSEDES:	LW71201 ALT g			
WEIGHT NIL KG	FILE	\\D:\lw71201s9h.prt (2D)					
S.AREA NIL M2	ARRANGEMENT OF WIRING ON UNDERFRAME FOR AC 2-TIER EOG LHB TYPE COACHES				SCALE	SSE/ED	
~~LENGTH/DIA~~ NIL M						CHD	
~~WIDTH/THICK.~~ NIL M						DRN	
HEIGHT NIL M	RAIL COACH FACTORY, KAPURTHALA				REF.DRG.No. NIL		
	रेल कोच फैक्टरी कपूरथला		IRS		PL NO.	NIL	
	SEE/D&D		DY.CEE/D&D		DRG.NO.	LW71201	
					ALT. h	SIZE A1	SHEET 8/9


ANY MANUAL ALTERATION SHALL AUTOMATICALLY RENDER THIS DRAWING INVALID.


FOR UNTOLERANCED DIMENSIONS REFER MDG0008

DETAIL DRGS STARTING WITH "LI" ARE INTERNAL REFERENCE LISTS ONLY AND ARE NOT FOR ISSUE.


DATE OF FIRST ISSUE 30/04/2008


ALT.NO	ALT.DATE	ZONE	ALTERATIONS	AUTHORITY
h	22/12/2025	ALL	1. DRAWING & BILL OF MATERIAL UPDATED.	CR NO. 2300250018







R-R









S-S

35	TUBE CLAMP NW-48 ANNX-A,TAB.A-8,S.NO.-8	10	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
34	TUBE CLAMP NW-36 ANNX-A,TAB.A-8,S.NO.-7	19	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
33	TUBE CLAMP NW-29 ANNX-A,TAB.A-8,S.NO.-6	12	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
32	HEXAGONAL LOCK NUT WITH PG THREAD PG-48 ANNX-A,TAB.A-10,S.NO.-8	02	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
31	HEXAGONAL LOCK NUT WITH PG THREAD PG-36 ANNX-A,TAB.A-10,S.NO.-7	06	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
30	HEXAGONAL LOCK NUT WITH PG THREAD PG-29 ANNX-A,TAB.A-10,S.NO.-6	04	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
29	HEXAGONAL LOCK NUT WITH PG THREAD PG-21 ANNX-A,TAB.A-10,S.NO.-5	20	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
28	HEXAGONAL LOCK NUT WITH PG THREAD PG-16, ANNX-A,TAB.A-10,S.NO.-4	26	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
27	HEXAGONAL LOCK NUT WITH PG THREAD PG-11 ANNX-A,TAB.A-10,S.NO.-2	04	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
26	END FITTING NW-48 ANNX-A,TAB.A-2,S.NO.-8	02	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
25	END FITTING NW-36 ANNX-A,TAB.A-2,S.NO.-7	06	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
~~24~~	END FITTING NW-29 ANNX-A,TAB.A-2,S.NO.-6	~~08~~	RDSO/PE/SPE C/AC/0138	~~NIL~~	REV-1,TO COVED IN EDTS2152,REV-J,CORR-6
23	END FITTING NW-29 ANNX-A,TAB.A-2,S.NO.-6	04	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
22	END FITTING NW-23 ANNX-A,TAB.A-2,S.NO.-5	20	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
21	TUBE CLAMP NW-12 ANNX-A,TAB.A-8,S.NO.-2	08	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
~~20~~	~~END FITTING PG16~~	~~06~~	CRDSO/PE/SP EC/AC/0138	~~NIL~~	REV-1,TO COVED IN EDTS2152,REV-J,CORR-6
~~19~~	~~END FITTING PG16~~	~~01~~	RDSO/PE/SPE C/AC/0138	~~NIL~~	REV-1,TO COVED IN EDTS2152,REV-J,CORR-6
18	END FITTING NW-17 ANNX-A TAB.A-2 S.NO.-3	26	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
~~17~~	~~END FITTING PG11~~	~~04~~	RDSO/PE/SPE C/AC/0138	~~NIL~~	REV-1,TO COVED. IN EDTS2152,REV-J,CORR-6
16	END FITTING NW-12 ANNX-A TAB.A-2 S.NO.-2	04	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
15	POLYAMIDE FLEXIBLE CONDUIT NW-48 ANNX-A TAB.A-1 S.NO.-7	10	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
14	POLYAMIDE FLEXIBLE CONDUIT NW-36 ANNX-A TAB.A-1 S.NO.-6	40	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
13	POLYAMIDE FLEXIBLE CONDUIT NW-29 ANNX-A TAB.A-1 S.NO.-5	58	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
12	POLYAMIDE FLEXIBLE CONDUIT NW-23 ANNX-A TAB.A-1 S.NO.-4	85	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
11	POLYAMIDE FLEXIBLE CONDUIT NW-17 ANNX-A TAB.A-1 S.NO.-3	155	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
10	POLYAMIDE FLEXIBLE CONDUIT NW-12 ANNX-A TAB.A-1 S.NO.-2	05	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
9	BATTERY FUSE BOX -VE	01	LW71002 ALT-K	NIL	NIL
8	BATTERY FUSE BOX +VE	01	LW71001 ALT-J	NIL	NIL
7	FEEDER JUNCTION BOX FOR LHB TYPE EOG COACHES WITH BIOTOILETS	01	EDTS328, REV-C	NIL	CORR-5,AM-7 TYPE-II
6	WHEEL SET EARTHING EQUIPMENT	02	EDTS101, REV-C,AM-2	NIL	CORR-10
5	110V,70AH,MTC FREE VRLA MONOBLOC BATT.SET WITH 3NOS.OF 12V EACH FAC. PRCHRG	01	RDSO/PE/SPE C/AC/0009	NIL	2014,REV-2
4	HIGH CAPACITY INTER VEHICULAR COUPLER UNIT 1500 AMPS. RATING FOR EOG TYPE AC COACHES /POWER CAR	01	RDSO/PE/SPE C/AC/0177	NIL	REV-0,2013,WITH REF. ANNEX-A, CORR-2
~~3~~	~~REGULATED BATTERY CHARGER~~	~~01~~	EDTS074, REV-C	~~NIL~~	~~NIL~~
2	PUMP EQUIPMENT WITH PLC CONTROLLER AND PUMP BOX	01	EDTS186, REV-A,AM-2	NIL	CORR-1&2,ANNEX-I
1	55+5 KVA TRANSFORMER	01	RDSO/PE/SPE C/AC/0080	NIL	2007,REV-3 WITH EDNL-225 REV-NIL

55	CHAIN ASSEMBLY FOR SECURING IV ZS PLUG ASSEMBLY	01	CC71074	NIL	NIL
~~54~~	~~READYMADE SET OF ALUMINIUM PIPES USED FOR FEEDER WIRING IN LHB EOG COACHES~~	~~01~~	~~EDTS-389~~	~~NIL~~	COR-1,2&3 TYPE-1
53	4.5KW UNDERSLUNG TYPE CONSTANT VOLTAGE REGULATED BATTERY CHARGER FOR LHB COACHES	01	RDSO/PE/SPE C/AC0183	NIL	REV-2,2018
52	WIRE ROPE ASSEMBELY FOR 60KVA TRANSFORMER	01	EDNL-152 REV-A	NIL	NIL
51	HARDENED SELF TAPPING SHEET METAL SCREW SIZE NO.10X63	8	MDTS-057	NIL	NIL
50	HEX. HEAD SCREW M10X70 A2-70	04	NIL	IS: 1364: 2002 P2,TAB-1	NIL
49	HEX. HEAD SCREW M 10X100 A2-70	06	NIL	IS: 1364: 2002 P2,TAB-1	NIL
48	HEX. HEAD SCREW M 12X90 A2-70	08	NIL	IS: 1364: 2002 P2,TAB-1	NIL
47	CSK HEADSCREW M 10X150 A2-70	12	NIL	IS: 1364: 2002 P2,TAB-1	NIL
46	CSK HEADSCREW M6X90 A2-70	12	NIL	IS: 7485,1985	NIL
~~45~~	~~STEEL BARE BRAIDED CABLES CRIMPED AT BOTH ENDS 70SQ.MM(FOR FEEDER JUNCTION BOX & TAIL EARTHING)~~	~~06~~	~~NIL~~	~~NIL~~	REV-1,TO COVED IN EDTS2152,REV-J,CORR-6
44	FIXING CLIP 72MM DIA.	46	LPG3137	NIL	NIL
~~43~~	~~TUBE CLAMP~~	~~10~~	CAT.NO. SGB-11	~~NIL~~	REV-1,TO COVED IN EDTS2152,REV-J,CORR-6
~~42~~	~~TUBE CLAMP~~	~~10~~	CAT.NO. SGB-48	~~NIL~~	REV-1,TO COVED IN EDTS2152,REV-J,CORR-6
~~41~~	~~5KVA,415V/190V, 3PHASE DRY TYPE DISTRIBUTION TRANSFORMER~~	~~01~~	EDTS366, REV-0,COR-2	~~NIL~~	~~NIL~~
40	CAPACITOR BANK FOR LHB EOG COACHES	01	EDNL-130 REV-1,COR-5	NIL	TYPE-I
39	TUBE CLAMP NW-23ANNX-A,TAB.A-8,S.NO.-4	26	RDSO/PE/SPE C/AC/0138	NIL	REV-1,COVED IN EDTS2152,REV-J,CORR-6
38	TUBE CLAMP NW-17 ANNX-A,TAB.A-8,S.NO.-3	48	RDSO/PE/SPE C/AC/0138	NIL	REV-1, COVED. IN EDTS2152,REV-J,CORR-6
~~37~~	~~END GROMMET~~	~~04~~	RDSO/PE/SPE C/AC/0138	~~NIL~~	REV-1,TO COVED IN EDTS2152,REV-J,CORR-6
~~36~~	~~END GROMMET/TERMINAL SLEEVE~~	~~16~~	RDSO/PE/SPE C/AC/0138	~~NIL~~	REV-1,TO COVED IN EDTS2152,REV-J,CORR-6

ITEM	DESCRIPTION & DIMENSIONS	QPASSLY	DETAIL DRG	MATL. & SPEC.	REMARKS
GROUP	ELECTRICAL	SUPERSEDES: LW71201 ALT g			
FILE	\\D:\lw71201s9h.prt (2D)				

WELD LENGTH	
NIL	M
WEIGHT	
NIL	KG
S.AREA	
NIL	M^2
~~LENGTH/DIA~~	
NIL	M
~~WIDTH/THICK.~~	
NIL	M
HEIGHT	
NIL	M

ARRANGEMENT OF WIRING ON UNDERFRAME FOR AC 2-TIER EOG LHB TYPE COACHES

RAIL COACH FACTORY, KAPURTHALA

SCALE	SSE/ED	
	CHD	
	DRN	
REF.DRG.No.	NIL	

रेल कोच फैक्टरी कपूरथला | IRS

SEE/D&D | DY.CEE/D&D

PL NO.	NIL
DRG.NO.	LW71201
ALT.	h
SIZE	A1
SHEET	9/9

THIS DRAWING IS THE INTELLECTUAL PROPERTY OF RAIL COACH FACTORY, KAPURTHALA.
THIS DRAWING SHOULD NOT BE REPRODUCED, LENT, USED FOR MANUFACTURING OR COMMUNICATED TO A THIRD PARTY IN ANY MANNER WHATSOEVER WITHOUT PERMISSION FROM CHIEF DESIGN ENGINEER, RAIL COACH FACTORY, KAPURTHALA.

ANY MANUAL ALTERATION SHALL AUTOMATICALLY RENDER THIS DRAWING INVALID.

FOR UNTOLERANCED DIMENSIONS REFER MDG0008

DETAIL DRGS STARTING WITH "LI" ARE INTERNAL REFERENCE LISTS ONLY AND ARE NOT FOR ISSUE.

DATE OF FIRST ISSUE 30/04/2008