



CAGE CLAMP TERMINALS FOR LHB NON-AC PANTRY CAR COACH FOR AMRIT BHARAT COACH

Details of Cage clamp terminals with 1.0 Amp. Glass fuses and without indicators for LHB Non AC LHB Non-AC Pantry Car FDB As Under:-

S.NO	Description	QPC	Drawing no.	Reference
1.	Cage clamp terminals with 1.0 Amp. Glass fuses without indicator for LHB Non AC LHB Non-AC Pantry Car in Cabin Area. (+VE & -VE)	03 Nos.	CC72449, Alt-Nil Item-1	M/s WAGO/ Phoenix or equiv. RCF approved make
2.	Cage clamp terminals with 1.0 Amp. Glass fuses without indicator for LHB Non AC LHB Non-AC Pantry Car Area. (+VE & -VE).	04 Nos.	CC72449, Alt-Nil Item-2	
3.	Cage clamp terminals with 1.0 Amp. Glass fuses without indicator for LHB Non AC LHB Non-AC Pantry Car in Doorway & Pantry area (+VE) Side.	02 Nos.	CC72449, Alt-Nil Item-3	
4.	Cage clamp terminals with 1.0 Amp. Glass fuses without indicator for LHB Non AC LHB Non-AC Pantry Car in Doorway & Pantry area (-VE) Side.	02 Nos.	CC72449, Alt-Nil Item-4	
5.	Flat Connecting Complete	02 Nos.	CC72428, Alt-Nil	

EDML-236	Nil	10-09-2024				1 of 1
Doc. No.	Rev.	Date	SSE/CAD	SEE/D&D	DY.CEE/DP	Page No.

2		3		4		5		6		7		8		9		10		11		12		13																																																																																																																																																																														
														ALT.NO NIL		ALT.DATE NIL		ZONE NIL		ALTERATIONS NIL		AUTHORITY NIL																																																																																																																																																																														
ITEM-3, (+VE) (DOORWAY SIDE FDB TERMINALS) ITEM-4, (-VE) (DOORWAY SIDE FDB TERMINALS) 54* 62* <table><caption>BILL OF MATERIAL FOR ITEM-3</caption><thead><tr><th>SN</th><th>ITEM</th><th>PART NO./STANDARD</th><th>QPC</th></tr></thead><tbody><tr><td>1</td><td>STEEL RAIL, L=130MM</td><td>210-112 OF M/S WAGO OR EQUIVALENT</td><td>01 NO.</td></tr><tr><td>2</td><td>SCREWLESS END STOP</td><td>248-117 OF M/S WAGO OR EQUIVALENT</td><td>02 NOS.</td></tr><tr><td>3</td><td>CAGE CLAMP TERMINAL</td><td>282-122 OF M/S WAGO OR EQUIVALENT</td><td>07 NOS.</td></tr><tr><td>4</td><td>GLASS FUSE, 5X20MM, 1A</td><td>SS05-1-R OF M/S EATON OR EQUIV. OF PROTECTRON/ SIEMENS/C&S/L&T</td><td>07 NOS.</td></tr><tr><td>5</td><td>ADJACENT JUMPER INSULATED, GREY</td><td>282-402 OF M/S WAGO OR EQUIVALENT</td><td>05 NOS.</td></tr><tr><td>6</td><td>END & INTERMEDIATE PLATE</td><td>282-311 OF M/S WAGO OR EQUIVALENT</td><td>01 NO.</td></tr></tbody></table><table><caption>BILL OF MATERIAL FOR ITEM-4</caption><thead><tr><th>SN</th><th>ITEM</th><th>PART NO./STANDARD</th><th>QPC</th></tr></thead><tbody><tr><td>1</td><td>STEEL RAIL, L=150MM</td><td>210-112 OF M/S WAGO OR EQUIVALENT</td><td>01 NO.</td></tr><tr><td>2</td><td>SCREWLESS END STOP</td><td>248-117 OF M/S WAGO OR EQUIVALENT</td><td>02 NOS.</td></tr><tr><td>3</td><td>CAGE CLAMP TERMINAL</td><td>282-122 OF M/S WAGO OR EQUIVALENT</td><td>07 NOS.</td></tr><tr><td>4</td><td>GLASS FUSE, 5X20MM, 1A</td><td>SS05-1-R OF M/S EATON OR EQUIV. OF PROTECTRON/ SIEMENS/C&S/L&T</td><td>07 NOS.</td></tr><tr><td>5</td><td>ADJACENT JUMPER INSULATED, GREY</td><td>282-402 OF M/S WAGO OR EQUIVALENT</td><td>05 NOS.</td></tr><tr><td>6</td><td>END & INTERMEDIATE PLATE</td><td>282-311 OF M/S WAGO OR EQUIVALENT</td><td>01 NO.</td></tr><tr><td>7</td><td>4-CONDUCTOR GROUND TERMINAL BLOCK</td><td>280-837 OF M/S WAGO OR EQUIVALENT</td><td>04 NOS.</td></tr><tr><td>8</td><td>ADJACENT JUMPER INSULATED, GRN/YE</td><td>280-422 OF M/S WAGO OR EQUIVALENT</td><td>03 NOS.</td></tr><tr><td>9</td><td>END & INTERMEDIATE PLATE, ORANGE</td><td>280-315 OF M/S WAGO OR EQUIVALENT</td><td>01 NO.</td></tr></tbody></table> 3. * DIMENSIONS ARE INDICATIVE - FOR WAGO MAKE ONLY. 4. PROTOTYPE TO BE GOT APPROVED FROM CEE/RCF BEFORE COMMENCING BULK SUPPLY. 5. ALL DIMENSIONS IN MM. NOTE 1:- DETAIL DRGS STARTING WITH "LI" ARE INTERNAL REFERENCE LISTS ONLY AND ARE NOT FOR ISSUE ANY MANUAL ALTERATION SHALL AUTOMATICALLY RENDER THIS DRAWING INVALID. FOR UNTOLERANCED DIMENSIONS REFER MDG0008 DATE OF FIRST ISSUE 19/06/2024 <table><tr><td>WELD LENGTH</td><td>ITEM</td><td>DESCRIPTION & DIMENSIONS</td><td>OPABLY</td><td>DETAIL DRG</td><td>MATL. & SPEC.</td><td>REMARKS</td></tr><tr><td>NIL</td><td>H</td><td>GROUP ELECTRICAL</td><td colspan="4">SUPERSEDES: CC72449</td></tr><tr><td>WEIGHT</td><td>FILE</td><td colspan="5">Z:\CC72449s2.prt (2D)</td></tr><tr><td>NIL</td><td>KG</td><td colspan="5">CAGE CLAMP TERMINALS FOR</td></tr><tr><td>S.AREA</td><td></td><td colspan="5">LHB NON AC PANTRY CAR COACH</td></tr><tr><td>NIL</td><td>M²</td><td colspan="5">FOR AMRIT BHARAT COACH</td></tr><tr><td>LENGTH / DIA</td><td></td><td colspan="5">RAIL COACH FACTORY, KAPURTHALA</td></tr><tr><td>NIL</td><td>M</td><td colspan="5">REF.DWG. NIL</td></tr><tr><td>WIDTH / THICK</td><td></td><td colspan="5">रेलकोच फैक्टरी कपूरथला</td></tr><tr><td>NIL</td><td>M</td><td colspan="5">IRS</td></tr><tr><td>HEIGHT</td><td></td><td colspan="5">PL NO. NIL</td></tr><tr><td>NIL</td><td>M</td><td colspan="5">DRG.NO. CC72449</td></tr><tr><td></td><td></td><td colspan="5">SEE/D&D</td></tr><tr><td></td><td></td><td colspan="5">DY.CEE/DP</td></tr><tr><td></td><td></td><td colspan="5">ALT. NIL SIZE A2 SHEET 2/2</td></tr></table>																								SN	ITEM	PART NO./STANDARD	QPC	1	STEEL RAIL, L=130MM	210-112 OF M/S WAGO OR EQUIVALENT	01 NO.	2	SCREWLESS END STOP	248-117 OF M/S WAGO OR EQUIVALENT	02 NOS.	3	CAGE CLAMP TERMINAL	282-122 OF M/S WAGO OR EQUIVALENT	07 NOS.	4	GLASS FUSE, 5X20MM, 1A	SS05-1-R OF M/S EATON OR EQUIV. OF PROTECTRON/ SIEMENS/C&S/L&T	07 NOS.	5	ADJACENT JUMPER INSULATED, GREY	282-402 OF M/S WAGO OR EQUIVALENT	05 NOS.	6	END & INTERMEDIATE PLATE	282-311 OF M/S WAGO OR EQUIVALENT	01 NO.	SN	ITEM	PART NO./STANDARD	QPC	1	STEEL RAIL, L=150MM	210-112 OF M/S WAGO OR EQUIVALENT	01 NO.	2	SCREWLESS END STOP	248-117 OF M/S WAGO OR EQUIVALENT	02 NOS.	3	CAGE CLAMP TERMINAL	282-122 OF M/S WAGO OR EQUIVALENT	07 NOS.	4	GLASS FUSE, 5X20MM, 1A	SS05-1-R OF M/S EATON OR EQUIV. OF PROTECTRON/ SIEMENS/C&S/L&T	07 NOS.	5	ADJACENT JUMPER INSULATED, GREY	282-402 OF M/S WAGO OR EQUIVALENT	05 NOS.	6	END & INTERMEDIATE PLATE	282-311 OF M/S WAGO OR EQUIVALENT	01 NO.	7	4-CONDUCTOR GROUND TERMINAL BLOCK	280-837 OF M/S WAGO OR EQUIVALENT	04 NOS.	8	ADJACENT JUMPER INSULATED, GRN/YE	280-422 OF M/S WAGO OR EQUIVALENT	03 NOS.	9	END & INTERMEDIATE PLATE, ORANGE	280-315 OF M/S WAGO OR EQUIVALENT	01 NO.	WELD LENGTH	ITEM	DESCRIPTION & DIMENSIONS	OPABLY	DETAIL DRG	MATL. & SPEC.	REMARKS	NIL	H	GROUP ELECTRICAL	SUPERSEDES: CC72449				WEIGHT	FILE	Z:\CC72449s2.prt (2D)					NIL	KG	CAGE CLAMP TERMINALS FOR					S.AREA		LHB NON AC PANTRY CAR COACH					NIL	M ²	FOR AMRIT BHARAT COACH					LENGTH / DIA		RAIL COACH FACTORY, KAPURTHALA					NIL	M	REF.DWG. NIL					WIDTH / THICK		रेलकोच फैक्टरी कपूरथला					NIL	M	IRS					HEIGHT		PL NO. NIL					NIL	M	DRG.NO. CC72449							SEE/D&D							DY.CEE/DP							ALT. NIL SIZE A2 SHEET 2/2				
SN	ITEM	PART NO./STANDARD	QPC																																																																																																																																																																																																	
1	STEEL RAIL, L=130MM	210-112 OF M/S WAGO OR EQUIVALENT	01 NO.																																																																																																																																																																																																	
2	SCREWLESS END STOP	248-117 OF M/S WAGO OR EQUIVALENT	02 NOS.																																																																																																																																																																																																	
3	CAGE CLAMP TERMINAL	282-122 OF M/S WAGO OR EQUIVALENT	07 NOS.																																																																																																																																																																																																	
4	GLASS FUSE, 5X20MM, 1A	SS05-1-R OF M/S EATON OR EQUIV. OF PROTECTRON/ SIEMENS/C&S/L&T	07 NOS.																																																																																																																																																																																																	
5	ADJACENT JUMPER INSULATED, GREY	282-402 OF M/S WAGO OR EQUIVALENT	05 NOS.																																																																																																																																																																																																	
6	END & INTERMEDIATE PLATE	282-311 OF M/S WAGO OR EQUIVALENT	01 NO.																																																																																																																																																																																																	
SN	ITEM	PART NO./STANDARD	QPC																																																																																																																																																																																																	
1	STEEL RAIL, L=150MM	210-112 OF M/S WAGO OR EQUIVALENT	01 NO.																																																																																																																																																																																																	
2	SCREWLESS END STOP	248-117 OF M/S WAGO OR EQUIVALENT	02 NOS.																																																																																																																																																																																																	
3	CAGE CLAMP TERMINAL	282-122 OF M/S WAGO OR EQUIVALENT	07 NOS.																																																																																																																																																																																																	
4	GLASS FUSE, 5X20MM, 1A	SS05-1-R OF M/S EATON OR EQUIV. OF PROTECTRON/ SIEMENS/C&S/L&T	07 NOS.																																																																																																																																																																																																	
5	ADJACENT JUMPER INSULATED, GREY	282-402 OF M/S WAGO OR EQUIVALENT	05 NOS.																																																																																																																																																																																																	
6	END & INTERMEDIATE PLATE	282-311 OF M/S WAGO OR EQUIVALENT	01 NO.																																																																																																																																																																																																	
7	4-CONDUCTOR GROUND TERMINAL BLOCK	280-837 OF M/S WAGO OR EQUIVALENT	04 NOS.																																																																																																																																																																																																	
8	ADJACENT JUMPER INSULATED, GRN/YE	280-422 OF M/S WAGO OR EQUIVALENT	03 NOS.																																																																																																																																																																																																	
9	END & INTERMEDIATE PLATE, ORANGE	280-315 OF M/S WAGO OR EQUIVALENT	01 NO.																																																																																																																																																																																																	
WELD LENGTH	ITEM	DESCRIPTION & DIMENSIONS	OPABLY	DETAIL DRG	MATL. & SPEC.	REMARKS																																																																																																																																																																																														
NIL	H	GROUP ELECTRICAL	SUPERSEDES: CC72449																																																																																																																																																																																																	
WEIGHT	FILE	Z:\CC72449s2.prt (2D)																																																																																																																																																																																																		
NIL	KG	CAGE CLAMP TERMINALS FOR																																																																																																																																																																																																		
S.AREA		LHB NON AC PANTRY CAR COACH																																																																																																																																																																																																		
NIL	M ²	FOR AMRIT BHARAT COACH																																																																																																																																																																																																		
LENGTH / DIA		RAIL COACH FACTORY, KAPURTHALA																																																																																																																																																																																																		
NIL	M	REF.DWG. NIL																																																																																																																																																																																																		
WIDTH / THICK		रेलकोच फैक्टरी कपूरथला																																																																																																																																																																																																		
NIL	M	IRS																																																																																																																																																																																																		
HEIGHT		PL NO. NIL																																																																																																																																																																																																		
NIL	M	DRG.NO. CC72449																																																																																																																																																																																																		
		SEE/D&D																																																																																																																																																																																																		
		DY.CEE/DP																																																																																																																																																																																																		
		ALT. NIL SIZE A2 SHEET 2/2																																																																																																																																																																																																		

5

