

| <b>RAIL COACH FACTORY, KAPURTHALA</b> |                    |                      |
|---------------------------------------|--------------------|----------------------|
| <b>Specification No.</b>              | <b>Description</b> | <b>Covering Page</b> |
| Mech/M&P/3400/GM/02Rev.- 01           | Engraving Machine  |                      |

| <b>Designation</b> | <b>Name</b>    | <b>Signature</b> | <b>Date</b> | <b>Level</b>      |
|--------------------|----------------|------------------|-------------|-------------------|
| JE/M&P             | S.K Juneja     |                  |             | Prepared          |
| Dy.CPE-I           | Anil Kumar     |                  |             | Agreed & Reviewed |
| CPE                | Vineet Singhal |                  |             | Approved          |

| <b>Issue/ Rev</b> | <b>Changes</b>  | <b>Date</b> |
|-------------------|---|-------------|
| <b>Rev-01</b>     | <ol style="list-style-type: none"> <li>1. Sub clauses of clause no. 5 of General features as highlighted in the draft spec.</li> <li>2. Sub clauses of clause no. 7 of Concomittant accessories as highlighted in the draft spec.</li> <li>3. Schedule-I as highlighted in the draft spec.</li> </ol> |             |

| <b>RAIL COACH FACTORY, KAPURTHALA</b> |                    |                 |             |
|---------------------------------------|--------------------|-----------------|-------------|
| <b>Specification No.</b>              | <b>Description</b> | <b>Page No.</b> | <b>Date</b> |
| Mech/M&P/3400/GM/02Rev.- 01           | Engraving Machine  | 1 of 10         | 04.12.2020  |

## **1.0 IMPORTANT INSTRUCTIONS TO TENDERERS FOR FILLING TECHNICAL BID**

- 1.1 Bidders are required to give clause wise comments on the technical specifications, confirming compliance/non-compliance with details of deviations if any along with their effect on the performance. Back references to be avoided, offers are likely to be ignored in case of non-compliance of these instructions for furnishing the information.
- 1.2 Unless otherwise stated, latest alterations/ revisions of specifications/ standards/ drawings shall be applicable. In respect of safety standards and environmental standards relevant to the machine, the machine manufacturers shall ensure compliance with international (CE/ISO/DIN/JIS)/National standards (IS) (wherever applicable).
- 1.3 Tenderers should offer and quote for all the specified concomitant accessories, as these are considered essential for commissioning and utilization of the machine. Even if bidder does not recommend the purchase any of these accessories, the price must be quoted for comparison purposes and their recommendation/suggestion indicated in the offer. Tenderers should also quote for optional accessories, spares and consumable spares as asked in the specifications.
- 1.4 In case, any item is required in sets, please specify nos./pieces per set. This is essential for proper technical evaluation of the offer. Offers received without this may be considered as incomplete and liable to be rejected.
- 1.5 The bidder should quote only for the specified make of sub-assemblies and equipment wherever specified. Makes of sub-systems other than the specified ones will normally not be acceptable. In case, some other make is quoted, specific reasons for the same including its features/advantages over specified makes must be brought out in the offer.
- 1.6 In case there is a contradiction in any information provided (some parametric values given in the specification and those given in the brochure or some other document enclosed by the tenderer), unless specifically mentioned in the deviation cum confirmation statement the values as given in the specification shall be taken as confirmed by the tenderer and offer evaluated accordingly.
- 1.7 The Purchaser may accept internationally accepted alternative specifications which ensure equal or higher quality than the specifications mentioned in the Technical Specification. However, the decision of the Purchaser in this regard shall be final.
- 1.8 Purchaser reserves the right to verify the details submitted by the bidder by actual site visits.
- 1.9 Other terms & condition of the contract will be as per Indian Railway Standard conditions of contract.

| RAIL COACH FACTORY, KAPURTHALA |                   |          |            |
|--------------------------------|-------------------|----------|------------|
| Specification No.              | Description       | Page No. | Date       |
| Mech/M&P/3400/GM/02Rev.- 01    | Engraving Machine | 2 of 10  | 04.12.2020 |

## 2.0 PURPOSE

Engraving Machine is required for marking of coach plates in Seat and Berth section of Furnishing Shop.

## 3.0 DESCRIPTION AND SCOPE OF SUPPLY

- 3.1 The scope of supply covers design, manufacture, supply, installation and commissioning of Engraving Machine. Other concomitant accessories/ equipment which the manufacturer considers essential to make the machine fully operational when installed and commissioned with requirement of utilities, etc if any, should be clearly indicated by tenderer in the offer.
- 3.2 The total value of the offer will be calculated on.
- The cost of the basic machine.
  - Cost of the concomitant accessories according to tenderer specification.
  - Cost of any other accessory treated as concomitant accessory.
  - Application duties and taxes, insurance, freight and installation and Commissioning charges.
- 3.3 Technical experts of the manufacturer during commissioning of machine will fully and adequately trained operators/ maintenance staff nominated by the consignee including repairs of electronic gadgets, sub-assemblies and Printed Circuit Boards up to component level.
- 3.4 The machine should conform generally to the specification provided in Schedule-I of this specification

## 4.0 ELIGIBILITY CRITERIA

- 4.1 The tenderer shall have established quality control system and organization to ensure adequate control at all stages of the manufacturing process.
- 4.2 The tenderer shall provide a performance statement giving a list of major supplies of same/similar equipments in last 5 years to the reputed organizations/preferably to Indian Railways giving details of the order no. and date and the quantity supplied and whether the supply was made within the delivery schedule. Such period shall be reckoned from the date of opening of tender. Tenderer should also provide the prove out test certificate of his supply/supplies. All above documents shall be uploaded along with the offer.
- 4.3 Only OEM of equipment or their authorized dealers can only participate in the tender.

## 5.0 GENERAL FEATURES

- 5.1 Marking window should be of 100 X 120 mm (approx.) size.
- 5.2 Motorized Marking Head which should be moveable along with MS column in vertical direction to accommodate various size of work piece and touch screen display integrated on marking head itself to input marking parameters.
- 5.3 Machine should be stand alone, compact and all in one concept. Interactive touchscreen shall be integrated with the marking head.
- 5.4 Operating mode – independent without PC
- 5.5 No additional PC or key board required to set the marking parameter

| RAIL COACH FACTORY, KAPURTHALA |                   |          |            |
|--------------------------------|-------------------|----------|------------|
| Specification No.              | Description       | Page No. | Date       |
| Mech/M&P/3400/GM/02Rev.- 01    | Engraving Machine | 3 of 10  | 04.12.2020 |

- 5.6** Machine should be capable of marking wide range of materials from Plastic to hardened Steel including Stainless Steel upto 62 HRC.
- 5.7** Machine should be able to store wide range of patterns.
- 5.8** Machine should be able to mark continuous line with various fonts of high , medium and low density dots.
- 5.9** Pin travel should accommodate surface irregularities upto 6.00 mm(0.25")
- 5.10** Should be able to mark linear, Radial, Angular Alphanumeric text, various geometrical shapes. (circle, ellipse ,square etc.). 2D data Matrix, QR Code, Logos etc
- 5.11** Machine should be free from vibration to avoid any error during the operation.
- 6.0 SAFETY FEATURES**
- 6.1** The Machine shall incorporate all safety devices so as to provide complete protection to the operator and machine against all possible operational and machinery failures and those should be indicated clearly in the offer.
- 6.2** Safety feature should also include: Safety device against over load for all relevant mechanism and electronic /electrical circuits.
- 7.0 CONCOMITANT ACCESSORIES**
- 7.1** Marking head assembly with one Cartridge Assembly for pin and minimum two pins.
- 7.2** Machine should be supplied with suitable software for online as well as offline applications.
- 7.3** Machine should have RS 232 or TCPIP, USB Host Interface to download text to individual fields.
- 7.4** Machine should have facility for interfacing to PLC's.
- 7.5** Marker head and controller.
- 7.6** Pneumatic tubing and inter connecting cables.
- 7.7** Fixture for holding & marking on flat surfaces.
- 7.8** Magnetic clamp for holding plate to be marked.
- 7.9** Reciprocating Pneumatic Compressor of 1.5 to 2 CFM and output pressure of 5 -6 bar.
- 8.0 OPTIONAL ACCESSORIES**
- 8.1** Logo/Font design software for design of custom fonts or simple logos.
- 8.2** Any other accessory, which is in the opinion of the tenderer can contribute to higher production rates, should be indicated and quoted separately mentioning prices of each accessory.
- 9.0 SPARES & CONSUMABLES**
- 9.1** The tenderer should furnish details of spares covered under warranty.
- 9.2** List of important spare parts and accessories with their part number and costing.

| RAIL COACH FACTORY, KAPURTHALA |                   |          |            |
|--------------------------------|-------------------|----------|------------|
| Specification No.              | Description       | Page No. | Date       |
| Mech/M&P/3400/GM/02Rev.- 01    | Engraving Machine | 4 of 10  | 04.12.2020 |

- 9.3** The tenderer should be furnishing the price list of spare parts required for two years normal maintenance of the equipment. Sources of supply of spares used other than that of manufacturer should be furnished by the tenderer.
- 9.4** List of recommended spares for normal maintenance after expiry of warranty period to till useful life of the equipment and these spares should be readily available in the market with your authorised stockists.
- 9.5** List of recommended consumables for two years shall be quoted separately.
- 9.6** Useful life estimated/expected for each equipment and its sub assembly should be indicated by the tenderers.

#### **10.0 INSPECTION OF EQUIPMENT & TESTING AT MANUFACTURERS WORKS**

- 10.1** A sample inspection chart for inspecting the equipment should be supplied along with the bid.
- 10.2** Manufacturers must have suitable facilities at their works for carrying out various performance tests on the equipment. The tenderer should clearly confirm that all the facilities exists and shall be made available to the inspecting authority.
- 10.3** A functional test must be carried out at the manufacturer's works. Reliability of the equipment shall be demonstrated to the satisfaction of the appointed inspector or inspecting agency.

#### **11.0 COMMISSIONING AND PROVING OUT :-**

- 11.1** The Successful tenderer shall have to commission the machine within 30 days from the date of receipt of machine at RCF,Kapurthala.
- 11.2** The successful tenderer shall have to prove out the performance of the machine at RCF premises to the entire satisfaction of the consignee.
- 11.3** The supplier should take full responsibility of commissioning the unit & training of the Intended user.
- 11.4** User shall also be trained in using day to day maintenance & cleaning of unit.
- 11.5** Any precaution & extra care intended in the use of the equipment should be explicitly informed.

#### **12.0 TECHINCAL LITERATURE**

- 12.1** One copy of the printed illustrative catalogue showing isometric view/sketch & features of the machine and its elements must be enclosed with each copy of the bid.
- 12.2** The successful tenderer will have to furnish for each machine 02 copies of spare parts catalogue giving the part list number of each component with exploded views and assembly drawings, maintenance manual, trouble shooting guide, operational manual of the machine.
- 12.3** Document in the service / technical manual. Firm shall also provide time within which all service calls shall be attended.
- 12.4** A Circuit diagram for sequence of operations must be supplied in maintenance & operation manuals. Each element in the diagram should be suitably numbered &

| RAIL COACH FACTORY, KAPURTHALA |                   |          |            |
|--------------------------------|-------------------|----------|------------|
| Specification No.              | Description       | Page No. | Date       |
| Mech/M&P/3400/GM/02Rev.- 01    | Engraving Machine | 5 of 10  | 04.12.2020 |

correspondingly labelled for the convenience of the operating & maintenance staff.

### 13.0 SPECIAL FEATURES

Special features incorporated into the machine, if any shall be indicated separately by the tenderer, clearly indicating the advantage of these features.

### 14.0 MAKE

- 14.1 The supplier shall clearly mention whether the system quoted is Indian make or imported. If Indian make, the tender should be accompanied by duly sanctioned factory license & relevant documents & also produce records of installation & satisfactory after sales service performance of their equipment from at least one govt. Institution of similar or large size for duration at least 3 Years duration.
- 14.2 If imported item, the OEM firm should be registered for operations in India for a minimum period of last 3 years. In case this is not so, the dealer should be authorised regional supplier & service provide for the late 3 years. He should also produce installation & satisfactory after sales service record of duration at least last 3 years from at least one govt. Institution for a system of similar or larger size. Further the tender should be accompanied by authorisation certificate from OEM.
- 14.3 The supplier shall furnish the complete details of Model No. Make & Manufacturer's details/ address, Country and authorization details of Dealership.
- 14.4 The firm shall provide the calibration certificate of National / International Traceability along with validity of at least two years.

### 15.0 DEVIATIONS:

The tenderer should clearly certify that the machine offered fully meets the specification various design features incorporated in the machine to fulfil different technical performance requirements should be fully explained in the offer. However, minor deviations from this specification, which do not affect or in any way interfere with the stipulated performance standards, or would result in improved safety/reliability or would reduce recurring maintenance/operating cost of the machine, can be considered for acceptance.

### 16.0 SERVICING FACILITIES

- 16.1 Service facility in Punjab, Address and contract details including phone and fax no. to be provided. The facility should have the necessary equipments recommended by the manufacture to carry out preventive maintenance test as per guideline provided in the service / maintenance manual. Firm should provide list of equipment available for providing calibrations and routine maintenance support as per manufacturer.
- 16.2 Supplier will undertake for service repairs & replacement of any needed part as & when needed.

| RAIL COACH FACTORY, KAPURTHALA |                   |          |            |
|--------------------------------|-------------------|----------|------------|
| Specification No.              | Description       | Page No. | Date       |
| Mech/M&P/3400/GM/02Rev.- 01    | Engraving Machine | 6 of 10  | 04.12.2020 |

- 16.3 Maintenance contract to be quoted after the expiry of maintenance period quoted above with details of scheduled visits, part covered under contract & cost of parts not covered as well.
- 16.4 The tenderer shall clearly spell out in the offer about the facility available with him or his agent/dealer for providing adequate after sales service in Punjab during warranty period.
- 16.5 The tenderer shall also indicate the service organization located at various places in India and availability of trained staff, maintenance spares etc.
- 16.6 The contractor shall give a comprehensive spare part list with OEM details and price for all the sub systems.
- 16.7 The tenderer/contractor shall provide list of spares, consumables required for maintenance for 5 years after completion of warranty period
- 16.8 For maintenance during warranty following criteria shall be considered.
- A) Service engineer of the supplier shall be available for attending to the system faults during first 07 days after successful commissioning of equipments during 09.00 - 17.00 hrs on all working days including Saturdays.
  - B) Service engineers shall visit RCF on quarterly basis thereafter till the end of warranty/extended warranty period for Preventive Maintenance at least for one full day at a time.
  - C) In case of any breakdown affecting the performance of the system completely or partly, firm shall depute its service engineer as soon as and when informed by any suitable means like Fax, SMS or email possible after receiving such call.
  - D) Breakdown period shall be calculated from 8 hours after it's reporting to the firm upto the time it is attended. If intimation to the firm is delayed from Railway's side, then the breakdown period calculation will start from the time by which it is reported to the firm.
- 16.9 Total up time of the system should be at least 90%. Up time shall be counted in following manner:-
- A) Total breakdown of less than 8 hours shall be ignored for the purpose of this calculation.
  - B) Penalty may be imposed if the down time is more than 10% without any valid reasons. The levy of token penalty as deemed fit based on the merit of the case may also be consider as per clause 17 (b) of GCC -201.
- 16.10 Warranty period for part or machine shall be extended after completion of warranty period by the duration under which the part or machine remains under breakdown during warranty.
- 16.11 Tenderer shall provide list of spares, consumables required for maintenance for 5 years after completion of warranty period as per annexure-A
- 16.12 Tenderer shall provide expected life for the components of the system and provide the maintenance schedule required for 10years for as per annexure -A

| RAIL COACH FACTORY, KAPURTHALA |                   |          |            |
|--------------------------------|-------------------|----------|------------|
| Specification No.              | Description       | Page No. | Date       |
| Mech/M&P/3400/GM/02Rev.- 01    | Engraving Machine | 7 of 10  | 04.12.2020 |

16.13 Tenderer shall provide the service charges /per day/per man for deputing service engineer on the machine on requirement separately for Indian and Foreign engineer.

**17.0 SCHEDULE OF ANNUAL MAINTENANCE CONTRACT (AMC) FOR PERIOD OF 5 YEARS AFTER COMPLETION OF WARRANTY PERIOD**

- 17.1 Tenderer shall provide proposal for 5 year Annual Preventive Maintenance schedule to be executed after completion of warranty period in the format as per annexure-B.
- 17.2 The firm shall maintain the machine in good working condition during the contract period and shall correct the fault or failures, repair or replace the worn or defective parts/equipment during the normal working hours of shop where the equipment has been installed. Unserviceable parts/equipment need to be replaced at no extra cost with brand new parts/equivalent or superior specification.
- 17.3 The firm shall respond by deputing service personal to oral / telephonic/ or other modes of intimation for repair and maintenance of the said machines **within 2 hours.**
- 17.4 The firm shall ensure that the machine is in proper working condition, to the full capacity, after repair and maintenance.
- 17.5 To have a timely supply of spares during AMC, the contractor shall furnish a total list of spares which should contain list of spares that shall be arranged by the firm, both chargeable, duly mentioning the charge against each item, and spares which shall be non-chargeable, and list of spares to be held by RCF.
- 17.6 The contractor shall clearly list-out the list of consumables required for day-to-day operation of the machine. It shall be the scope of RCF to arrange the consumables once the completion certificate is issued for the retrofitted machine.
- 17.7 The tenderer/contractor shall provide suitable standby when repairs exceeds 2 hours. When any equipment is taken for repair to the tenderer/contractor's premises suitable standby equipment should be provided.
- 17.8 Besides attending the breakdown calls, the firm shall attend to the corrective and preventive maintenance of the machines once in a month.
- 17.9 The AMC is valid for five years from the date of completion of the warranty period . No freight is admissible.
- 17.10 During the AMC period, whatever equipment is defective shall be handed over to RCF. During completion of the AMC period the machines should be handed over in full working condition to its full capacity.
- 17.11 The firm should maintain a register duly indicating the nature of defects and repair attended and got signed by RCF authority. Preventive maintenance schedule should be made. The schedule should be made in such a way that more than one machine should not be attended on the same day. A copy of the schedule should be given to RCF at the beginning of the AMC and the schedule should be strictly followed and on carrying out the preventive maintenance the same should be entered in the register and got signed by RCF authority.



| <b>RAIL COACH FACTORY, KAPURTHALA</b> |                    |                 |             |
|---------------------------------------|--------------------|-----------------|-------------|
| <b>Specification No.</b>              | <b>Description</b> | <b>Page No.</b> | <b>Date</b> |
| Mech/M&P/3400/GM/02Rev.- 01           | Engraving Machine  | 8 of 10         | 04.12.2020  |

**17.12** AMC charges shall be paid quarterly as one quarter of the total AMC charges applicable for that year on submission of bills duly certified by the engineers in charge with regard to the satisfactory execution of AMC during the period for which the bill is claimed. Duties & taxes as applicable at the time of payment shall be deducted at source.

**18.0 WARRANTY**

**18.1** As per IRS conditions or as quoted by the tenderer whichever is later.

**18.2** Warranty period for part or machine shall be extended after completion of warranty period by the duration under which the part or machine remains under breakdown during warranty.

**19.0. PAYMENT TERMS**

80 % on receipt of machine and balance 20% after successful commissioning of machine and submission of Bank guarantee equivalent to 10% of P.O value valid up to the warranty period of the machine.

**20.0. DOCUMENTS TO BE UPLOADED FOR TECHNICAL EVALUATION**

Following documents must be submitted by the bidder along with the offer:

- a. Clause wise comments on technical specification
- b. Documentary evidence of previous supplies to other Railways
- c. Authorisation certificate of OEM in case of Authorised dealer
- d. Details list of spares covered under warranty.
- e. Details asked as per Annexure-A and Annexure-B.
- f. Details of deviations from specification if any as per Annexure-C

Tenderer not submitting the above information may note that his offer is liable to be ignored.

| RAIL COACH FACTORY, KAPURTHALA |                   |          |            |
|--------------------------------|-------------------|----------|------------|
| Specification No.              | Description       | Page No. | Date       |
| Mech/M&P/3400/GM/02Rev.- 01    | Engraving Machine | 9 of 10  | 04.12.2020 |

### SCHEDULE-I

#### Technical data for Engraving machine

| S.No. | Parameter                                | Value  |
|-------|--|--|
| 1.    | Max. Marking window size                 | 100 X 120 mm   |
| 2.    | Display                                  | Interactive Color Touch screen   |
| 3.    | Dot density                              | Shall be able to mark continuous line with various fonts of high, medium and low density dots.   |
| 4.    | Marking speed                            | 3 char./sec  |
| 5.    | Mark Depth                               | 0.03-0.33MM  |
| 6.    | Max Character Height                     | 100 mm   |
| 7.    | Min. No of spare pins                    | 2No.(including one with machine)<br>Material : Tungsten Carbide  |
| 8.    | Compressor for air supply to the machine | Reciprocating Air Compressor of capacity 1.5 to 2 CFM and Output Pressure-5-6 Bars   |
| 9.    | Power Supply                             | 220 V AC/50 Hz   |
| 10.   | Magnetic Clamps for Positioning          | 02 nos.  |
| 11.   | 3D stylus (Optional)                     | For in depth marking upto 18mm   |
| 12.   | Software Functionalities                 | Automatic Time stamping<br>Counters<br>Duplication Control<br>Marking result preview<br>Link to a database (CSV,Excel,Access)<br>Marking History |

**Note:** Tenderer to furnish following detail of the Engraving Machine offered

| S.no. | Technical Parameter | Offered by Tenderer |
|-------|---------------------|---------------------|
|       |                     |                     |

| RAIL COACH FACTORY, KAPURTHALA |                   |          |            |
|--------------------------------|-------------------|----------|------------|
| Specification No.              | Description       | Page No. | Date       |
| Mech/M&P/3400/GM/02Rev.- 01    | Engraving Machine | 10 of 10 | 04.12.2020 |

**ANNEXURE-A**

Tenderer shall provide list of spares, consumables required for maintenance for 5 years after completion of warranty period as below:

| S.N. | ITEM | PART NO. | SERVICE LIFE | PRICE |
|------|------|----------|--------------|-------|
|      |      |          |              |       |

**ANNEXURE -B**

Tenderer shall provide proposal for 5 year Annual Preventive Maintenance schedule to be executed after completion of warranty period in the format as below:

| S.N. | YEAR       | AMC CHARGES |
|------|------------|-------------|
| 1.   | IST YEAR   |             |
| 2.   | IIND YEAR  |             |
| 3.   | IIIRD YEAR |             |
| 4.   | IVTH YEAR  |             |
| 5.   | VTH YEAR   |             |

**ANNEXURE -C**

DEVIATION STATEMENT ( IF ANY)

| S.N. | Specification Clause No. | Deviation ( If Any) |
|------|--------------------------|---------------------|
| 1.   |                          |                     |
| 2.   |                          |                     |
| 3.   |                          |                     |
| 4.   |                          |                     |
| 5.   |                          |                     |

Prepared by  
JE/M&P

Agreed by  
Dy.CPE-I