

## List of Sparable Inactive Items of (FUR)

SNo.	Section	PL.No.	Description/Specification	Coaches Applicable	Ward	Stock	Rate(Rs.)	Value
1.	BOGIE	30060059	SET OF CENTER PIVOT PIN AND COTTER as per Drg.No. MPLCPPS VERSION 0 NIL	LFCZACNG,LGSNG,LSCZACNG,LSLRDNG, MEMUTASP, MEMUTGS, MEMUTL, WGACCN64, WGACCND, WGSCN72	2	61	16,444.15	10,03,093
2.	BOGIE	30988639	HEXAGON HEAD SCREW WITH HOLES FOR LOCK WIRE EMU/M-0-1-039 ALT. 'NIL'	MEMU3PB, MEMU3PH, MEMUT3PB, MEMUT3PH	35	3,743	13.64	51,055
3.	ELEC	33620210	HEXAGONAL LOCK NUT PG THREAD BRASS PG16 ,ANNX A,TAB A10,SNO 4., as per Drawing: RDSO/PE/SPEC/AC/0138-2009(REV-I), Packing Instruction: AS PER STANDARD PACKING. IT SHOULD BE ENSURED THAT ITEM SHOULD NOT RUB DURING TRANSPORTATION. THE ITEM SHOULD BE PACKED WITH ADEQUATE STRENGTH. TRANSIT DAMAGE , IF ANY , SHALL BE AT THE COST OF SUPPLIER. NIL	L2CCSAU, LA3HMPX, LACCNE, LACCNEX, LACCNEX1, LACCNGR, LACCNGRT, LACCNHM X, LACCNHX, LACCNRJ, LACCNX, LACCNX1, LACCWHX, LACCWRJ, LACCWX, LACCWX1, LACOC, LACWNASP, LCBACBDX, LCBACDBD, LCBACHMX, LCBACHX, LCBACX, LCBHMPX, LCZDACDX, LCZDACX, LDM1ACEA, LDM2ACEA, LDM3ACEA, LDMPANCA, LDMSCNEA, LDMSLREA, LFACHX, LFACWRJ, LFCX, LFCWAC, LFCWACX, LFCZACHX, LFCZACNG, LFCZACSH, LFCZACX, LGSNG, LJSCZAC, LLRM500X, LLRM752X, LLRRMDDX, LLRRMHMX, LLRRMHT, LLRRMHX, LLRRMLGR, LLRRMLX, LLRRMTX, LLRRMWSX, LLRRMX, LRRMHMPX, LSACX, LSCNW, LSCNWX, LSCNX	3	19,960	16.71	3,33,532
4.	ELEC	33620738	INTERFLEX CAT NO. BRM-29 EQUIVALENT TO TUBE CLAMP TO PG-29, THREAD SIZE AS PER DIN 40430 CAT NO. SGB-29 OF M/S PMA	L2CCSAU, LA3HMPX, LACCNE, LACCNEX, LACCNEX1, LACCNHMX, LACCNHX, LACCNRJ, LACCNX, LACCNX1, LACCWHX, LACCWRJ, LACCWX, LACCWX1, LACOC, LACWNASP, LCBACBDX, LCBACDBD, LCBACHMX, LCBACHX, LCBACX, LCBHMPX, LCZDACDX, LCZDACX, LDM1ACEA, LDM2ACEA, LDM3ACEA, LDMGSEA, LDMPANCA, LDMSLREA, LDMSLREA, LFACHX, LFACWRJ, LFACX, LFCWAC, LFCWACX, LFCZACHX, LFCZACNG, LFCZACSH, LFCZACX, LGS, LGSNG, LJSCZAC, LLRM752X, LLRRMDDX, LLRRMHMX, LLRRMHT, LLRRMHX, LLRRMLGR, LLRRMLX, LLRRMTX, LLRRMWSX, LLRRMX, LRRMHMPX, LSACX, LSCNW, LSCNWX, LSCNWX1, LSCNX, LSCZ1X, LSCZACHX, LSCZACNG	3	2,248	63.85	1,43,535
5.	ELEC	33621068	CABLE DUCT COVER, A25, 1MT STD. SLOT GREY CAT.NO.CCA25SG OF M/S L&T CAT.NO.CCA25SG OF M/S L&T CONFORMING MATERIAL SPEC.NO.EDTS-133	LA3HMPX, LACCNE, LACCNEX, LACCNEX1, LACCNHMX, LACCNHX, LACCNRJ, LACCNX, LACCNX1, LACCWHX, LACCWRJ, LACCWX, LACCWX1, LACOC, LCBACBDX, LCBACDBD, LCBACHMX, LCBACHX, LCBACX, LCBHMPX, LCZDACDX, LCZDACX, LDM1ACEA, LDM2ACEA, LDM3ACEA, LDMPANCA, LFACHX, LFACWRJ, LFACX, LFCWAC, LFCWACX, LFCZACHX, LFCZACSH, LFCZACX, LSCZACHX, LSCZACHS, LSCZACX, LWACCN, LWACCNNA, LWACCNH, LWACCNHM, LWACCNX, LWACCNW, LWAC	3	1,909	14.59	27,852

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
6. ELEC	33621410	TUBE CLAMP TO PG21,ANNX A,TAB A8,SNO4., as per Drawing: RDSO/PE/SPEC/AC/0138-2009(REV-I), Packing Instruction: AS PER STANDARD PACKING. IT SHOULD BE ENSURED THAT ITEM SHOULD NOT RUB DURING TRANSPORTATION. THE ITEM SHOULD BE PACKED WITH ADEQUATE STRENGTH. TRANSIT DAMAGE , IF ANY , SHALL BE AT THE COST OF SUPPLIER. NIL	CWA,LWACCWD,LWCBAC,LWCBACA,LWCBACD,LWCZDAC,LWCZDACD,LWFAC,LWFACA,LWFACD,LWFCZAC,LWFCZACH,LWFCZACU,LWLRRMU,LWSCZAC,LWSCZACH,LWSCZACU L2CCSAU,LA3HMPX,LACCNE,LACCNEX,LA CCNEX1,LACCNHMX,LACCNHX,LACCNRJ, LACCNX,LACCNX1,LACCWHX,LACCWRJ,L ACCWX,LACCWX1,LACOC,LACWNASP,LC BACBDX,LCBACDBD,LCBACHMX,LCBACHX ,LCBACX,LCBHMPX,LCZDACDX,LCZDACX, LDM1ACEA,LDM2ACEA,LDM3ACEA,LDMGS EA,LDMPANCA,LDMSCNEA,LDMSLREA,LF ACHX,LFACWRJ,LFACX,LFCWAC,LFCWAC X,LFCZACHX,LFCZACNG,LFCZACSH,LFCZ ACX,LGS,LGSNG,LJBR,LJGSCZ,LJSCZAC,L LRM752X,LLRRMDDX,LLRRMHMX,LLRRMH T,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMT X,LLRRMWSX,LLRRMX,LRRMHMPX,LSACX ,LSCNW,LSCNWX,LSCNWX1,LSCNX,LSCZ 1X,LSCZACHX	3	17,762	46.53	8,26,466
7. ELEC	33622292	END FITTING PG29,ANNX-A,TAB-A2,SNO6., as per Drawing: RDSO/PE/SPEC/AC/0138-2009,REV-I, Packing Instruction: AS PER STANDARD PACKING. IT SHOULD BE ENSURED THAT ITEM SHOULD NOT RUB DURING TRANSPORTATION. THE ITEM SHOULD BE PACKED WITH ADEQUATE STRENGTH. TRANSIT DAMAGE , IF ANY , SHALL BE AT THE COST OF SUPPLIER. NIL	L2CCSAU,LACCWX1,LCBACHX,LCBACX,LC ZDACDX,LCZDACX,LDMGSEA,LDMSCNEA, LFACHX,LFACX,LJSCZAC,LLRM752X,LLRR MDDX,LLRRMHMX,LLRRMHT,LLRRMHX,LL RRMLGR,LLRRMLX,LLRRMTX,LLRRMWSX, LLRRMX,LRRMHMPX,LSACX,LSCNW,LSCN WX,LSCNWX1,LSCZX,LSDDX,LSDDX1,LVP HASDX,LVPHX,LWCZDAC,LWCZDACD,LW GFAC,LWLRM752,LWLRRM,LWLRRMA,LW LRRMD,LWLRRMH,LWLRRMHM,LWLRRMU ,LWLRRMWS,LWSLRD	3	1,284	377.77	4,85,057
8. ELEC	33622899	END FITTING TO PG-16,ANNX A,TAB.A2,SNO3. RDSO/PE/SPEC/AC/0138-2009(REV-I).	LA3HMPX,LACCNE,LACCNEX,LACCNEX1,L ACCNGR,LACCNGRT,LACCNHMX,LACCNH X,LACCNRJ,LACCNX,LACCNX1,LACCWHX, LACCWRJ,LACCWX,LACCWX1,LACOC,LAC WNASP,LCBACBDX,LCBACDBD,LCBACHM X,LCBACHX,LCBACX,LCBHMPX,LCZDACD X,LCZDACX,LDM1ACEA,LDM2ACEA,LDM3A CEA,LDMGSEA,LDMPANCA,LDMSCNEA,LD MSLREA,LFACHX,LFACWRJ,LFACX,LFCW AC,LFCWACX,LFCZACHX,LFCZACSH,LFCZ ACX,LGS,LJSCZAC,LLRM500X,LLRM752X,L LRRMDDX,LLRRMHMX,LLRRMHT,LLRRMH X,LLRRMLGR,LLRRMLX,LLRRMTX,LLRRM WSX,LLRRMX,LRRMHMPX,LSACX,LSCNW, LSCNWX,LSCNWX1,LSCNX,LSCZ1X,LSCZA CHX,LSCZACSH	3	7,978	257.7	20,55,931

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
9. ELEC	33630021	HEXAGONAL LOCK NUT PG THREAD BRASS PG21 WITH ,ANNX A,TAB A10,SNO5., as per Drawing: RDSO/PE/SPEC/AC/0138-2009(REV-I), Packing Instruction: AS PER STANDARD PACKING. IT SHOULD BE ENSURED THAT ITEM SHOULD NOT RUB DURING TRANSPORTATION. THE ITEM SHOULD BE PACKED WITH ADEQUATE STRENGTH. TRANSIT DAMAGE , IF ANY , SHALL BE AT THE COST OF SUPPLIER. NIL	L2CCSAU,LA3HMPX,LACCNE,LACCNEX,LA CCNEX1,LACCNGR,LACCNGRT,LACCNHM X,LACCNHX,LACCNRJ,LACCNX,LACCNX1,L ACWVHX,LACCWRJ,LACCWX,LACCWX1,L ACOC,LACWNASP,LCBACBDX,LCBACDBD, LCBACHMX,LCBACHX,LCBACX,LCBHMPX, LCZDACDX,LCZDACX,LDM1ACEA,LDM2AC EA,LDM3ACEA,LDMGSEA,LDMPANCA,LDM SCNEA,LDMSLREA,LFACHX,LFACWRJ,LFA CX,LFCWAC,LFCWACX,LFCZACHX,LFCZA CNG,LFCZACSH,LFCZACX,LGSNG,LJBR,LJ GSCZ,LJSCZAC,LLRM500X,LLRM752X,LLR RMDDX,LLRRMHMX,LLRRMHT,LLRRMHX,L LRRMLGR,LLRRMLX,LLRRMTX,LLRRMWS X,LLRRMX,LRRMHMPX,LSACX,LSCNW,LS CNWX,LSCNWX1	3	12,012	19.22	2,30,871
10. ELEC	33635419	DISTRIBUTION PANEL FOR PANTRY EQUIPMENTS CC72172,Alt'a'	LSCZ1X,LSCZX,LWSCZ,LWSCZ1	3	32	5,785.35	1,85,131
11. ELEC	33640312	PA SYSTEM FOR POWER CAR COACHAS PER DRAWING/SPEC. EDTS173, REV-B,COR -1,TYPE-II NIL	LLRM752X,LLRRMDDX,LLRRMHMX,LLRRM HT,LLRRMHX,LLRRMLGR,LLRRMLX,LLRR MTX,LLRRMWSX,LLRRMX,LRRMHMPX,LW LCBRM1,LWLCBRRM,LWLRM752,LWLRRM ,LWLRRMA,LWLRRMD,LWLRRMH,LWLRR MHM,LWLRRMU,LWLRRMWS	3	4	39,309.51	1,57,238
12. ELEC	33640415	STATIC INVERTER 25KVA FOR RMPU (UNDERSLUNG) FOR LHB HYBRID SG AC COACHES WITH CONTROL CABLE LENGTH PP NPP=18MTS EACH, as per Drawing/Specification : RDSO/PE/SPEC/AC/0024 REV-"0" 2001 AM-2. , Packing Instruction: ELECTRICAL PANELS TO BE PROTECTED WITH TRANSPARENT BIODEGRADABLE POLYTHENE BAG/SHEETS THICKNESS OF 0.1 MM OR AN ANTI STATIC BAG OF 350 TO 400 GAUGE (100 MICRON APPROX.) ON ALL SIDES OF PANEL PANEL SHALL BE PACKED IN TRANSPORT WORTHY WOODEN CAGE. BOTTOM FRAME TO BE MADE OF WOODEN PL NIL	LACWNASP,LRAACX,LRAAX,LWACNASG,L WACNASP,LWACWASG,LWFCWASP,LWG FCASG	3	14	4,80,175.71	67,22,460
13. ELEC	33641730	RAZOR SOCKET FOR WC 110V/240V COMPLETE WITH STEEL PLATE & COVER FRAME EDML047, ITEM-4	L2CCSAU,LA3HMPX,LACCNHMX,LACCNHX ,LACCNRJ,LACCNX,LACCNX1,LACCWHX,L ACCWRJ,LACCWX,LACCWX1,LACOC,LCB ACBDX,LCBACDBD,LCBACHMX,LCBACHX, LCBACX,LCBHMPX,LCZDACDX,LCZDACX,L DM1ACEA,LDM2ACEA,LDM3ACEA,LDMPA NCA,LFACHX,LFACWRJ,LFACX,LFCWAC,L FCWACX,LFCZACHX,LFCZACSH,LFCZACX, LJSCZAC,LLRM752X,LLRRMDDX,LLRRMH MX,LLRRMHT,LLRRMHX,LLRRMLGR,LLRR MLX,LLRRMTX,LLRRMWSX,LLRRMX,LRRM HMPX,LSCZACHX,LSCZACSH,LSCZACX,L WACCN,LWACCNA,LWACCND,LWACCNH	3	854	184.29	1,57,384

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value		
14.	ELEC	33641833	TERMINAL COMPLETE FOR CONTROL DISCHARGE TOILET EDML037,REV-A	M,LWACCNX,LWACCW,LWACCWA,LWACCWD,LWCBAC,LWCBACA,LWCBACD,LWCZDAC,LWCZDACD,LWFAC LA3HMPX,LACCNHMX,LACCNHX,LACCNRJ,LACCNX,LACCNX1,LACCWHX,LACCWRJ,LACCWX,LACCWX1,LACOC,LACWNASP,LCBACDX,LCBACDBD,LCBACHMX,LCBACHX,LCBACX,LCBHMPX,LCZDACDX,LCZDACX,LDM1ACEA,LDM2ACEA,LDM3ACEA,LDMGSEA,LDMPANCA,LDMSCNEA,LDMSLREA,LFACHX,LFACWRJ,LFACX,LFCWAC,LFCWACX,LFCZACHX,LFCZACSH,LFCZACX,LJBR,LJGSCZ,LLRM752X,LLRRMDDX,LLRRMHMX,LLRRMHT,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMTX,LLRRMWSX,LLRRMX,LRRMHMPX,LSCZACHX,LSCZACSH,LSCZACX,LWACCN,LWACCNA,LWACCND,LWACCNHM,LWACCNIB,LWACCNX,LWACCW,LWACCWA,LWACCWD,LWACNASG	3	1,950	532.5	10,38,375
15.	ELEC	33641961	STARTER BATTERY CHARGING CONTROL PANEL FOR LHB TYPE POWER CAR as per Drg.No. EDTS116,REV-A,AM-1. NIL	LLRM500X,LLRM750X,LLRM752X,LLRRMDX,LLRRMHMX,LLRRMHT,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMTX,LLRRMWSX,LLRRMX,LRM500DL,LRM500HM,LRM500WS,LRRMHMPX,LWLCBRM1,LWLCBRRM,LWLRM501,LWLRM751,LWLRM752,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMU	3	23	25,055.9	5,76,286
16.	ELEC	33641973	BATTERY FUSE BOX WITH 400A FUSES LW71008 ALT- "a"	L2CCSAU,LACWNASP,LCC,LJSCZAC,LRAACX,LRAX,LWACCNIB,LWACNASG,LWACNASP,LWACWASG,LWACWASP,LWFCWASP,LWGACCN,LWGACCW,LWGFAC,LWGFACSG,LWGFCASP,LWGSCZAC,LWTRCS	3	239	3,185.82	7,61,411
17.	ELEC	33642011	PA SYSTEM FOR DOUBLE DECKER EOG COACHES EDTS173, REV-A, AMDT-3, COR-2, TYPE-VIII	LCZDACDX,LCZDACX,LWCZDAC,LWCZD	3	3	35,310.01	1,05,930
18.	ELEC	33642709	EARTHING LUG M10 as per Drg.No. COL-VIII, OF ICF/MRVC/M1-6-012 COL-VIII, OF ICF/MRVC/M1-6-012	LMEMU,MEMU3PB,MEMUOB	3	416	71.02	29,544
19.	ELEC	33642760	EARTHING LUG M10. as per Drg.No. COL-VI OF ICF/SK-7-2-487 COL-VI OF ICF/SK-7-2-487	LMEMU,MEMU3PB,MEMUOB	3	1,942	76.58	1,48,718
20.	ELEC	33650792	INSULATION MAT 2MM(T)X1000MM(W),LENGTH=3MTRS,COLOR:BLACK, as per Drawing: IS:15652:2006,CLASS-A,WORKING VOLTAGE-3.3KV, Packing Instruction: AS PER STANDARD PACKING. IT SHOULD BE ENSURED THAT ITEM SHOULD NOT RUB DURING TRANSPORTATION. THE ITEM SHOULD BE PACKED WITH ADEQUATE STRENGTH. TRANSIT DAMAGE , IF ANY , SHALL BE AT THE COST OF SUPPLIER. NIL	LLRRMHMX,LLRRMHT,LLRRMLGR,LLRRMLX,LLRRMTX,LLRRMX	3	21	1,416	29,736

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
21. ELEC	33650809	INSULATION MAT 2MM(T)X1000MM (W),LENGTH=2 MTRS, COLOR=BLACK, as per Drawing: IS:15652:2006,CLASS-A,WORKING VOLTAGE:3.3KV, Packing Instruction: AS PER STANDARD PACKING. IT SHOULD BE ENSURED THAT ITEM SHOULD NOT RUB DURING TRANSPORTATION. THE ITEM SHOULD BE PACKED WITH ADEQUATE STRENGTH. TRANSIT DAMAGE , IF ANY , SHALL BE AT THE COST OF SUPPLIER. NIL	LLRM500X,LRM500DL,LRM500WS,LSLRD,L WSLRD	3	180	944	1,69,920
22. ELEC	41981091	NEOPRENE BONDED RUBBERISED CORK SHEET SIZE 5MM X900MM X900MM IS:4253-80PT-2,TYPEC,RC80C.	MEMU,MEMU3PH,MEMUASP,MEMUFTM	3	64	1,003	64,192
23. ELEC	42010068	5PIN PANEL MOUNTED SOCKET RATED 30A,415V 2417B OF M/S BCH OR EQUIVALANT APPROVED MAKE.	MEMU,MEMUASP,MEMUFTM,MEMUT,MEM UTASP,MEMUTGS,MEMUTL,MGDMUT	3	137	518.82	71,078
24. ELEC	42027380	LIMIT SWITCH 10A,500V,1NO+1NCAS PER DRAWING/SPEC. 3SE3-100-OE OF M/S SIEMENS OR EQUIVALANT RCF APPROVED MAKE . NIL	LACWNASP,LCC,LGSASP,LGSRDASP,LME MU,LMEMUT,LSCNASP,LSLRASP,LWACCN IB,LWACCNLC,LWACNASG,LWACNASP,L WACWASG,LWACWASP,LWCBASP,LWFC WASP,LWGFCASG,LWGFCASP,LWTRCS, MEMU,MEMU3PB,MEMU3PH,MEMUASP,M EMUFTM,MEMUOB,MEMUT,MEMUT3PB,M EMUT3PH,MEMUTASP,MEMUTGS,MEMUT L,MEMUTOB,MMGSA,MMGSFC,MMSLR	3	1,612	215.51	3,47,402
25. ELEC	42981189	5PIN PLUG WITH INCLINE HANDLE RATED30A 415V BCH TYPE 217-B OR EQUIVALANT APPROVED MAKE	MEMU,MEMUASP,MEMUFTM,MEMUT,MEM UTASP,MEMUTGS,MEMUTL,MGDMU,MGD MUT	3	1,513	557.25	8,43,119
26. ELEC	45178720	BATTERY CHARGING UNIT 200A 130V, as per Drawing/Specification: EDTS041 REV-B, Packing Instruction: ALTERNATOR,RRU, ERRU ACCESSORIES, TRANSFORMER,BULK INVERTERS , BATTERY, CHARGER, SELF PRIMING MONO BLOCK PUMP, INVERTER, CHANGE OVER CONTROL BOX ETC: SUITABLY COVERED WITH BIODEGRADABLE TRANSPARENT POLYTHENE AND PACKED IN WOODEN CAGE: BOTTOM FRAME TO BE MADE OF WOODEN PLANKS 20MM THICK SHOULD HAVE SUPPORT OF AT LEAST 3 WOODEN BATTONS OF SIZE 100X100MM OF SUITABLE LENGTH TO FACILITATE LIFTING BY NIL	LACWNASP,LCC,LRAACX,LRAX,LWACCNI B,LWACNASP,LWACWASP,LWGFCASG,LWTR CS	3	14	1,62,882.14	22,80,350
27. ELEC	45906350	LED LIGHT FITTING FOR MEMU (DMC/TC) TYPE COACHES (18 WATT) as per Drg.No. RDSO/PE/SPEC/TL/0091-2016,REV-1 AS PER DRG CC76460, TYPE-"T" (18 WATT ) RDSO/PE/SPEC/TL/0091-2016,REV-1 AS PER DRG CC76460, TYPE-"T" (18 WATT )	MEMUASP,MEMUFTM,MEMUTASP,MEMUT GS,MEMUTL	3	715	3,801.59	27,18,137
28. ELEC	45973076	RUBBER PACKING FOR FAN AS PER DRAWING/SPEC. CC73058 NIL	LCC,LDM1ACEA,LFACWRJ,LFCWAC,LFCW ACX,LGSLR,LGSRDASP,LSLRASP,LWACC NLC,LWGFCASG,LWTRCS,MBIUCV,MEMU, MEMUASP,MEMUFTM,MEMUTASP,MEMUT GS,MEMUTL	3	2,799	16.74	46,855

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
29. ELEC	45980378	LED LIGHT FITTING FOR GSLRD COACHES, (9 WATT) as per Drg.No. RDSO/PE/SPEC/TL/0091-2016,REV-1, AS PER DRG NO.CC76457,TYPE-'J', RCF, ANNEX-1 NIL	LGSLR,LLRM500X,LLRM750X,LRM500DL,L RM500HM,LRM500WS,LWLRM501	3	106	3,673.59	3,89,401
30. ELEC	45980925	ADAPTER PLATE FOR MEDHA ELECTRICS WITHOUT EDPM RUBBER PACKING DMU/DPC3/SS 90309,COL-I.	LMEMU,MEMU3PB,MEMU3PH,MEMUOB	3	150	544.95	81,743
31. ELEC	33535231	RUBBER HOSE ID 75MM DIA IS:-5821-1986	L2CCSAU,LA3HMPX,LACCNHMX,LACCNHX ,LACCNRJ,LACCNX,LACCNX1,LACCWHX,L ACCWRJ,LACCWX,LACCWX1,LCBACBDX,L CBACDBD,LCBACHMX,LCBACHX,LCBACX, LCBHMPX,LCZDACDX,LCZDACX,LDM1ACE A,LDM2ACEA,LDM3ACEA,LDMPANCA,LFA CHX,LFACWRJ,LFACX,LFCWAC,LFCWACX ,LFCZACSH,LFCZACX,LLRM752X,LLRRMD DX,LLRRMHMX,LLRRMHT,LLRRMHX,LLRR MLGR,LLRRMLX,LLRRMTX,LLRRMWSX,LL RRMX,LLRRMHMPX,LS.,LSASP,LSCNW,LSC NWX,LSCNWX1,LSCNX,LSCZ1X,LSCZACS H,LSCZACX,LSCZX,LSDD,LSDDX,LSDDX1, LSX,LWACCN,LWACCN- S,LWACCNA,LWACCND,LWACCNHM,LWA CCNX,LWACCW,LWACCWA,LWACCWD	19	260.1	533.58	1,38,784
32. ELEC	33620003	16 SQ. MM (CHOC) THIN WALLED FLEX. ELAST. CABLE WITH CU. COND, UP TO 750V. RDSO LETTER NO.EL/2.2.37 DT.23/03/2009 ELRS/SPEC/ELC/0019 ,REV-3 OF FEBRUARY 2017	LLRM752X,LLRRMDDX,LLRRMHMX,LLRRM HT,LLRRMHX,LLRRMLGR,LLRRMLX,LLRR MTX,LLRRMWSX,LLRRMX,LRRMHMPX,LSL RDNG,LWLCBRM1,LWLCBRM,LWLRM752 ,LWLRRM,LWLRRMH,LWLRRMHM,LWLRR MWS	23	922	184.01	1,69,657
33. ELEC	33620027	185 SQ. MM (BLUE) THIN WALLED FLEX. ELAST. CABLE WITH CU. COND, 750V TO 1.8/3.0 KV RDSO LETTER NO.EL/2.2.37 DT.23/03/2009 ELRS/SPEC/ELC/0019,REV-4	LCZDACDX,LCZDACX,LLRM750X,LLRM752 X,LRMOB750,LWCZDAC,LWCZDACD,LWLR M752	23	721	2,024.2	14,59,448
34. ELEC	33620325	CABLE JACKET SYSTEM, as per Drawing: EDTS138,ITEM-7,COR-1., Packing Instruction: SUITABLY COVERED WITH POLYTHENE AND PACKED IN CARD BOX NIL	LA3HMPX,LACCNHMX,LACCNHX,LACCNRJ ,LACCNX,LACCNX1,LACCWHX,LACCWRJ,L ACCWX,LACCWX1,LACOC,LCBACBDX,LCB ACDBD,LCBACHMX,LCBACHX,LCBACX,LC BHMPX,LCZDACDX,LCZDACX,LDM2ACEA,L DM3ACEA,LDMPANCA,LFACHX,LFACWRJ, LFACX,LFCWAC,LFCWACX,LFCZACHX,LFC ZACSH,LFCZACX,LLRM752X,LLRRMDDX,LL RRMHMX,LLRRMHT,LLRRMHX,LLRRMLGR, LLRRMLX,LLRRMTX,LLRRMWSX,LLRRMX, LRRMHMPX,LS.,LS1,LSASP,LSCNW,LSCN WX,LSCNWX1,LSCNX,LSCZ1X,LSCZACHX, LSCZACSH,LSCZACX,LSCZX,LSDD,LSDDX, LSDDX1,LSLRD,LSX,LWACCN,LWACCNA,L WACCND,LWACCNHM,LWACCNLC,LWACC	23	1,371	21	28,791

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
						NX,LWACCW	
35.	ELEC	33620532 120 SQ. MM (BLACK) THIN WALLED FLEX. ELAST. CABLE WITH CU. COND, 750V TO 1.8/3.0 KV RDSO LETTER NO.EL/2.2.37 DT.23/03/2009 ELRS/SPEC/ELC/0019,REV-3	LCZDACDX,LCZDACX,LLRM500X,LLRM750X,LLRM752X,LLRRMDDX,LLRRMHMX,LLRRMHT,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMTX,LLRRMWSX,LLRRMX,LRM500DL,LRM500HM,LRM500WS,LRRMHMPX,LWCZDAC,LWCZDACD,LWLCBRM1,LWLCBRRM,LWLRM501,LWLRM751,LWLRM752,LWLRRM,LWLRRMA,LWLRRMH,LWLRRMHM,LWLRRMWS	23	896	1,162.28	10,41,403
36.	ELEC	33620842 120 SQ. MM (WHITE) THIN WALLED FLEX. ELAST. CABLE WITH CU. COND, 750V TO 1.8/3.0 KV RDSO LETTER NO.EL/2.2.37 DT.23/03/2009 ELRS/SPEC/ELEC/0019,REV-2	LLRM500X,LLRM750X,LLRRMDDX,LLRRMHMX,LLRRMHT,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMTX,LLRRMWSX,LLRRMX,LRM500DL,LRM500HM,LRM500WS,LRRMHMPX,LWLCBRM1,LWLCBRRM,LWLRM501,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMU,LWLRRMWS	23	792	1,746.42	13,83,165
37.	ELEC	33621032 2.5 SQ. MM (GREEN/YELLOW) THIN WALLED FLEX. ELAST. CABLE WITH CU. COND, 750V TO 1.8/3.0 KV RDSO LETTER NO.EL/2.2.37 DT.23/03/2009 ELRS/SPEC/ELC/0019,REV-3 OF FEBRUARY 2017.	LA3HMPX,LACCNHM, LACCNHX,LACCNRJ,LACCNX,LACCNX1,LACCWHX,LACCWRJ,LACCWX,LACCWX1,LCBACBDX,LCBACBDB,LCBACHMX,LCBACHX,LCBACX,LCBHMPX,LCZDACDX,LCZDACX,LFACHX,LFACWRJ,LFACX,LFCWAC,LFCWACX,LFCZACHX,LFCZACSH,LFCZACX,LLRM752X,LLRRMDDX,LLRRMHMX,LLRRMHT,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMTX,LLRRMWSX,LLRRMX,LRRMHMPX,LSCNW,LSCNWX,LSCNWX1,LSCNX,LSCZ1X,LSCZACHX,LSCZX,LVPHASDX,LVPHX,LWACCN,LWCZDAC,LWCZDACD,LWLRM752,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMU,LWLRRMWS	23	741	41.6	30,826
38.	ELEC	33621240 185 SQ. MM (YELLOW) THIN WALLED FLEX. ELAST. CABLE WITH CU. COND, 750V TO 1.8/3.0 KV RDSO LETTER NO.EL/2.2.37 DT.23/03/2009 ELRS/SPEC/ELC/0019,REV-4	LCZDACDX,LCZDACX,LLRM750X,LLRM752X,LRMOB750,LWCZDAC,LWCZDACD,LWLRM752	23	714	2,024.86	14,45,750
39.	ELEC	33621895 10 SQ.MM THIN WALLED FLEX.ELAST.CABLE(BLACK),WITH CU.COND, UP TO 750V., as per Drawing: ELRS/SPEC/ELC/0019,REV-4. AS PER RDSO LETTER NO.EL/2.2.37 DT.23/03/2009, Packing Instruction: PACKING AS PER DRAWING, Quality Plan: QEQ 0381 NIL	LDM1ACEA,LDM2ACEA,LDM3ACEA,LDMGSEA,LDMPANCA,LDMSCNEA,LDMSLREA,LCZACNG,LGSNG,LSCZACNG,LSLRD,LSLRDNG,LVPHASDX,LVPHX,LWCBACA,LWCBCD,LWSLRD	23	3,484	100.98	3,51,814
40.	ELEC	33622097 185 SQ. MM (RED) THIN WALLED FLEX. ELAST. CABLE WITH CU. COND, 750V TO 1.8/3.0 KV RDSO LETTER NO.EL/2.2.37 DT.23/03/2009 ELRS/SPEC/ELC/0019,REV-4	LCZDACDX,LCZDACX,LLRM750X,LLRM752X,LRMOB750,LWCZDAC,LWCZDACD,LWLRM752	23	708	2,028.04	14,35,852

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
41. ELEC	33622346	HARNESS OF UNDERFRAME AND ROOF ARRANGEMENT FOR LHB EOG EXECUTIVE AC CHAIR CAR COACHES EDTS320, REV-G INSTALLATION & COMMISSIONING : NOT REQUIRED	LACOC,LFCZACHX,LFCZACSH,LFCZACX,LWFCZAC,LWFCZACH	23	1	9,83,489.58	9,83,490
42. ELEC	33622656	120 SQ. MM (CHOCOLATE) THIN WALLED FLEX. ELAST. CABLE WITH CU. COND, 750V TO 1.8/3.0 KV RDSO LETTER NO.EL/2.2.37 DT.23/03/2009 ELRS/SPEC/ELEC/0019,REV-2	LLRM500X,LLRM750X,LLRRMDDX,LLRRMHMX,LLRRMHT,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMTX,LLRRMWSX,LLRRMX,LRM500DL,LRM500HM,LRM500WS,LRRMHMPX,LWLCBRM1,LWLCBRRM,LWLRM501,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMU,LWLRRMWS	23	824	1,214.94	10,01,111
43. ELEC	33622747	COPPER CRIMPING SOCKET FOR 10SQMM EBM CABLE AS PER DRAWING/SPEC. EDTS201.AM2&3,REV-A,COR1,ITEM-2 NIL	LA3HMPX,LACCNE,LACCNEX,LACCNEX1,LACCNGR,LACCNRT,LACCNHM,LACCNHX,LACCNRJ,LACCNX,LACCNX1,LACCWHX,LACCWRJ,LACCWX,LACCWX1,LACOC,LCBACBDX,LCBACDBD,LCBACHMX,LCBACHX,LCBACX,LCBHMPX,LDM1ACEA,LDM2ACEA,LDM3ACEA,LDMGSEA,LDMPANCA,LDMSCNEA,LFACHX,LFACWRJ,LFACX,LFCWAC,LFCWACX,LFCZACHX,LFCZACSH,LFCZACX,LLRM500X,LRM500DL,LRM500HM,LRM500WS,LS.,LSACX,LSASP,LSCNW,LSCNWX,LS CNWX1,LSCNX,LSCZ1X,LSCZACHX,LSCZACHX,LSCZCX,LSDD,LSDDX,LSDDX1,LSLRD,LSX,LVPHASDX,LVPHX,LWACCN,LWACCNA,LWACCND,LWACCNHM,LWACCNLC	23	8,898	5.97	53,121
44. ELEC	33623296	SET OF COPPER CRIMPING LUG SUITABLE FOR IVC PLUG OF LHB VPH COACHES, as per Drawing: LVPH/COPPER/LUG VERSION 0, Packing Instruction: CARD BOARD BOXES NIL	LVPHASDX,LVPHX	23	1,882	855.05	16,09,204
45. ELEC	33641985	SWITCH PLATE ASSEMBLY (CS& 5 PIN CHARGING SOCKET ,6A),WITH 1A G-FUSE OF WAGO/RS/WICKMAN MAKEAS PER DRAWING/SPEC. EDML055,ITEM-4, REV-B,COR-1 & 2. NIL	MEMU,MEMUASP,MEMUFTM,MEMUTASP, MEMUTGS,MEMUTL	23	326	263.92	86,038
46. ELEC	33650238	SET OF CLAMP FOR LHB HOT BUFFET COACH EL/CLAMP/LPNCAR	LCBACBDX,LCBACDBD,LCBACHMX,LCBACHX,LCBACX,LCBHMPX,LDMPANCA,LSACX,LWCBAC,LWCBACA,LWCBACD	23	100	1,012.88	1,01,288
47. ELEC	40070347	ELECTRON BEAM CROSS LINKING CURING PROCESS 2.5SQMM 19CORE CABLE in meters as per Drg.No. ELRS/SPEC/ELC/0019 , R-4, NIL	MEMUT,MEMUTASP,MEMUTGS,MEMUTL	23	2,796	829.4	23,19,002
48. ELEC	41987123	SUPPORT BLOCK 50X50X85 as per Drg.No. ICF/SK-7-1-566 ALT b ITEM 2 ICF/SK-7-1-566 ALT b ITEM 2	MEMU,MEMUASP,MEMUFTM	23	32	314.16	10,053
49. ELEC	42011504	PROTECTED TYPE NON-REVERSIBLE PLUG AND SOCKET 30A, 110V DC WITH SCRAPP BS:196-61 SIMILAR TO TYPE BP30 AND BS30 OF M/S CROMPTION MAKE	LLRM500X,LLRM750X,LMEMU,LRM500DL,LRM500HM,LRM500WS,LWLRM501,LWLRM751,MEMU,MEMU3PB,MEMU3PH,MEMUASP, MEMUFTM,MEMUOB	23	75	604.91	45,368

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
50. ELEC	42020120	TWO GANG FRAME FITTED WITH TWO MODULE AND ONE AMP, GLASS FUSES OF WAGO/RS/WICKMANAS PER DRAWING/SPEC. EDML055, ITEM-2 REV-B, COR-1 & 2. NIL	MEMU, MEMUASP, MEMUFTM, MEMUT, MEMUTASP, MEMUTL	23	297	282.88	84,015
51. ELEC	42020131	THREE GANG FRAME FITTED WITH THREE MODULE AND 1AMP, GLASS FUSES OF WAGO/RS/WICKMANAS PER DRAWING/SPEC. EDML055, ITEM-3 REV-B, COR 1 & 2. NIL	MEMU, MEMUASP, MEMUFTM, MEMUT, MEMUTASP, MEMUTL	23	202	390.5	78,881
52. ELEC	42408556	COPPER CRIMPING SOCKET FOR 120 SQMM CABLE EDTS200, AM-1, COR-2, ITEM-20.	LSCNW, LSCNWX, LSCNWX1, LSCNX, LSX, LWSCN	23	29	115.65	3,354
53. ELEC	42980008	CLEAT COMPLETE. AS PER DRAWING/SPEC. EMU/M2-7-1-525, COL-I, WITH ITEM-7. WITHOUT ITEM-9 NIL	MEMU, MEMUASP	23	187	787.33	1,47,231
54. ELEC	42982121	ELECTROLYTIC TOUGH PITCH COPPER TUBE DIA 20MM(OD), 12SWG as per Drg.No. IS:191-2007 AND IS 2501-LATEST, HD AS PER TABLE-1 (MINIMUM ACCEPTABLE LENGTH 4.1METRE) NIL	MEMU, MEMUASP, MEMUFTM	23	522.56	942.04	4,92,272
55. ELEC	42982406	SET OF CLEATS EDML001, REV-D.	MEMU, MEMUASP, MEMUFTM	23	1	9,675.31	9,675
56. ELEC	42983004	CABLE HARNESS FOR MEMU TRAILER COACHES EDTS260, REV-E, AM-1, COR-1.	MEMUT, MEMUTASP, MEMUTGS, MEMUTL	23	32	3,04,794.91	97,53,437
57. ELEC	42983015	CABLE HARNESS FOR MEMU / DMC COACHES as per Drg.No. EDTS259, REV-E, CORR-1&2 NIL	MEMU, MEMUASP, MEMUFTM	23	8	24,37,850	1,95,02,800
58. ELEC	31750023	END WALL TERMINAL BOARD FOR MEMU/TRAILER COACHES ET75100, Alt-b.	MEMUTASP, MEMUTGS, MEMUTL	28	27	14,158.81	3,82,288
59. ELEC	31750564	SET OF TERMINAL BOARD (END WALL) EM75005, ALT.'e'	MEMU, MEMUASP, MEMUFTM, MEMUT, MEMUTL	28	789	14,327.14	1,13,04,113
60. ELEC	31757017	MCB PANEL ARRANGEMENT ON END CONSTRUCTION as per Drg.No. ET75005, ALT-'D'. ET75005, ALT-'D'.	MEMUT, MEMUTASP, MEMUTGS, MEMUTL	28	22	19,360.26	4,25,926
61. ELEC	33635249	10KVA TRANSFORMER EDTS172	LDMGSEA, LDMSCEA	28	3	35,145	1,05,435
62. ELEC	33640543	SWITCH BOARD CABINET FOR LHB AC POWER CAR 2X500KVA DA SET. as per Drg.No. EDTS103, REV-D, AM-7, COR-1 2, WITH HOG COMPLIANT INTEGRATED TYPE, WITH 125A/1000V HRC FUSES INSTEAD OF 80A/1000V EDTS103, REV-D, AM-7, COR-1&2, WITH HOG COMPLIANT INTEGRATED TYPE, WITH 125A/1000V HRC FUSES INSTEAD OF 80A/1000V	LLRM752X, LLRRMDDX, LLRRMHMX, LLRRMHT, LLRRMHX, LLRRMLGR, LLRRMLX, LLRRMTX, LLRRMWSX, LLRRMX, LRRMHMPX, LWRM752, LWLRRM, LWLRRMA, LWLRRMD, LWLRRMH, LWLRRMHM, LWLRRMWS	28	1	10,40,000	10,40,000
63. ELEC	42980793	JUNCTION BOX as per Drg.No. ICF/MRVC/C/BT-7-1-005 COL-I. ICF/MRVC/C/BT-7-1-005 COL-I.	LMEMU, LMEMUT, MEMU3PB, MEMU3PH, MEMUOB, MEMUT3PB, MEMUT3PH, MEMUTOB	28	1,168	594.72	6,94,633
64. ELEC	42982546	TERMINAL STRIPAS PER DRAWING/SPEC. EM72041 alt-'b' NIL	MEMU, MEMUASP, MEMUFTM	28	94	1,830.41	1,72,059
65. ELEC	42985043	CAB AIR CONDITIONING UNIT(2.0 TR MIN. IN EACH DMC) WITH CONTROL PANEL ALONG WITH MOUNTING FRAME	LMEMU, MEMU3PB, MEMUOB	28	12	3,04,640	36,55,680

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
66.	ELEC	43981057 ANCHORING ARRANGEMENT TO COACH BODY WITH ALL ACCESSORIES. as per Drg.No. ICF/ELEC/110,CS-1 2 WITH RCF ANNX.A. NIL SPEEDOMETER MICROCONTROLLER BASED ELECTRONIC SPEED INDICATION SYSTEM DESC. AS PER L NO ED2011,DT 03/12/2013. as per Drg.No. MP-0-3700-07,REV-5,AUG2008. NIL	LRAACX,LRAX	28	12	1,38,354.97	16,60,260
67.	ELEC	45980251 110V,450AH BATTERY SET ALONG WITH FRP TRAYS TO DRG CC71071 as per Drg.No. AS PER RDSO/PE/SPEC/AC/0058-2005(REV-0) NIL	LRAACX,LRAX,LWCBASP	28	8	9,03,680	72,29,440
68.	ELEC	81011120 SULPHURIC ACID BATTERY GRADE IN KG (CONCENTRATED) ISI MARKED as per Drg.No. IS:266-93 IS:266-93	LGSASP,LGSRDASP,LLRM500X,LLRM750X,LLRM752X,LLRRMDDX,LLRRMHMX,LLRRMHT,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMTX,LLRRMWSX,LLRRMX,LRM500DL,LRM500WS,LRRMHMPX,LSCNASP,LSLRASP,LWCBASP,LWLRM752,LWLRRM,LWLRRMH,LWLRRMHM,LWLRRMWS,MBIUSP,MEMU,MEMUASP,MEMUFTM	28	590	24.2	14,278
69.	ELEC	31767059 JUNCTION BOX COMPLETE AS PER DRAWING/SPEC. ET76005 ALT "C" NIL	MEMU,MEMUASP,MEMUFTM,MEMUT,MEMUTASP,MEMUTGS,MEMUTL	23	345	586.47	2,02,332
70.	ELEC	31767084 JUNCTION BOX AS PER DRAWING/SPEC. EM76013 ALT-b NIL	MEMU,MEMUASP,MEMUFTM	23	5	604.84	3,024
71.	FUR	31985804 MARKING DIAGRAM FOR 3 PHASE MEMU/TC COACHES, as per Drawing: ET83102 ALT a W/O ITEM 1,7,8,10,11,13,14 & 17 AND MDTs-156 REV. 05 IS APPLICABLE, Packing Instruction: CARD BOARD BOXES NIL	MEMUT3PB,MEMUT3PH	19	133	5,574.77	7,41,444
72.	FUR	31985816 MARKING DIAGRAM FOR 3 PHASE MEMU/DMC COACHES., as per Drawing: EM83104 ALT a W/O ITEM 1,6 TO 9,12,13 & 16 AND MDTs-156 REV. 05 IS APPLICABLE, Packing Instruction: CARD BOARD BOXES NIL	MEMU3PB,MEMU3PH	19	41	6,327.78	2,59,439
73.	FUR	35984429 LETTERING OUTSIDE FOR LHB POWER CAR COACHES OF ANTYODAYA RAKE as per Drg.No. LP83009 ALT c W/O ITEM NO. 7, 12 & 13. MDTs 156 REV 05 IS APPLICABLE. LP83009 ALT c W/O ITEM NO. 7, 12 & 13. MDTs 156 REV 05 IS APPLICABLE.	LLRRMWSX,LRM500DL,LRM500WS,LWLRRMWS	22	1	11,970	11,970
74.	FUR	33690650 LETTERING OUTSIDE FOR GENERATOR VAN LHB AS PER DRAWING NO. 1 11012.0.11.300.001 Alt BR1 w/out Item No.1 & MDTs 156 Rev 05 is applicable 1 11012.0.11.300.001 ALT BR W/O ITEM NO.5,6,7,16,17,18 & 24. MDTs 156 REV 05 IS APPLICABLE.	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LLRRMX,LRRMHMPX,LWLRMASE,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMU,LWLRRMWS	33	9	12,308.79	1,10,779
75.	FUR	30410034 STEP RAIL L=610 as per Drg.No. ICF/SK-4-1-007 ALT k ITEM NO.7 ICF/SK-4-1-007 ALT k ITEM NO.7	MEMU,MEMUASP,MEMUFTM	2	9	425.21	3,827

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
76. FUR	30410149	COVER FOR CHAIR PILLARAS PER DRAWING/SPEC. CC41207 NIL	MBIUSP, MEMU, MEMUASP, MEMUFTM, MEM UTASP, MEMUTL, MGD MU, MGD MU DTC, MG DMUT, MGGS, MGSCN, MGSLR, MGSR, WGS CN, WGSCN72	2	3,117	18.81	58,631
77. FUR	30410162	SLEEVE (FOR SINGLE SEAT FRAME) SG41106	LSLRASD, LSLRASP, MEMUTGS	2	2,236	83.16	1,85,946
78. FUR	30417211	STEP RAIL L=610 as per Drg.No. ICF/SK-4-1-007 ALT k ITEM 8 ICF/SK-4-1-007 ALT k ITEM 8	MEMU, MEMUASP, MEMUFTM	2	10	430.43	4,304
79. FUR	30437994	RUBBER PROFILE L=1835MM CC43460 ALT a	LRM500DL, MBIUSP, MEMUASP, MEMUFTM, MEMUTL, MGFC, MGSCN, MGSLR, MMGSA, M MGSFC, MMSLR, WGSCN72	2	2,125	141.65	3,01,006
80. FUR	30617315	SUPPORT ANGLE (FOR LONGITUDINAL UPPER BERTH) SE61302 ALT NIL		2	6,220	37.36	2,32,379
81. FUR	30618563	MIRROR ASSEMBLY COMPLETE SE64159 ALT c	LDMSCNEA, LSCNASD, LSCNASP, LSCNX, L WCBASD, LWCBASP, LWGSCN, LWSCN, LW TRC, LWTRCS, MBIUSP, MGSCN, WGSCN, W GSCN2, WGSCN72, WGSCNCC	2	708	361.23	2,55,751
82. FUR	30630770	SOAP DISH (COLOUR SHADE SATIN BLUE) AE63127	MEMUASP, MEMUFTM, MEMUTASP, MEMUT GS, MEMUTL, WGSCN2, WGSCN72, WGSCN CC	2	6	104.38	626
83. FUR	30631373	HOSE COUPLING CC63279 ALT a	LA3HMPX, LACCNBDX, LACCNHMX, LACCNR J, LACCNX, LACCNX1, LACCWBDX, LACCWR J, LACCWX, LACCWX1, LACOC, LCBACBDX, L CBACDBD, LCBACHMX, LCBACX, LCBHMPX, LCC, LFACBDX, LFACWRJ, LFACX, LFCWAC, LFCWACX, LFCZACHX, LGS, LGSLR, LLRM50 0X, LLRM750X, LLRM752X, LLRRMBDX, LLRR MDDX, LLRRMHMX, LLRRMHX, LLRRMLGR, L LRRMLX, LLRRMWSX, LLRRMX, LRM500DL, L RM500HM, LRM500WS, LRMOB750, LRRMH MPX, LS., LS1, LSASP, LSCNW, LSCNWX, LSC NWX1, LSCNX, LSCZACHX, LSCZACSH, LSCZ ACX, LSCZX, LSDD, LSDDX, LSDDX1, LSLRD, L SX, LWACCN, LWACCNH, LWACCNHM, LWA CCW, LWCBAC, LWCBNAC, LWFAC, LWFCZA C, LWFCZACH	2	3,462	23.27	80,561
84. FUR	30633722	U-CLAMP (FOR 40 N.B.PIPE) CC63607 ALT a	LWCBASD, LWCBASP, MBIUSP, MEMUASP, MEMUFTM, MEMUTASP, MEMUTGS, MEMUT L, MGFC, MGGS, MGSCN, MGSLR, MGSR, MM GSA, MMGSFC, MMSLR, WACCNH1, WGACC N64, WGACCND, WGCWNAC, WGCWNAC1, WGFCNAC, WGSCN, WGSCN2, WGSCN72, W GSCNCC, WGSCZ, WLRRMDST, WRRMDAC	2	3,264	7.65	24,970
85. FUR	30637521	SOAP DISH ( STAINLESS STEEL ) as per Drg.No. CC63950 ALT a NIL	L2ACSAB, L3ACSAB, LA3HMPX, LACCNBDX, LACCNHMX, LACCNRJ, LACCNX, LACCNX1, L ACCWBDX, LACCWRJ, LACCWX, LACCWX1, LACWNASP, LCZDACDX, LCZDACX, LDM2AC	2	1,032	129.65	1,33,799



## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value		
90.	FUR	30988342	COACH NAME PLATE FOR MEMUT3PH COACHES as per Drg.No. ICF/STD-6-4-014 ALT n ITEM 6	MEMUT3PB, MEMUT3PH	2	206	73.93	15,230
91.	FUR	31980818	SET OF HOSE COUPLING FOR MEMUT3PH COACHES, as per Drawing: MPLHCMEMUT3PH VERSION 2, Packing Instruction: SUITABLY PACKED IN JUTE BAGS	MEMUT3PB, MEMUT3PH	2	133	799.69	1,06,359
92.	FUR	33510660	PIPE CLIP FOR TWIN PIPE ARRANGEMENT IN LHB COACHES, as per Drawing: LW63111 ITEM-10, Packing Instruction: SUITABLY PACKED IN JUTE BAGS	LA3HMPX, LACCNBDX, LACCNHMX, LACCNRJ, LACCWBDX, LACCWRJ, LACCWX, LACCWX1, LCBACBDX, LCBACDBD, LCBACHMX, LCBACX, LCBHMPX, LCZDACDX, LCZDACX, LFCBBDX, LFACX, LFCZACHX, LLRRMBDX, LLRRMDDX, LLRRMHMX, LLRRMHX, LLRRMLGR, LLRRMLX, LLRRMWSX, LLRRMX, LRRMHMPX, LSCNX, LSCZACHX, LSCZACSH, LSCZACX, LSCZX, LSDDX, LSDDX1, LSX, LWACCN, LWACCNHM, LWACCW, LWCBAC, LWCZDAC, LWCZDACD, LWFAC, LWFCZAC, LWFCZACH, LWLRRM, LWLRRMH, LWLRRMHM, LWLRRMWS, LWS, LWSCN, LWSCZ1, LWSCZAC, LWSCZACH	2	7,665	29.58	2,26,731
93.	FUR	33567050	SET OF SS DOOR FRAME FOR LWCZDAC COACH, as per Drawing: MPLDFLWCZDAC VERSION 0, Packing Instruction: JUTE BAG WITH WOODEN CAGE	LCZDACX, LWCZDAC	2	1	10,450	10,450
94.	FUR	33593218	SET OF COVER FOR BERTH PILLAR FOR LHB SCN ASP COACHES	LSCNASD, LSCNASP, LSCNX, LWGSCN, LWSCN	2	56	2,945.53	1,64,950
95.	FUR	33598150	LUGGAGE RACK MOUNTING POWER CAR (HIGH SPEED) WITH SATTELITE ANTENNA	LLRRMHX, LLRRMX, LWLRRMH	2	1	2,11,323.33	2,11,323
96.	FUR	33612833	NOTICE FOR LAVATORIES	LACWNASP, LCZDACDX, LCZDACX, LGSASP, LSCNASD, LSCNASP, LSLRASD, LSLRASP, LWACCNIB, LWACNASP, LWCBNAC, LWCZDAC, LWCZDACD, LWLCBRRM, MEMUTASP, MEMUTGS, MEMUTL, MGFC, MGGS, MGSCN, MGS, MGSR, WACCN, WACCNDS, WACCNH1, WACCNK, WACCNM, WACCW, WFAC, WFCZAC, WGACCN, WGACCN1, WGACCN64, WG	2	456	61.36	27,980

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
97. FUR	33680085	DESIGN,SUPPLY,INSTALLATION,COMMISSIONING AND MAINTENANCE OF ASPIRATION TYPE AUTOMATIC SMOKE/FIRE DETECTION WITH ALARM SYSTEM FOR INDIAN RAILWAY AC COACHES.RAJDHANI RAKE (SET CONSISTS LWACCN-08,LWACCW-05,LWFAC-2, LWCBAC-02 AND LWLRRM-03,TOTAL=20 COACHES). INSTALLATION & COMMISSIONING: INCLUSIVE. RDSO/2008/CG-04 REV.04 OR LATEST WITH AMENDMENT SLIP NO. 1 OF NOV. 2017(SUITABLE FOR RAKE FORM AS PER PARA 2.3 & ITS OTHER RELEVANT PARA ALSO APPLICABLE)	ACCNCC,WGACCND,WGACCNMT,WGACCNS1,WGACCW,WGCWNAC,WGCWNAC1,WGFAC,WGFCNAC,WGSCN,WGSCN2,WGSCN72,WGSCNCC,WGSCZ,WGSCZAC,WLRRMDST,WRRMDAC,WSCZAC LA3HMPX,LACCNBDX,LACCNHMX,LACCNRJ,LACCNX,LACCNX1,LWACCN,LWACCNH,LWACCNHM,LWGACCN	3	1	91,07,476	91,07,476
98. FUR	31617128	SEAT SET FOR MEMUT COACHES.UPHOLSTERY TO RDSO SPEC. # RDSO/2008/CG-07 REV-NIL WITH AMENDMENT SLIP No-4,COLOUR SHADE & PATTERN -ALNAC-03(REF.MD35131/26/03/09 & DT.12/09/08).PAINTING AS PER MDT5140 (COLOUR SHADE SATIN BLUE TO ISC-177 FOR SAET FRAME MD22151 DT 26.5.09),,CUSHIONING MATERIAL TO RDSO SPEC. # C-K607 REV-02. as per Drg.No. MPLSTC2 VERSION 3 NIL	MEMUT,MEMUTASP,MEMUTL	5	19	1,26,358.44	24,00,810
99. FUR	33564139	WINDOW SURROUND as per Drg.No. 1 11012.0.21.310.005 ALT A , MDT5133 REV.04,MDT5118 REV.01 NIL	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LLRRMX,LRMOB750,LRRMHMPX,LWLRMASE ,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMU,LWLRRMWS	9	18	601.49	10,827
100. FUR	33592792	SET OF AL PERFORATED PARTITION WALL PLATES FOR LHB POWER CAR EOG COACHES MPLPCIALLPCEA VERSION 2	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LLRRMX,LRRMHMPX,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMU,LWLRRMWS	9	32	11,388.07	3,64,418
101. FUR	30160431	COVER SHEET FOR DUCTING ARRGT.(LH) AE44184 ALT m	WGACCN,WGACCN1,WGACCN64,WGACCNCC,WGACCND,WGACCNS1,WGCWNAC	19	210	1,621.65	3,40,547
102. FUR	30160443	COVER SHEET FOR DUCTING ARRGT.(RH) AE44185 ALT k	WGACCN,WGACCN1,WGACCN64,WGACCNCC,WGACCND,WGACCNS1,WGCWNAC,WGCWNAC1	19	210	1,621.64	3,40,544
103. FUR	30160480	SET OF COVER SHEETS FOR DUCTING ARRGT.OF COMPOSITE 2T3T COACH MPLCS2T3T VERSION 1	WGCWNAC,WGCWNAC1	19	3	14,662.17	43,987
104. FUR	30427071	ALUMINIUM EXTRUSION UN42164		19	197.7	214.77	42,460
105. FUR	30430252	CHANNEL MOULDING LENGTH 2 M CC43537		19	150	516.21	77,432
106. FUR	30437374	MS MOULDING FLAT (1.6X25) L=1850MM CC43379	MBIUSP,MEMU,MEMUASP,MEMUFTM,MEMUT,MEMUTASP,MEMUTGS,MEMUTL,MGDMU,MGDMUDTC,MGDMUT,MGFC,MGGS,M	19	624	72.81	45,433

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
107. FUR	30437891	SS MOULDING COVER (1.25X50) L=2M CC43399 ALT e	GSLR,WACCN,WACCW,WGACCW,WGSCN ,WGSCZ MBIUSP,MGFC,MMSLR,WGSCN2,WGSCN7 2	19	413	208.39	86,065
108. FUR	30437908	SS MOULDING Z (1.25X14X45) L=2M CC43401 ALT g	LCZDACDX,LCZDACX,LWCZDAC,LWCZDA CD,MBIUSP,MEMUASP,MEMUFTM,MEMUT ASP,MEMUTGS,MEMUTL,MGGS,MGSCN,M GSR,WGSCN,WGSCN72,WGSCNCC	19	343	268.3	92,027
109. FUR	30437970	SS MOULDING EQ.ANGLE (1.25X20X20) L=2MAS PER DRAWING/SPEC. CC43449 ALT c NIL	LGSASP,LGSLR,LJGSCZ,LLRM500X,LLRM7 50X,LRM500DL,LRM500HM,LRM500WS,LS CNASD,LSCNASP,LSCZX,LSLRASD,LSLRA SP,LSLRD,LWCBASD,LWCBASP,LWGSCZ, LWLCBRRM,LWLRM501,LWSCZ,LWSCZ1,L WSLRD,MBIUCV,MBIUSP,MEMU,MEMUASP ,MEMUFTM,MEMUT,MEMUTASP,MEMUTG S,MEMUTL,MGDMU,MGDMUT,MGFC,MGG S,MGSCN,MGSLR,MGSR,WGSCN,WGSCN 2,WGSCN72,WGSCNCC,WGSCZ	19	1,281	221.7	2,83,998
110. FUR	30437982	SS MOULDING UNEQ. ANGLE (1.25X33X45) L=2M as per Drg.No. CC43450 ALT c NIL	LGSASP,LSCNASD,LSCNASP,LSCZX,LWC BASD,LWCBASP,LWGSCZ,LWSCZ,LWSCZ 1,MBIUSP,MEMU,MEMUASP,MEMUFTM,ME MUTASP,MEMUTGS,MEMUTL,MGFC,MGG S,MGSCN,MGSLR,MGSR,WGSCN,WGSCN 2,WGSCN72,WGSCNCC,WGSCZ	19	254	398.72	1,01,275
111. FUR	30438123	MS Z MOULDING (1.6.X46X560) CC43280 ALT NIL		19	818	13.05	10,675
112. FUR	30440066	SET OF ELECTROPLATED BRACKET & BACK PIECES FOR CO23ACSA MPLBPCO23ACSA VERSION 6	WGCWNAC,WGCWNAC1	19	13	1,524.27	19,816
113. FUR	30440130	ANGLE MOULDING,LENGTH=1725MM CC43530	WGFCNAC	19	130	443.14	57,608
114. FUR	30440208	COVER MOULDING FOR AIR EXHAUSTER CC42185	MEMUASP,MEMUFTM,MEMUTASP,MEMUT GS,MEMUTL,WGSCN,WGSCN2,WGSCN72, WGSCNCC	19	438	69.57	30,472
115. FUR	30440257	SET OF ROOF PANELS FOR COMPOSITE AC2T3T COACHES (WITHOUT POWDER COATING) MPLRPWGCWNAC VERSION 1	WGCWNAC	19	4	41,718.05	1,66,872
116. FUR	30447586	COVER SHEET L=1700 MM as per Drg.No. CC44259 ALT b Painting as per MDTS0140 shade Pure White to RAL9010 CC44259 ALT b Painting as per MDTS0140 shade Pure White to RAL9010	MBIUCV,MBIUSP,MEMU,MEMUASP,MEMUF TM,MEMUT,MEMUTASP,MEMUTGS,MEMU TL,WGSCN,WGSCN72	19	2,756	237.33	6,54,081
117. FUR	30448268	ALUMINIUM EXTRUSION L=1490 MM HE44123		19	56	220	12,320
118. FUR	30520010	EXTERNAL SEALING OF BODY SIDE DOOR(PAD LOCK SIDE) CC52101 ALT c W/O ITEM NO.4	MGZAC,WACCNH1,WGACCN,WGACCN1,W GACCN64,WGACCND,WGACCNS1,WGCW NAC,WGCWNAC1,WGFCNAC,WRRMDAC	19	18	1,445.41	26,017

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
119. FUR	30520022	EXTERNAL SEALING OF BODY SIDE DOOR(NON PAD LOCK SIDE) CC52102 ALT c W/O ITEM NO.4	MGZAC,WACCNH1,WGACCN,WGACCN1,WGACCN64,WGACCND,WGACCNS1,WGCWNAC,WGCWNAC1,WGFCNAC,WRRMDAC	19	18	1,445.41	26,017
120. FUR	30527016	SIDE COVER COMPLETE FOR EXERNAL SEALING OF BODY SIDE DOOR CC52103 ALT c	LCC,MGACCWS,MGZAC,WACCN,WACCNDST,WACCNH1,WACCNK,WACCNM,WACCW,WEST,WFAC,WFCZAC,WGACCN,WGACCN1,WGACCN64,WGACCNCC,WGACCND,WGACCNMT,WGACCNS1,WGACCW,WGCWNAC,WGCWNAC1,WGFAC,WGFCNAC,WGSCZAC,WLRRMDST,WRRMDAC,WSCZAC	19	110	134.16	14,758
121. FUR	30527053	ANGLE MOULDING CC52130 ALT a PACKING INSTRUCTION NO PI002.	LCC,MGACCWS,WACCN,WACCNDST,WACCNH1,WACCNK,WACCNM,WACCW,WEST,WFCZAC,WGACCN,WGACCN1,WGACCN64,WGACCNCC,WGACCND,WGACCNMT,WGACCNS1,WGACCW,WGCWNAC,WGCWNAC1,WGFAC,WGFCNAC,WGSCZAC,WLRRMDST,WRRMDAC,WSCZAC	19	694.28	38.88	26,994
122. FUR	30540089	FRP WINDOW COWL FOR DSLR COACH LB43197 Alt b		19	11	1,340.7	14,748
123. FUR	30540203	SEALED WINDOW GLASS UNIT EA54106 Alt a (ASSY OF ITEM NO.1 & 2)	WGFCNAC	19	3	4,760.63	14,282
124. FUR	30540215	EMERGENCY OPENABLE WINDOW FOR WGFCNAC (SHADE RAL-1034 FOR FRP) EA54108	WGFCNAC	19	2	3,588	7,176
125. FUR	30547787	EMERGENCY OPENABLE WINDOW MW541 3 PART DRG.AS PER LIST NO : 431 DATE: 27/01/22004	MGACCWS	19	1	4,176	4,176
126. FUR	30610370	FRP HOUSING(SHADE RAL 1034) AE61544	LACWNASP,LWACNASP,WACCNH1,WGACCN,WGACCN1,WGACCN64,WGACCND,WGACCNS1,WGCWNAC,WGCWNAC1,WGFCNAC	19	758	39.84	30,199
127. FUR	30631129	FIXING ANGLE CC63146 ALT g ITEM NO. 6	MEMUTASP,MEMUTGS,WGSCN72	19	985	13.57	13,366
128. FUR	30638705	FIXING ARRGT OF WATER FILLER ASSLY MW63135 (SAMPLE APPROVAL REQUIRED IN PO)	MGACCWS,MGZAC	19	14	1,425.36	19,955
129. FUR	30640080	NOTICE FOR FIRE PREVENTION AND SAFETY as per Drg.No. SKETCH-K3028 ALT 3 AND MDTs 156 REV.05 SKETCH-K3028 ALT 3 AND MDTs 156 REV.05	LA3HMPX,LACCNBDX,LACCNHMX,LACCNRJ,LACCNX,LACCNX1,LACCWBDX,LACCWRJ,LACCWX,LACCWX1,LCBACBDX,LCBACD BD,LCBACHMX,LCBACX,LCBHMPX,LDM1ACEA,LDM2ACEA,LDM3ACEA,LDMPANCA,LDMSCNEA,LDMSLREA,LFACBDX,LFACX,LWACCN,LWACCNA,LWACCND,LWACCNH,LWACCNHM,LWACCNSS,LWACCW,LWACCWA,LWACCWD,LWACNASD,LWACNASE,LWACNASG,LWACWASD,LWACWASE,LWACWASG,LWCBAC,LWCBACA,LWCBACD,LWCBASE,LWFAC,LWFACA,LWFACASE,LWFACD,LWGACCN,LWGACCW,LWGFAC,LW	19	435	235.2	1,02,312

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value
130. FUR	30640136	FIXING ARRANGEMENT OF WHEEL BAR FOR VPU AS PER COLOUR SCHEME ISC NO. 359 TO IS 5:94 FOR MIDDLE BUFF VP64100 ALT.'a' W/O ITEM NO.3, 4 & 5	19	10	10,597.63	1,05,976
131. FUR	30640258	ANGLE SCN-6-4-309 ITEM 12ALT	19	473	5.74	2,715
132. FUR	30640313	SEALED DOOR WINDOW ARRANGEMENT(POLYCARBONATE ) CC53104 ALT b ( ASSEMBLY OF ITEM 1 & 2)WITH RDSO SPEC. C-K404, REV-1 WITH ADDENDOM (REF.MD22261 DATED 11-09-2012) IS APPLICABLE.	19	781	2,284.17	17,83,937
133. FUR	30647230	ANGLE SE64136 ALT NIL	19	1,360	13.26	18,034
134. FUR	30647241	CHANNEL SE64137 ALT NIL	19	1,070	14.17	15,162
135. FUR	30648660	SEALED WINDOW ARRANGEMENT(POLYCARBONATE) CC54433 ALT a ( ASSEMBLY OF ITEM 1 & 2) RDSO/SPEC CK-404 REV-01 WITH ADDENDUM (REF. MD22261 DATED 11.09.12)	19	235	4,587.37	10,78,032
136. FUR	30981372	Y-MOULDING,L=1880MM CC43547	19	546	253.42	1,38,367
137. FUR	30986746	ANGLE COMPLETE FOR WINDOW GUIDE FRAME ASSLY OF ITEM 5,8,9 (ONE EACH) & 10 (7 NOS) OF SE42177 ALT f	19	200	77.49	15,498
138. FUR	31421064	SET OF SS PANELS WITH HONEYCOMB FINISH FOR MEMU/TC COACHES WITH GS PATTERN PARTITION FRAMESAS PER DRAWING/SPEC. MPLSSPMEMUTGS VERSION 2  ALTERNATE MATERIAL:  ALTERNATE MATERIAL MAY BE USED WHICH SHALL BE OF SAME SPECIFICATION AS PER TENDERED DRAWING/SPECIFICATION BUT SURFACE FINISH MAY BE VERY FINE HAIRLINE FINISH. NIL	19	12	20,059.17	2,40,710
139. FUR	31427017	ANGLE COMPLETE FOR WINDOW GUIDE FRAME ASSEMBLY OF ITEM 5,6,7 (ONE EACH) & 10 (TEN NOS) OF ET42107 ALT c	19	3,348	97.83	3,27,535
140. FUR	31985154	ANGLE MOULDING SCN-4-4-204 ITEM 32 ALT	19	1,620	5.39	8,732

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
141. FUR	31985191	ANGLE MOULDING SCN-4-4-204 ITEM 5 ALT'IR'	19	712	16.49	11,741	
142. FUR	31985210	CEILING ANGLE SCN-4-4-204, ITEM-7, ALT 'KR'	19	670	8.22	5,507	
143. FUR	31985221	ANGLE MOULDING SCN-4-4-204, ITEM-8 , ALT 'IR'	19	1,807	8.57	15,486	
144. FUR	31989172	PERFORATED SHEET AE56108 PACKING INST.NO. PI002	MBIUSP,WACCW,WFAC,WFCZAC,WGACC N64,WGACCW,WGFAC,WGSCZAC,WSCZA C	19	582	31.16	18,135
145. FUR	31989860	ANGLE MOULDING SE42107	19	1,056	10.2	10,771	
146. FUR	32230000	BEND PIPE 80 BOREX402 BS90113	WRRMDAC	19	63	200	12,600
147. FUR	32981740	DOOR STOP FOR LAVATORY CC63384	LCC,LSCZX,LWGSCZ,LWSCZ1,MBIUSP,ME MUASP,MEMUFTM,MEMUTASP,MEMUTGS, MEMUTL,MGFC,MGGS,MGSCN,MGSLR,MG SR,MMGSA,MMGSFC,MMSLR,WACCN,WA CCNDST,WACCNH1,WACCW,WFAC,WFCZ AC,WGACCN,WGACCN1,WGACCN64,WGA CCNCC,WGACCND,WGACCNS1,WGACCW ,WGCWNAC,WGCWNAC1,WGFAC,WGFCN AC,WGSCN,WGSCN2,WGSCN72,WGSCNC C,WGSCZ,WGSCZAC,WLRRMDST,WRRMD AC,WSCZAC	19	20	35	700
148. FUR	32981880	FIXING ARRANGEMENT FOR ROLLING SHUTTER ASSEMBLY FOR C3ACSAU AE25107	WGACCNCC,WGSCNCC	19	8	3,467.66	27,741
149. FUR	32983621	ANGLE MOULDING WGSCWAC-4-4-004 ITEM 21 ALT 'K'	19	2,915	18.5	53,928	
150. FUR	32984546	COVER ANGLE WGSCWAC-6-4-007 ITEM 25 ALT 'i'	19	326	6.24	2,034	
151. FUR	32984571	ANGLE MOULDING R.H. WGSCWAC-6-4-007 ITEM 3 ALT 'i'	19	135	19.46	2,627	
152. FUR	32984595	ANGLE MOULDING L.H. WGSCWAC-6-4-007 ITEM 4 ALT i	19	135	19.46	2,627	
153. FUR	32986944	BASE MOULDING WFCZ-4-3-007 ITEM 03 ALT 'e'	19	565	10.71	6,051	
154. FUR	32986968	BASE MOULDING WFCZ-4-3-007 ITEM-31 ALT 'e'	19	646	4.72	3,049	
155. FUR	33565533	SET OF FRP COVERING FOR DOOR PILLAR FOR LWCBASP COACHES MPLDPCLWCBASP VERSION 0	LWCBASD,LWCBASP	19	6	1,976	11,856
156. FUR	33581058	AL.EXTRUSION L=5000 MM LW44119 ALT NIL	L2CCSAU,LCBACDBD,LCZDACDX,LCZDAC X,LFCZACHX,LJBR,LJGSCZ,LJSCZAC,LLR M752X,LLRRMBDX,LLRRMDDX,LLRRMHMX	19	3,283.4	264.89	8,69,740

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
157. FUR	33581174	CHANNEL MOULDING L=620MM CC43543					
			,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMW SX,LLRRMX,LRRMHMPX,LSCZACHX,LSCZ ACSH,LSCZACX,LSCZX,LWCZDAC,LWCZD ACD,LWFCZAC,LWFCZACH,LWFCZACU,L WGSCZ,LWGSCZAC,LWLRM752,LWLRMA SE,LWLRRM,LWLRRMA,LWLRRMD,LWLRR MH,LWLRRMHM,LWLRRMU,LWLRRMWS,L WSCZ,LWSCZ1,LWSCZAC,LWSCZACH,LW SCZACU,MGZAC	19	1,024	99	1,01,376
158. FUR	33581198	SET OF AL ANGLE MOULDING (POWDER COATED) FOR LHB SCN ASP COACHES MPLAMLSCNASP VERSION 0					
			LGS,LLRM500X,LLRM750X,LRM500DL,LRM 500HM,LRM500WS,LS.,LS1,LSASP,LSCNX, LWGSCN,LWLCBRRM,LWLRM501,LWSCN LSCNASD,LSCNASP	19	13	2,600	33,800
159. FUR	33581289	SET OF AL ANGLE MOULDING (POWDER COATED) FOR LHB GS ASP COACHES MPLAMLGSASP VERSION 0					
			LGSASP	19	13	426	5,538
160. FUR	33581290	SET OF AL ANGLE MOULDING (POWDER COATED) FOR LHB SLR ASP COACHES MPLAMLSLRASP VERSION 0					
			LGSLR,LSLRASD,LSLRASP	19	19	1,456.05	27,665
161. FUR	33581320	EXTRUDED CHANNEL MOULDING L=2020 MM CC43525					
			LCZDACDX,LCZDACX,LSCZX,LWCZDAC,L WCZDACD,LWFCWASP,LWGFCASP,LWGS CZ,LWOGCAR,LWSCZ,LWSCZ1,LWTRC,L WTRCS,WGFCNAC,WLRRMDST,WRRMDA C	19	663.5	224.35	1,48,856
162. FUR	33581599	SET OF ALUMINIUM ANODIZED ANGLES FOR DDZACEOG COACHES MPLALADDZAC VERSION 3					
			LCZDACDX,LCZDACX,LWCZDAC,LWCZDA CD	19	3	2,896.2	8,689
163. FUR	33581666	CHANNEL MOULDING,L=2100 MM FOR LHB DOUBLE DECKER AC CHAIR CAR COACHES CC43541					
			LCZDACDX,LCZDACX,LSCZX,LWCZDAC,L WCZDACD,LWGSCZ,LWSCZ,LWSCZ1	19	116	395.2	45,843
164. FUR	33581836	EXTRUDED ANGLE MOULDING (2.5X25X25) L=1100 mm CC43550 ALT NIL					
			LA3HMPX,LACCNHMX,LACNHMPD,LFCZAC HX,LLRRMHX,LSCZACHX,LWFCZACH,LWL RRMH,LWSCZACH	19	273	117.17	31,987
165. FUR	33591290	SET OF AL ITEMS FOR CEILING OF LWCBAC COACHES MPLALFBLPANCAR VERSION 0					
			LCBACBDX,LCBACBDB,LCBACHMX,LCBAC X,LCBHMPX,LWCBAC,LWCBACA,LWCBAC D,LWCBASE	19	26	18,686.87	4,85,859
166. FUR	33593127	SET OF STAINLESS STEEL CHEQUERED SHEET ANGLES FOR FLOORING ON STAIRS FOR LHB DOUBLE DECKER COACHES MPLSSCADD VERSION 0					
			LCZDACDX,LCZDACX,LWCZDAC,LWCZDA CD	19	4	16,051.42	64,206
167. FUR	33593139	SET OF SKIRTING FOR FLOORING FOR LHB DOUBLE DECKER COACHES MPLSKRDD VERSION 0					
			LCZDACDX,LCZDACX,LWCZDAC,LWCZDA CD	19	2	1,015.38	2,031
168. FUR	33593450	SET OF AL PANEL FOR END WALL FOR LHB POWER CAR COACHES, as per Drawing: MPLALPLWLRRM VERSION 1, Packing Instruction: BROWN PAPPER WRAPPING FOR INDIVIDUAL ITEM COLLECTIVELY PACKED IN WOODEN BOXES					
			LLRM752X,LLRRMBDX,LLRRMDDX,LLRRM HMX,LLRRMHX,LLRRMLGR,LLRRMLX,LLR RMWSX,LLRRMX,LRRMHMPX,LWLRM752,L WLRRM,LWLRRMH,LWLRRMHM,LWLRRM	19	5	19,139.43	95,697

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
		NIL	WS				
169. FUR	33595501	DOOR GUIDANCE COVERING COMPLETE as per Drg.No. LZ44100 NIL	L2CCSAU,LA3HMPX,LACCNBDX,LACCNHM X,LACCNRJ,LACCNX,LACCNX1,LACCWBD X,LACCWRJ,LACCWX,LACCWX1,LCBACBD X,LCBACDBD,LCBACHMX,LCBACX,LCBHM PX,LDM1ACEA,LDM2ACEA,LDM3ACEA,LD MPANCA,LDMSCNEA,LDMSLREA,LFACBD X,LFACX,LCZACHX,LJBR,LJGSCZ,LJSCZA C,LLRM500X,LLRM750X,LLRRMBDX,LLRR MDDX,LLRRMHMX,LLRRMHX,LLRRMLGR,L LRRMLX,LLRRMWSX,LLRRMX,LRM500DL,L RMOB750,LRRMHMPX,LSCZACHX,LSCZAC SH,LSCZACX,LWACCN,LWACCNA,LWACC ND,LWACCNH,LWACCNHM,LWACCW,LWA CCWA,LWACCWD,LWACNASD,LWACNAS E,LWACNASG,LWACWASD,LWACWASE,L WACWASG,LWCBAC,LWCBACA	19	60	504	30,240
170. FUR	33595574	SET OF STAINLESS STEEL ROOF PANELS FOR LHB SCN (EOG) COACHES AS PER DRAWING/SPEC. MPLSSRPLWSCN VERSION 3 NIL	LSCNX,LWGSCN,LWSCN	19	55	13,104	7,20,720
171. FUR	33597479	MIRRORAS PER DRAWING/SPEC. LW64181 ALT d NIL	LACWNASP,LSLRD,LWACNASP,LWFCWAS P,LWGFCASP,WACCNH1,WGACCN1,WGA CCN64,WGACCNCC,WGACCNND,WGCWNA C,WGCWNAC1,WGFCNAC,WRRMDAC	19	145	98.24	14,245
172. FUR	33598988	FRP TOP COVER FOR AC UNIT FOR LHB AC COACHES as per Drg.No. LW44698 ALT a NIL	LACCWRJ,LACCWX,LACCWX1,LCBACHMX ,LCBACHX,LCBACX,LCBHMPX,LFACX,LCZ ACHX,LLRRMLX,LLRRMTX,LLRRMX,LSCZA CHX	19	269	2,688	7,23,072
173. FUR	33599002	FRP TOP COVER FOR AC 3 TIER COACHES LE44326	LA3HMPX,LACCNHM,LACCNRJ,LACCNX,L ACCNX1,LROB750,LWACCN	19	490	1,921.5	9,41,535
174. FUR	33599026	POLYCARBONATE MIRROR FOR LHB SCN EOG COACHES 80 BERTHER WITH WIDER WINDOW.PILOT SAMPLE APPROVAL BY DESIGN OFFICE IS REQUIRED. as per Drg.No. LS64133 NIL	LSCNW,LSCNWX,LSCNWX1,LSCNX	19	2	2,240	4,480
175. FUR	33600119	SET OF SEAT ATTACHMENT PROFILE FOR LHB HOT BUFFET CAR COACHES MPLSAPLWCBAC VERSION 0	LCBACBDX,LCBACDBD,LCBACHMX,LCBAC X,LCBHMPX,LWCBAC	19	93	12,932.71	12,02,742
176. FUR	33600521	SEAT ATTACHMENT PROFILE L=4100 MM LW44140 ALT a	L2CCSAU,LCBACBDX,LCBACDBD,LCBACH MX,LCBACX,LCBHMPX,LCZDACDX,LCZDA CX,LDMPANCA,LCZACHX,LJBR,LJGSCZ,L JSCZAC,LLRM752X,LLRRMBDX,LLRRMDDX ,LLRRMHMX,LLRRMHX,LLRRMLGR,LLRRM LX,LLRRMWSX,LLRRMX,LRRMHMPX,LSCZ ACHX,LSCZACSH,LSCZACX,LSCZX,LWCB A,LWCBACA,LWCBACD,LWCBASE,LWCZD AC,LWCZDACD,LWFCZAC,LWFCZACH,LW	19	358	212.36	76,025

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
177. FUR	33612699	SET OF MOUNTING BRACKETS FOR LAV.MODULE FOR DDZACEOG COACHES MPLMBDDZAC VERSION 1	FCZACU,LWGSCZ,LWGSCZAC,LWL752, LWLRMASE,LWLRRM,LWLRRMA,LWLRRM D,LWLRRMH,LWLRRMHM,LWLRRMU,LWL RRMWS,LWSCZ,LWSCZ1,LWSCZAC,LWSC ZACH,LWSCZACU,MGZAC	19	14	619.54	8,674
178. FUR	33692130	BALL VALVE 40 BOREAS PER DRAWING/SPEC. LW63106 alt 'a' ITEM No. 7 NIL	LCZDACDX,LCZDACX,LWCZDAC,LWCZDA CD	19	225	1,144.31	2,57,470
179. FUR	35984454	ALUMINIUM ANGLE MOULDING LE64157	LLRM750X,LLRRMDDX,LLRRMHMX,LLRRM LGR,LLRRMLX,LLRRMTX,LLRRMX,LRM500 WS,LRRMHMPX,LWLRRMH	19	3,216	29.88	96,094
180. FUR	36980225	BASE MOULDING SCN-4-3-304 ITEM 10	LA3HMPX,LACCNBDX,LACCNHMJ,LACCNH J,LACCNX,LACCNX1,LWACCN,LWACCNH,L WACCNHM,LWGACCN	19	891	15.66	13,953
181. FUR	36980640	CHANNEL SCN-6-4-308 ITEM 1 ALT 'dR'		19	2,063	12.39	25,561
182. FUR	36985340	AL MOULDING EX EQ ANGLE (2.5X55X55) L=1.8M CC43352 ALT 'a'	LCC,LLRM500X,LLRM750X,LRM500DL,LRM 500HM,LRM500WS,LSCZX,LWGSCZ,LWLR M501,LWSCZ1,WACCN,WGACCN,WGACC N1,WGACCN64,WGACCNCC,WGACCND,W GACCNMT,WGACCNS1,WGCWNAC,WGC WNAC1,WGFCNAC	19	245	246.84	60,476
183. FUR	36987270	PIPE CLIP (FOR SIDE FILLING & OVER FLOW ARRANGEMEN CC63878	LWCBASD,LWCBASP,MBIUSP,MMGSA,MM GSFC,MMSLR,WGACCW,WGSCZ,WSCZAC	19	984	14.8	14,563
184. FUR	36987750	COVER MOULDING 1.6X44X1710 CC56157		19	404	41.6	16,806
185. FUR	36989277	DRIP TRAY GS-6-4-008	WGSCZ	19	79	286	22,594
186. FUR	37980737	RUBBER PROFILE L=1320 MM NOTE : MATERIAL TO BE SUPPLIED IN MDTS 030 CC62122 COLOUR AS PER MD22151 DT.20-03/2003 PACKING INSTRUCTION NO ; PI002 PART DRG. AS PER LIST NO :NIL	LDMGSEA,LDMSLREA	19	456	35.5	16,188
187. FUR	37983660	LOCKING ARRANGEMENT OF UPPER BERTH WGFAC3-6-1-301 COL I ALT b PACKING INSTRUCTION NO : PI011 PART DRGS.AS PER LIST NO : 6053 DT.22/09/2004	WFAC,WGFAC	19	12	151.78	1,821
188. FUR	37985875	FIXING ARRANGEMENT OF ROLLING SHUTTER as per Drg.No. CC25396 ALT e PAINTING SATIN BLUE SHADE BOTH SIDES(REF.SME/D1'S NOTING ON LNO PSF/2403/COLOUR SCHEME DTD. 24.02.10 & 31.03.10).MDTS007,REV.07 TO BE FOLLOWED. CC25396 ALT e PAINTING SATIN BLUE SHADE BOTH SIDES(REF.SME/D1'S NOTING ON LNO PSF/2403/COLOUR SCHEME DTD. 24.02.10 & 31.03.10).MDTS007,REV.07 TO BE FOLLOWED.	LCC,MBIUSP,MEMU,MEMUASP,MEMUFTM, MEMUT,MEMUTASP,MEMUTGS,MEMUTL, WACCN,WACCNDST,WACCNH1,WACCNK, WACCNM,WACCW,WEST,WFAC,WFCZAC, WGACCN,WGACCN1,WGACCN64,WGACC NCC,WGACCND,WGACCNMT,WGACCNS1, WGACCW,WGCWNAC,WGCWNAC1,WGFA C,WGFCNAC,WGSCN,WGSCN2,WGSCN72 ,WGSCZAC,WLRRMDST,WRRMDAC,WSCZ	19	14	5,531.47	77,441

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
						AC	
189.	FUR	37987458 AL MOULDING EX FLAT (2.03X15.88) L=2M CC43359	LACCNBDX,LACCNRJ,LACCNX,LACCNX1,L SLRASD,LSLRASP,LWACCN,LWOGCAR,L WTRCS,WACCN,WACCW,WFCZAC,WGAC CN,WGACCN1,WGACCN64,WGACCNCC,W GACCND,WGACCNMT,WGACCNS1,WGAC CW,WGCWNAC,WGCWNAC1,WGSCZAC, WSCZAC	19	1,278	46.51	59,440
190.	FUR	37987537 AL MOULDING EX CHANNEL (2.5X20X20X47) L=1.8M CC43340 ALT a	LCC,LWTRC,LWTRCS,MEMUASP,MEMUFT M,MEMUTASP,MEMUTGS,MEMUTL,MGZAC ,WACCN,WACCNDST,WACCNH1,WACCW, WFCZAC,WGACCN,WGACCN1,WGACCN64 ,WGACCNCC,WGACCND,WGACCNMT,WG ACCNS1,WGACCW,WGCWNAC,WGCWNA C1,WGFCNAC,WGSCN72,WGSCZAC,WSC ZAC	19	533.5	226.68	1,20,934
191.	FUR	37987574 AL MOULDING EX Y L=1.8M CC43356 ALT A PACKING INST.NO. PI002 PART DRG. AS PER LIST NO. : NIL QUALITY PLAN : QMQ1 01 VERSION 01	MBIUSP,MGSLR,WACCN,WACCW,WFCZA C,WGACCN,WGACCN1,WGACCN64,WGAC CNCC,WGACCND,WGACCNMT,WGACCNS 1,WGACCW,WGSCZAC,WSCZAC	19	2,699.83	65.11	1,75,786
192.	FUR	30548044 WINDOW GLASSAS PER DRAWING/SPEC. EM54106 NIL	MEMU,MEMUASP,MEMUFTM	22	87	149.41	12,999
193.	FUR	30982509 SET OF FLOOR PLATE FOR LHB POWER CAR EOG COACHES as per Drg.No. MPLALFPLWLRRM VERSION 3 NIL	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRR MHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LL RRMX,LLRRMHMPX,LWLRRM,LWLRRMH,L WLRRMHM,LWLRRMWS	22	10	1,94,181.42	19,41,814
194.	FUR	31510048 DOOR ASSEMBLY FOR MAIN LT FRAME as per Drg.No. EMU/M2- 5-6-503 ALT bR EMU/M2-5-6-503 ALT bR	MEMU,MEMUASP,MEMUFTM	22	24	5,507.52	1,32,180
195.	FUR	31547011 WINDOW RUBBER PROFILES FOR DRIVER MOTOR COACH MPLWRPDMC VERSION 4	MEMU,MEMUASP,MEMUFTM	22	13	862.39	11,211
196.	FUR	31647248 TRAP DOOR FOR TRACTION MOTOR as per Drg.No. EMU/M2-6-4- 526 ALT a NIL	MEMU,MEMUASP,MEMUFTM	22	33	2,464	81,312
197.	FUR	33565417 LAVATORY DOOR COMPLETE LHAS PER DRAWING/SPEC. LH56121 ALT d NIL	LACOC,LGS,LS.,LS1,LSASP,LSCNX,LSCZX, LWCBNAC,LWGSCN,LWGSCZ,LWLCBRRM ,LWSCN,LWSCZ,LWSCZ1	22	2	14,408.8	28,818
198.	FUR	33565430 CREW-ROOM/GENERATOR ROOM DOOR, as per Drawing: MDTS109 REVISION-02, Packing Instruction: LHB DOORS (BODY SIDE DOOR AND SALOON SLIDING DOOR ) : LHB DOORS TO BE WRAPPED IN BIODEGRADABLE BUBBLE SHEET AND TO BE PACKED IN WOODEN BOX MADE OF PLANKS OF MINIMUM 20MM THICK. THE WOODEN BOXES TO BE STRENGTHENED ALONG THE LENGTH AT FOUR PLACES WITH WOODEN STRIPS OF 40X100MM SUITABLE LENGTH ALL AROUND THE BOX. A LIST SHOULD BE PASTED ON EACH WOODEN CRATE	LLRM752X,LLRRMBDX,LLRRMDDX,LLRRM HMX,LLRRMHX,LLRRMLGR,LLRRMLX,LLR RMWSX,LLRRMX,LROB750,LRRMHMPX,L WLRM752,LWLRMASE,LWLRRM,LWLRRM A,LWLRRMD,LWLRRMH,LWLRRMHM,LWL RRMU,LWLRRMWS,LWOGCAR,LWTRC,LW TRCS	22	5	89,099.02	4,45,495

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
		SHOWING ORDER NO,PL NO, DESCRIPTION OF ITEM,DR NIL					
199. FUR	33590102	SET OF PANTRY DOOR FOR LHB NON-AC CHAIR CAR COACHES as per Drg.No. MPLPDLWSCZ VERSION 2 MPLPDLWSCZ VERSION 2	LSCZX,LWGSCZ,LWSCZ,LWSCZ1	22	1	10,716.09	10,716
200. FUR	33593656	SET OF SS DOOR FRAME FOR LHB AC DOUBLE DECKER COACHES	LCZDACDX,LCZDACX,LWCZDAC,LWCZDA CD	22	1	4,205.82	4,206
201. FUR	30547118	FRP WINDOW ASSLY.(BODY SIDE)	WGSCN,WGSCN2,WGSCN72,WGSCNCC,	27	275	3,591.52	9,87,668
		RDSO/SK-96070 ALT 2R WITHOUT ITEM NO.4,5,6 & 7 AND SATIN WGSCZ BLUE COLOUR SHADE TO ISC-177 OF IS:5-94 WARRANTY CLAUSE AS PER MD22231 DT. 07-11/2003					
202. FUR	30557132	LAV. WINDOW ARRGT. (INJURY FREE) COLOUR SATIN BLUE SHADE TO ISC-177 OF IS:5. WARRANTY CLAUSE AS PER MD22231 DT.07/11/2003.RDSO/2007/CG-01,02 REV.1,03 REV.1 IS APPLICABLE VIDE MD35131 DT.9/9/2008.	MEMUASP,MEMUFTM,MEMUTASP,MEMUT GS,MEMUTL,WGSCN,WGSCN2,WGSCN72, WGSCNCC,WGSCZ	27	306	3,327.35	10,18,169
		CC55159					
203. FUR	30560457	SET OF FRP DOOR FRAME PANELS FOR DDZACEOG COAAACHES	LCZDACDX,LCZDACX,LWCZDAC,LWCZDA CD	27	41	4,709.21	1,93,078
		MPLDFPDDZACEOG VERSION 4					
204. FUR	30610473	FRP HOUSING FOR FLUSHING PIPE ARRGT (COLOUR SHADE SATIN BLUE) FOR MEMUTL COACHES as per Drg.No. AE63157 AE63157	MEMUASP,MEMUFTM,MEMUTASP,MEMUT GS,MEMUTL	27	11	577.5	6,353
205. FUR	30617388	CHAIR ANGLE SET FOR GS (FUR), PAINTING AS PER MDTs 140, COLOUR SHADE SATIN BLUE TO (ISC-177) MD22151 DT.26.05.09 MPLCAGSA VERSION 9	MEMUTGS	27	6	11,555.88	69,335
206. FUR	30617420	CHAIR ANGLE SET FOR MEMU/TC (FUR), PAINTING AS PER MDTs 140, COLOUR SHADE SATIN BLUE TO ISC-177 MD22151 DT.26.05.09.AS PER DRAWING/SPEC. MPLCAMEMUT VERSION 2	MEMUT,MEMUTASP,MEMUTL	27	31	7,990.08	2,47,692
		NIL					
207. FUR	30630575	SS INLAY FOR INDIAN STYLE WITH OUTSIDE WASH BASIN CC41222	MEMUTASP,MEMUTGS,MEMUTL,WGSCN, WGSCN2,WGSCN72	27	36	13,949.76	5,02,191
208. FUR	30984865	RETENTION TANK WITH S-TRAP (LH) FOR FOR BG CONVENTIONAL COACHES	MEMUTASP,MEMUTGS	27	1	73,000.21	73,000
		MI005987 ALT NIL AND MDTs 224 REV.07. INSTALLATION AND COMMISSIONING : INCLUSIVE.					
209. FUR	31547023	FRP BODY SIDE WINDOW ARRGT. as per Drg.No. EM54101 ALT a VELLUM COLOUR TO SHADE ISC-365 OF IS:5-94 WARRANTY CLAUSE AS PER MD22231 DT. 07-11/2003 RDSO SPEC.TO RDSO/2007/CG-02 (REV.1) & 03(REV. 1)IS APPLICABLE AS PER MD35131 DT.9/9/08	MBIUSP,MEMU,MEMUASP,MEMUFTM,MEM UT,MEMUTASP,MEMUTGS,MEMUTL,MGD MUDTC,MGFC,MGGS,MGSCN,MGSLR,MGS R	27	142	4,243.96	6,02,642
		EM54101 ALT a VELLUM COLOUR TO SHADE ISC- 365 OF IS:5-94 WARRANTY CLAUSE AS PER MD22231 DT. 07- 11/2003 RDSO SPEC.TO RDSO/2007/CG-02 (REV.1) & 03(REV. 1)IS APPLICABLE AS PER MD35131 DT.9/9/08					
210. FUR	31567113	DOOR ASSEMBLY FOR L.T. COMPT. as per Drg.No. EM56101 ALT b	MEMU,MEMUASP,MEMUFTM	27	4	6,356	25,424
		EM56101 ALT b					

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
211. FUR	31567150	DOOR ASSEMBLY FOR EQUIPMENT COMPT. as per Drg.No. EM56117 ALT b EM56117 ALT b	MEMU,MEMUASP,MEMUFTM	27	7	5,891.66	41,242
212. FUR	31647078	BOX COMPLETE FOR AIR FILTER as per Drg.No. MEMU/DMC-6-4-011 COL I (COLOUR AS PER MDTS 140 IN SMOKE GREY COLOUR TO SHADE NO. ISC-NO.692 TO IS:5-94) NIL	MEMU,MEMUASP,MEMUFTM	27	19	2,176.27	41,349
213. FUR	31647121	AIR DUCT COMPLETE FOR TRACTION MOTOR NON DRIVING END MEMU/DMC-6-4-007 COL III, MDTS0140 & PAINTING GREY COLOUR TO SHADE NO.692 OF IS:5-94 (TO BE SUPPLIED IN 10 EQUAL MONTHLY INSTALLEMENT)	MEMU,MEMUAD,MEMUASP,MEMUFTM	27	6	616	3,696
214. FUR	31647327	HAND HOLDS FOR MEMU/TC COACHES ET64104 ALT b W/O ITEM NO.5	MEMUASP,MEMUFTM,MEMUT, MEMUTASP, MEMUTL	27	15	62,964.63	9,44,469
215. FUR	31647339	HAND HOLDS FOR MEMU/DMC COACHES as per Drg.No. EM64123 ALT b W/O ITEM NO.5 NIL	MEMU,MEMUASP,MEMUFTM	27	21	30,194.96	6,34,094
216. FUR	31983157	BODY SIDE WINDOW ARRGT.WITH FIXED LOUVERS SHUTTER FOR DRIVER CAB as per Drg.No. DMU/DPC13-5-4-301 DMU/DPC13-5-4-301	MEMU3PB,MEMU3PH	27	36	30,979.92	11,15,277
217. FUR	33555333	TROUGH BELOW AC UNIT COMPLETE NPPE (TRACEABILITY MARK AS PER DESIGN LETTER NO.MD462131 DT.05-06/2006) LE44232 ALT A ,MDTS 133 REV 04, MDTS118 REV.01 & L.NO.MD21712 DT.24/03/03 IS APPLICABLE.	LA3HMPX,LACCNBDX,LACCNHMX,LACCNRJ,LACCNX,LACCNX1,LACWNASP,LDM3ACEA,LWACCN,LWACCNA,LWACCND,LWACCNH,LWACCNHM,LWACNASD,LWACNASE,LWACNASG,LWACNASP,LWFCWASP,LWGACCN,LWGFCASP	27	77	22,510.16	17,33,282
218. FUR	33565776	SET OF FRP DOOR FRAME FOR LHB POWER CAR COACH. MPLDFPLWLRM VERSION 2	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LLRRMX,LRM500DL,LRRMHMPX,LWLRMASE,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMWS	27	12	3,200.3	38,404
219. FUR	33567256	SET OF FRP DOOR FRAME PANELS FOR LHB AC 3 TIER HUMSAFAR COACHES WITH AUTOSWING DOOR MPLDFPL3THMSD VERSION 0	LA3HMPX,LACCNHMX	27	10	4,799.98	48,000
220. FUR	33592573	COMPLETE FRAME PART, as per Drawing: 1 11012.0.21.500.139 ALT AR2, Packing Instruction: NO SPECIAL PACKING REQUIRED. THE PROTRUDING, THREADED PORTION, GAUGES AND LOOSE ITEMS ETC. IF ANY ARE TO BE PROTECTED WITH SUITABLE COVERING TO PREVENT IT FROM DAMAGE. HOWEVER TRANSIT DAMAGE IF ANY SHALL BE AT THE COST OF SUPPLIER. NIL	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LLRRMX,LRM500DL,LRRMHMPX,LWLRMASE,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMU,LWLRRMWS	27	77	2,591.84	1,99,572
221. FUR	33593462	SET OF FRP SIDE WALL PANEL FOR LHB AC DOUBLE DECKER COACH MPLSPLWCZDAC VERSION 11	LCZDACX,LWCZDAC	27	6	1,35,968.86	8,15,813
222. FUR	33595409	SET OF FRP COVERS FOR LUGGAGE RACK FOR LHB DOUBLE DECKER COACHES. MPLECLWCZDAC VERSION 0	LCZDACDX,LCZDACX,LWCZDAC,LWCZDACD	27	11	4,295.75	47,253
223. FUR	33598162	SET OF SIDE WALL PANELS FOR LHB AC3T EOG HUMSAFAR RAKE COACHES as per Drg.No. MPLSWPLWACCNHM VERSION	LA3HMPX,LACCNHMX,LWACCNHM	27	2	1,01,933.68	2,03,867

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
224.	FUR	5 MPLSWPLWACCNHM VERSION 5 FLAT CEILING OF PANTRY AREA FOR DOUBLE DECKER (LHB TYPE) COACHES, as per Drawing: LD44394, Packing Instruction: PACKED IN SUB SETS, SEPARATED BY CORRUGATED PAPER, COLLECTIVELY PACKED IN WOODEN BOX OF SUFFICIENT STRENGTH. A LIST SHOULD BE PASTED ON EACH BOX SHOWING PURCHASE ORDER NO., PL NO., DESCRIPTION, DRG / SPEC NO, QTY, FIRM NAME & ADDRESS, DATE OF DISPATCH ETC.	LCZDACDX,LCZDACX,LWCZDAC,LWCZDA CD	27	1	34,720	34,720
225.	FUR	NIL LAVATORY FLOOR COMPLETE FOR LHB SCN (SHELL LHB ON ICF BOGIE0 COACHES as per Drg.No. RP63124 ALT d NIL	LACWNASP,LGS,LGSASP,LS.,LS1,LSASP,L SCNASD,LSCNASP,LSCNX,LSCZX,LWACC NIB,LWACCNLC,LWACNASP,LWCBASD,L WCBASP,LWCBNAC,LWFCWASP,LWGFC SP,LWGS,LWGSCN,LWGSCZ,LWSCN,LWS CZ,LWSCZ1	27	81	13,540.15	10,96,752
226.	FUR	LAVATORY FLOOR COMPLETE ORIENT-2 FOR LHB COACHES as per Drg.No. RP63123 ALT d NIL	LACWNASP,LGS,LGSASP,LS.,LS1,LSASP,L SCNASD,LSCNASP,LSCNX,LWACCNIB,LW ACCNLC,LWACNASP,LWFCWASP,LWGS,L WGSCN,LWSCN	27	4	13,545.15	54,181
227.	FUR	LAVATORY MODULE FOR LPCEA(MDTS133 REV04,MDTS118 REV01 & L.NO.MD46271 DT.12/11/03 ARE APPLICABLE)(ALUMINIUM COMPOSITE PANELS AS PER L.NO.MD46251 DT.14/06/2006.) MPLLMLPCEA VERSION 19	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRR MHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LL RRMX,LRM500DL,LLRRMHMPX,LWLRMASE, LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH ,LWLRRMHM,LWLRRMU,LWLRRMWS	27	35	98,525.68	34,48,399
228.	FUR	RETENTION TANK (RH)AS PER DRAWING/SPEC. MI005710 ALT. h AND MDTS 26001 REV-04 IS APPLICABLE .  INSTALLATION COMMISSIONING : INCLUSIVE NIL	LA3HMPX,LACCNBDX,LACCNHMX,LACCNR J,LACCNX,LACCNX1,LACCWBDX,LACCWR J,LACCWX,LACCWX1,LCBACDBD,LCBACH MX,LCBACX,LCBHMPX,LFACBDX,LFACWR J,LFACX,LFCWAC,LFCWACX,LFCZACHX,L GS,LS.,LS1,LSASP,LSCNEA,LSCNW,LSCN WX,LSCNWX1,LSCNX,LSCZACHX,LSCZAC SH,LSCZACX,LSCZX,LSDD,LSDDX,LSDDX1 ,LSX,LWACCN,LWACCNH,LWACCNHM,LW ACCW,LWCBAC,LWFAC,LWFCZAC,LWFCZ ACH,LWGACCN,LWGACCW,LWGSCN,LWG SCZ,LWGSCZAC,LWS,LWSCN,LWSCZ1,L WSCZAC,LWSCZACH	27	4	71,881.03	2,87,524
229.	FUR	RETENTION TANK (LH)AS PER DRAWING/SPEC. MI005711 ALT. 'NIL' AND MDTS 26001 REV-04 IS APPLICABLE.  INSTALLATION COMMISSIONING : INCLUSIVE NIL	LA3HMPX,LACCNBDX,LACCNHMX,LACCNR J,LACCNX,LACCNX1,LACCWBDX,LACCWR J,LACCWX,LACCWX1,LCBACDBD,LCBACH MX,LCBACX,LCBHMPX,LFACBDX,LFACWR J,LFACX,LFCWAC,LFCWACX,LFCZACHX,L GS,LLRM500X,LLRM750X,LRMOB750,LS.,L S1,LSASP,LSCNEA,LSCNW,LSCNWX,LSCN WX1,LSCNX,LSCZACHX,LSCZACSH,LSCZA CX,LSCZX,LSDD,LSDDX,LSDDX1,LSLRD,LS X,LWACCN,LWACCNH,LWACCNHM,LWAC	27	9	75,834.78	6,82,513

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
230. FUR	33612419	PRE-ASSEMBLED FRP DROP DOWN MODULAR TOILET UNIT WITH IMORVED INTERIOR AND BETTER AMENITIES FOR LHB EXECUTIVE AC CHAIR CAR COACHES OF 200 KMPH RAKE. MDTS-214 REV-05 AND DY.CME/DESIGN-1 LNO. MD46421 DTD. 01.09.15 FOR ADDITIONAL SPECIAL FEATURES.	CW,LWCBAC,LWFAC,LWFCZAC,LWFCZAC H,LWGACCN,LWGACCW,LWGSCN,LWGSC Z,LWGSCZAC,LWS,LWSCN,LWSCZ1,LWS CZAC,LWSCZACH LCZDACX,LFCZACHX,LWFCZAC,LWFCZAC H	27	4	9,39,146.41	37,56,586
231. FUR	33612420	PRE-ASSEMBLED FRP DROP DOWN MODULAR TOILET FOR LHB EXECUTIVE CHAIR CAR COACHES. MDTS 214 REV.05	LFCZACHX,LFCZACSH,LFCZACX,LSCZACX ,LWFCZAC,LWFCZACH	27	1	5,47,999.33	5,47,999
232. FUR	33612572	LAVATORY FLOOR COMPLETE EURO TYPE LHB NON AC COACHES as per Drg.No. RP63117 ALT d NIL	LACWNASP,LSCNASD,LSCNASP,LSCNX,L SCZX,LWACCNIB,LWACCNLC,LWACNASP, LWCBASD,LWCBASP,LWCBNAC,LWFCWA SP,LWGFACSP,LWGSCN,LWGSCZ,LWLCB RRM,LWSCN,LWSCZ,LWSCZ1	27	28	12,771.95	3,57,615
233. FUR	33615469	FRP MODULAR TOILET WITHOUT WALL MOUNTED CERAMIC URINAL AS PER LNO.MD46421 DT.31.03.18 FOR HUMSAFAR COACH WITH AUTO SWING DOOR MDTS-214 REV-06 AND FOLLOW DESIGN LNO. MD46421 DTD. 30.06.17. (ALONG WITH ATTACHMENT WALL LE64184 & LE64185 WITH QPC 02 NOS. EACH IN PLACE OF LZ64104 & LZ64105 MENTIONED AT SR. NO.(ix) OF MDTS 214 REV. 06)	LA3HMPX,LACCNHMX	27	3	12,99,499.89	38,98,500
234. FUR	30547726	LARGE SEALED WINDOW GLASS UNIT RA54115 (ASSEMBLY OF ITEM 1 & 2)		28	12	3,000	36,000
235. FUR	30430076	SET OF STAINLESS STEEL PANELS FOR MEMUT COACHES as per Drg.No. MPLSSPMEMUT VERSION 3 MPLSSPMEMUT VERSION 3	MEMUASP,MEMUFTM,MEMUT,MEMUTASP ,MEMUTL	33	3	32,760	98,280
236. FUR	30632936	SET OF STEEL ITEMS SIDEWALL (CREW GUARD ROOM) FOR LHB AC POWER CAR EOG COACHES as per Drg.No. MPLSWSLWLRMM VERSION 0 MPLSWSLWLRMM VERSION 0	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRR MHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LL RRMX,LRRMHMPX,LWLRRM,LWLRRMH,L WLRRMHM,LWLRRMWS	33	5	24,781.89	1,23,909
237. FUR	30640374	MIRROR FOR LAVATROY FOR CONV. COACHESAS PER DRAWING/SPEC. AE63182 ALT e ITEM NO.1 NIL	LACOC,MEMUASP,MEMUFTM,MEMUTASP, MEMUTGS,MEMUTL,WACCNDST,WACCNH 1,WGACCN,WGACCN1,WGACCN64,WGAC CNCC,WGACCND,WGACCNS1,WGCWNAC ,WGCWNAC1,WGFCNAC,WGSCN,WGSCN 2,WGSCN72,WGSCNCC,WLRRMDST,WRR MDAC	33	276	171.34	47,290
238. FUR	33554754	WATER TANK (450 LTR) COMPLETE WITH UPPER & LOWER FRAME FOR LHB POWER CAR & LHB DD COACHES LP63138 ALT a (WITHOUT WATER LEVEL INDICATOR)	LCZDACDX,LCZDACX,LLRM752X,LLRRMBD X,LLRRMDDX,LLRRMHMX,LLRRMHX,LLRR MLGR,LLRRMLX,LLRRMTX,LLRRMWSX,LL RRMX,LRRMHMPX,LWCZDAC,LWCZDACD, LWLRM752,LWLRRM,LWLRRMH,LWLRRM HM,LWLRRMWS	33	22	73,018.25	16,06,402
239. FUR	33557731	LAYOUT OF LETTERING INSIDE FOR LHB COMPOSITE (AC 2TIER+FAC) COACHES WITHOUT BRAILLE SCRIPT WA64007 ALT a ITEM NO.8,20,21 & 24 WITHOUT BRAILLE SCRIP	LFACWRJ,LFCWAC,LFCWACX	33	26	1,919.82	49,915

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
		TO MDTS-156 REV.05					
240.	FUR 33560432	SUPPLY OF EMERGENCY WINDOW TO DRG. NO. LZ54108 ALT b AND MDTS 089 REV 04 NIL	LSCZACSH,LSCZACX	33	9	7,080.67	63,726
241.	FUR 33560444	SUPPLY OF FIXED WINDOW TO DRG. NO. LZ54107 ALT b AND MDTS 089 REV 04 NIL	LSCZACSH,LSCZACX	33	16	6,916	1,10,656
242.	FUR 33560535	SUPPLY OF SMALL FIXED WINDOW TO DRG. NO. LP54101 ALT b AND MDTS 089 REV 04 NIL	LLRRMHMX,LLRRMLGR,LLRRMLX,LLRRMX ,LRAX,LRM500DL,LRM500WS,LRRMHMPX	33	192	3,938.67	7,56,225
243.	FUR 33560559	OBSERVATION WINDOW (BIG) FOR INSPECTION CARRIAGE ADMINISTRATIVE. PILOT SAMPLE APPROVAL BY DESIGN OFFICE IS REQUIRED. as per Drg.No. RA54146 NIL	LRAX	33	6	10,976	65,856
244.	FUR 33561023	SMALL WINDOW (FIXED) as per Drg.No. LP54101 ALT b NIL	LACOC,LCZDACDX,LCZDACX,LLRM752X,L LRRMBDX,LLRRMDDX,LLRRMHMX,LLRR MHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LLR RMX,LRAACX,LRAX,LRM500DL,LRM500WS ,LRMOB750,LRRMHMPX,LWCZDAC,LWCZD ACD,LWLRM752,LWLRMASE,LWLRRM,LW LRRMA,LWLRRMD,LWLRRMH,LWLRRMHM ,LWLRRMU,LWLRRMWS,LWTRCS	33	149	3,412.98	5,08,534
245.	FUR 33593152	SKIRTING FRAME COMPLETE FOR LHB POWER CAR COACHES as per Drg.No. 2 11012.0.21.220.104 ALT A NIL	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRR MHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LL RRMX,LRRMHMPX,LWLRMASE,LWLRRM,L WLRRMA,LWLRRMD,LWLRRMH,LWLRRMH M,LWLRRMWS	33	3	716.65	2,150
246.	FUR 33593796	RUBBER PROFILE LD41132 ALT a (LENGTH=450MM)	LCZDACDX,LCZDACX,LWCZDAC,LWCZDA CD	33	183	204.62	37,445
247.	FUR 33593905	BACK PIECE FOR POLYCARBONATE TABLE LW42144 ALT b	LA3HMPX,LACCNBDX,LACCNHMIX,LACCNR J,LACCNX,LACCNX1,LACCWBDX,LACCWR J,LACCWX,LACCWX1,LFACWRJ,LFCWAC, LFCWACX,LWACCN,LWACCNA,LWACCND, LWACCNH,LWACCNHM,LWACCW,LWACC WA,LWACCWD,LWACNASD,LWACNASE,L WACNASG,LWACWASD,LWACWASE,LWA CWASG,LWGACCN,LWGACCW	33	676	470.44	3,18,017
248.	FUR 33594375	TRAY FOR RADIATOR ROOM LP64102 ALT a	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRR MHX,LLRRMWSX,LLRRMX,LRRMHMPX,LW LRMASE,LWLRRM,LWLRRMA,LWLRRMD,L WLRRMH,LWLRRMHM,LWLRRMU,LWLRR MWS	33	59	9,660.88	5,69,992
249.	FUR 33594685	SET OF TABLE COMPLETE FOR LHB DOUBLE DECKER EOG COACHES MPLTBCDD VERSION 0	LCZDACDX,LCZDACX,LWCZDAC,LWCZDA CD	33	12	22,697.12	2,72,365

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
250. FUR	33594946	DEFLECTOR ASSEMBLY FOR RADIATOR ROOM LP64118 ALT b, ASSEMBLY OF ITEM NO.25,33 & 34	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRR MHX,LLRRMWSX,LLRRMX,LRRMHMPX,LW LRMASE,LWLRRM,LWLRRMA,LWLRRMD,L WLRRMH,LWLRRMHM,LWLRRMU,LWLRR MWS	33	179	3,435.49	6,14,953
251. FUR	33595239	LETTERING INSIDE FOR GENERATOR VAN (LHB) 1 11012.0.11.400.001 ALT AR EXCEPT ITEM NO.51,54,55 AS PER MDTS 156 REV. 05	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRR MHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LL RRMX,LRRMHMPX,LWLRMASE,LWLRRM,L WLRRMA,LWLRRMD,LWLRRMH,LWLRRMH M,LWLRRMU,LWLRRMWS	33	20	3,136	62,720
252. FUR	33595689	BUSH 4 10113.0.25.140.104	LSCZACHX,LSCZACSH,LSCZACX,LWGSCZ AC,LWSCZAC,LWSCZACH,LWSCZACU	33	2,384	24.21	57,717
253. FUR	33596712	AIR INLET DUCT FOR PC (LHB).(WHERE EVER INSULATION APPEARS IN THE DRG.IT SHOULD BE READ AS PER MDTS116 REV-05), as per Drawing: LP44113 ALT 'a', Packing Instruction: BROWN PAPER NIL	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRR MHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LL RRMX,LRRMHMPX,LWLRMASE,LWLRRM,L WLRRMA,LWLRRMD,LWLRRMH,LWLRRMH M,LWLRRMU,LWLRRMWS	33	4	74,000	2,96,000
254. FUR	33596906	EXHAUST AIR BOX K65F450-010-00A-Z1	L2CCSAU,LCBACDBD,LFCZACHX,LJSCZAC ,LSCZACHX,LWFCZAC,LWFCZACH,LWFCZ ACU,LWGSCZAC,LWSCZAC,LWSCZACH,L WSCZACU	33	17	3,692.75	62,777
255. FUR	33598400	DUCTING ARRANGEMET FOR HIGH CAPACITY LHB POWER CAR WITH 750 KVA DA SET as per Drg.No. LP44203 NIL	LLRM752X,LLRRMDDX,LRRMHMPX,LWLR M752	33	15	46,713.2	7,00,698
256. FUR	33598538	SET OF FABRICATED ASSEMBLIES FOR LHB LOW NOISE POWER CAR AS PER DRAWING/SPEC. MPLFALLRRMLX VERSION 03 NIL	LLRRMHMX,LLRRMLGR,LLRRMLX,LRRMH MPX	33	38	98,768.6	37,53,207
257. FUR	33611932	SET OF ATTACHMENT WALLS COLOUR SHADE SATIN BLUE (ISC-177) MPLAWLHBLC VERSION 6	LACCWBDX,LACCWRJ,LACCWX,LACCWX1 ,LACWNASP,LGS,LGSASP,LGSLR,LS.,LS1, LSASP,LSCNASD,LSCNASP,LSCNX,LSCZX, LWACCNIB,LWACCNLC,LWACCW,LWACN ASP,LWCBASD,LWCBASP,LWCBNAC,LWF CWASP,LWGACCW,LWGFCASP,LWGS,LW GSCN,LWGSCZ,LWLCBRRM,LWSCN,LWS CZ,LWSCZ1,LWTRC	33	10	12,134.58	1,21,346
258. FUR	33613436	BRACE COMPLETE FOR LHB COACHES 3 10113.0.21.000.144 ALT A	LACCWBDX,LACCWRJ,LACCWX,LACCWX1 ,LCBACDBD,LFACBDX,LFACX,LFCZACHX,L SCZACHX,LSCZACSH,LSCZACX,LWACCW, LWACCSA,LWACCSW,LWACWASE,LWAC WASG,LWFAC,LWFACA,LWFACASE,LWFA CD,LWFCZAC,LWFCZACH,LWGACCW,LW GFCASG,LWGSCZAC,LWSCZAC,LWSCZA CH	33	179	796.46	1,42,566
259. FUR	33692129	FLEXIBLE CONNECTOR HOSE WITH SS MESH PROTECTION AS PER DRAWING/SPEC. LE63249 NIL	LLRM750X,LLRRMDDX,LLRRMHMX,LLRRM LGR,LLRRMLX,LLRRMTX,LLRRMX,LRM500 WS,LRRMHMPX,LWLRRMH	33	61	3,525.74	2,15,070

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
260. FUR	35982603	MILD STEEL TABLE TO IS:3498-93 IN STEEL GREY COLOUR NO.698 OF IS:5-94 as per Drg.No. 1 11012.0.25.210.001 ITEM 1 ALT A 1 11012.0.25.210.001 ITEM 1 ALT A	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LLRRMX,LRRMHMPX,LWLRMASE,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMU,LWLRRMWS	33	1	2,701	2,701
261. FUR	37980026	DUCTING ARRGT. FOR LHB TYPE POWER CAR.(WHERE EVER INSULATION APPEARS IN THE DRG.IT SHOULD BE READ AS PER MDTS116 REV-05) as per Drg.No. LP44162 NIL	LLRRMHMX,LLRRMHX,LLRRMX,LRM500DL,LRM500WS,LRMHMPDX,LRRMHMPX,LWLRRMH	33	16	58,505.03	9,36,080
262. FUR	33599166	SPECIAL HAMMER HEAD SCREW M8X40, as per Drawing: LW44168 ALT NIL, Packing Instruction: SUITABLY PACKED IN JUTE BAGS NIL	L2CCSAU,LCBACBDX,LCBACDBD,LCBACHMX,LCBACX,LCBHMPX,LDMPANCA,LFCZACHX,LJSCZAC,LSCZACHX,LSCZACSH,LSCZACX,LWCBAC,LWCBACA,LWCBACD,LWCBASE,LWFCZAC,LWFCZACH,LWFCZACU,LWGSCZAC,LWSCZAC,LWSCZACH,LWSCZACU	35	3,125	7.76	24,250
263. FUR	33600703	SPECIAL BOLT LS61183	LSCNX,LWCBNAC,LWGSCN,LWSCN	35	252	90.83	22,889
264. FUR	32980358	SET OF STELL ITEMS OF CEILING MOUNTING GENERATOR ROOM FOR LHB AC POWER CAR EOG COACHES. as per Drg.No. MPLSSILWLRRM VERSION 0 NIL	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LLRRMX,LRRMHMPX,LWLRRM,LWLRRMH,LWLRRMHM,LWLRRMWS	38	58	22,927.14	13,29,774
265. FUR	33573724	SET OF COVER FOR CHAIR PILLAR FOR LHB SCN EOG COACHESAS PER DRAWING/SPEC. MPLCCPLWSCN VERSION 1 NIL	LSCNASD,LSCNASP,LSCNW,LSCNWX,LSCNWX1,LSCNX,LWGSCN,LWSCN	38	29	1,792	51,968
266. FUR	33574522	PILLAR ASSEMBLY LW10216	L2ACSAU,LACCWBDX,LACCWRJ,LACCWX,LACCWX1,LFACWRJ,LFCWAC,LFCWACX,LWACCW,LWACCWA,LWACCWD,LWACWASD,LWACWASE,LWACWASG,LWGACCW	38	27	1,768.46	47,748
267. FUR	33574595	PILLAR ASSLY AS PER DRAWING/SPEC. LW10161 ALT a NIL	LACCWBDX,LACCWRJ,LACCWX,LACCWX1,LDM2ACEA,LFACWRJ,LFCWAC,LFCWACX,LWACCW,LWACCWA,LWACCWD,LWACWASD,LWACWASE,LWACWASG,LWGACCW	38	51	2,520	1,28,520
268. FUR	33592871	INTERIOR CEILING CREW ROOM MOUNTING FOR LHB POWER CAR FOR 200KMPH RAKE. ADHESIVE U BOND 301 TO BE USED WHERE EVER ADHESIVE APPEARS IN THE DRAWING. INDUSTRIAL LOCK TO DRGNO.LW44158 alt 'a'/LW44318 alt 'b'. as per Drg.No. LP44164 NIL	LLRRMHMX,LLRRMHX,LRMHMPDX,LRRMHMPX,LWLRRMH	38	6	80,479.7	4,82,878
269. FUR	33593176	FLAT CEILING FOR DOUBLE DECKER (LHB TYPE) COACHES LD44343	LCZDACDX,LCZDACX,LWCZDAC,LWCZDADC	38	2	86,190.29	1,72,381
270. FUR	33593334	CEILING FOR LHB POWER CAR. INDUSTRIAL LOCK TO DRGNO.LW44158 alt 'a'/LW44318 alt 'b'. as per Drg.No. LP44115 ALT b ADHESIVE U BOND 301 TO BE USED WHERE EVER ADHESIVE APPEARS IN THEDRAWING AND AS PER CONDITION LIST NO.MP/FUR/COND/03 LP44115 ALT b ADHESIVE U BOND 301 TO BE USED WHERE	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LLRRMX,LRRMHMPX,LWLRMASE,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMU,LWLRRMWS	38	4	51,200.91	2,04,804

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
271. FUR	33594739	EVER ADHESIVE APPEARS IN THE DRAWING AND AS PER CONDITION LIST NO.MP/FUR/COND/03 CEILING CREW ROOM MOUNTING FOR LHB POWER CAR COACHES.ADHESIVE U BOND 301 TO BE USED WHERE EVER ADHESIVE APPEARS IN THE DRAWING AND AS PER CONDITION LIST NO.MP/FUR/COND/03. INDUSTRIAL LOCK TO DRGNO.LW44158 alt 'a'/LW44318 alt 'b'. , as per Drawing: 1 11012.0.21.410.001 ALT DR, Packing Instruction: PACKED IN SUB SETS, SEPARATED BY CORRUGATED PAPER, COLLECTIVELY PACKED IN WOODEN BOX OF SUFFICIENT STRENGTH. A LIST SHOULD BE PASTED ON EACH BOX SHOWING PURCHASE ORDER NO., PL NO., DESCRIPTION, DRG / SPE NIL	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LLRRMX,LRRMHMPX,LWLRMASE,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMU,LWLRRMWS	38	4	80,873.33	3,23,493
272. FUR	33594995	AIR GRILLE PANTRY COMPLETE as per Drg.No. 602.283.000.001 ALT B NIL	L2CCSAU,LCBACDBD,LDMSLREA,LFCZACHX,LJSCZAC,LLRM752X,LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRRMHX,LLRRMLGR,L LRRMLX,LLRRMWSX,LLRRMX,LRRMHMPX,LSCZACHX,LSCZACSH,LSLRASD,LSLRASP ,LWFCZAC,LWFCZACH,LWFCZACU,LWGS CZAC,LWLRM752,LWLRMASE,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMU,LWLRRMWS,LWOGCAR,LWSCZAC,LWSCZACH,LWSCZACU,LWTRC,LWTRCS	38	72	1,522.89	1,09,648
273. FUR	33596864	SET OF FRP COMPONENTS FOR LHB COACHES(MDTS133 REV.04,MDTS 118 REV01,LNO.MD46271 DT.12/11/03 IS APPLICABLE). MPLFRPCL1AC VERSION 7	LA3HMPX,LACCNBDX,LACCNHMX,LACCNRJ,LACCNX,LACCNX1,LACCWBDX,LACCWRJ,LACCWX,LACCWX1,LACWNASP,LCBACBDX,LCBACDBD,LCBACHMX,LCBACX,LCBHMPX,LCZDACDX,LCZDACX,LFACBDX,LFACX,LGS,LGSASP,LS.,LS1,LSASP,LSCNASD,LSCNASP,LSCNX,LSCZX,LWACCN,LWACCN A,LWACCNND,LWACCNH,LWACCNHM,LWACCNIB,LWACCNLC,LWACCNSS,LWACCW,LWACCWA,LWACCWD,LWACNASD,LWAC NASE,LWACNASG,LWACNASP,LWACWAS D,LWACWASE,LWACWASG,LWCBAC,LWC BACA,LWCBACD,LWCBASD,LWCBASE,LW CBASP,LWCZDAC,LWCZDACD,LWFAC,LW FACA,LWFACASE,LWFACD,LWFCWASP,L WGACCN,LWGACCW,LWGFCASD	38	490	1,176	5,76,240
274. FUR	33598800	CEILING GUARD ROOM MOUNTING OF LHB POWER CAR (HUMSAFAR) WITH AUTOMATIC DOOR LOCKING & OPENING MECHANISM MI007146	LLRRMHMX,LRMHMPDX,LRRMHMPX	38	2	60,107.55	1,20,215
275. FUR	33613345	CLAMP FOR COMPOSITE PIPE (16:20) as per Drg.No. LS63123 ALT nil NIL	LGS,LS.,LS1,LSASP,LSCNW,LSCNWX,LSCNWX1,LSCZX,LSDD,LSDDX,LSDDX1,LSLRD ,LSX,LWGS,LWGSCZ,LWLCBRRM,LWS,LW SCZ,LWSCZ1,LWSLRD	38	6,699	10.74	71,947

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
276. FUR	35982548	WARDROBE COMPLETE FOR GUARD'S ROOMAS PER DRAWING/SPEC. LP64154 ALT 'a' NIL	LLRM752X,LLRRMBDX,LLRRMDDX,LLRRM HMX,LLRRMHX,LLRRMLGR,LLRRMLX,LLR RMWSX,LLRRMX,LRRMHMPX,LWLRM752,L WLRRM,LWLRRMH,LWLRRMHM,LWLRRM WS	38	14	15,680	2,19,520
277. FUR	35982597	CAGE NUT COMPLETE 3 10113.0.22.135.106	L2CCSAU,LCBACBDX,LCBACDBD,LCBACH MX,LCBACX,LCBHMPX,LCZDACDX,LCZDA CX,LDMPANCA,LFCZACHX,LJBR,LJGSCZ,L JSCZAC,LSCZACHX,LSCZACSH,LSCZACX, LWCBAC,LWCBACA,LWCBACD,LWCBASE, LWCZDAC,LWCZDACD,LWFCZAC,LWFCZA CH,LWFCZACU,LWGSCZAC,LWSCZAC,LW SCZACH,LWSCZACU	38	1,503	72.63	1,09,163
278. FUR	35983735	LAMP GRID LP44129	LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRR MHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LL RRMX,LRRMHMPX,LWLRMASE,LWLRRM,L WLRRMA,LWLRRMD,LWLRRMH,LWLRRMH M,LWLRRMU,LWLRRMWS	23	788	228.68	1,80,200
279. RM	37987185	AIR RELEASE VALVE 10 MM. BORE IS:319-1989 "VIKING MAKE" MATERIAL BRASSCHROM		19	168	44	7,392
280. RM	73836760	PUNCHED WASHER A30 IS:2016-1967, MATERIAL STEEL TO IS:2062, COATING AS PER MDTS-057	MEMU3PB,MEMU3PH,MEMUASP,MEMUT3 PB,MEMUT3PH	5	149.3	111.5	16,647
281. RM	73974924	HEX NUT M16 HIGH TENSILEAS PER DRAWING/SPEC. IS:1364(PART-3)-2002-10 COATING AS PER MDTS-057 NIL	MEMU3PB,MEMU3PH,MEMUASP,MEMUT3 PB,MEMUT3PH	5	11,721	7.17	84,040
282. RM	73980274	HEX HEAD BOLT M20X75 HIGH TENSILE IS:1364(PART-1)-1992-10.9 COATING AS PER MDTS-057	MEMUTASP,MEMUTGS,WGACCN64,WGAC CND,WGSCN72	5	3,411	25.75	87,833
283. RM	73980286	HEX HEAD BOLT M12X65-N HIGH TENSILEAS PER DRAWING/SPEC. IS:1364(PART-1)-1992-CE-10.9 COATING AS PER MDTS-057 NIL	MEMU3PB,MEMU3PH,MEMUASP,MEMUT3 PB,MEMUT3PH,MEMUTASP,MEMUTGS,W GACCN64,WGACCND,WGSCN72	5	20,700	16.13	3,33,891
284. RM	73980614	NYLOC NUT M20 HIGH TENSILE as per Drg.No. IS:7002-1991, 10, COATING AS PER MDTS-057 NIL	LA3HMPX,LACCNBDX,LACCNE,LACCNEX,L ACCNEX1,LACCNGR,LACCNGRT,LACCNH MX,LACCNHX,LACCNX,LACCNX1,LACCWB DX,LACCWHX,LACCWX,LACCWX1,LCBAC BDX,LCBACDBD,LCBACHMX,LCBACHX,LC BACX,LCBHMPX,LFACBDX,LFACHX,LFACX ,LFCWAC,LFCWACX,LFCZACHX,LFCZACX, LLRM500X,LLRM750X,LLRM752X,LLRRMBD X,LLRRMDDX,LLRRMHMX,LLRRMHT,LLRR MHX,LLRRMLGR,LLRRMLX,LLRRMTX,LLRR MWSX,LLRRMX,LRAACX,LRAX,LRM500DL, LRM500HM,LRM500WS,LRRMHMPX,LSACX ,LSCNX,LSCZACHX,LSCZACX,LWLRRM,LW LRRMH,LWLRRMHM,LWLRRMWS,LWS,LW SCZAC,LWSCZACH,MEMU3PB,MEMU3PH, MEMUT3PB	5	40,916	16.93	6,92,708

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
285. RM	73980675	HEX HEAD SCREW M24X130-N HIGH TENSILE IS:1364(PART-2)-1992-10.9 COATING AS PER MDT5-057	WGACCN64,WGACCND,WGSCN72	5	2,011	74.83	1,50,483
286. RM	73980687	HEX HEAD SCREW M12X30 HIGH TENSILE AS PER DRAWING/SPEC. IS:1364(PART-2)-1992-10.9 COATING AS PER MDTS-057 NIL	MEMUTASP, MEMUTGS, WGACCN64, WGAC CND, WGSCN72	5	1,249	8.26	10,317
287. RM	73980857	HEX HEAD SCREW M8X65-SHAS PER DRAWING/SPEC. IS:1364(PART-2)-1992-8.8, WITH SPLIT PIN HOLE TO IS:9549- 1980 TAB.1 COATING AS PER MDT5-057 NIL	LSCZX, MEMU, MEMU3PB, MEMU3PH, MEMU ASP, MEMUFTM	5	5,575	12.06	67,235
288. RM	33670948	HEX HEAD SCREW M16X60 HIGH TENSILE, as per Drawing: IS:1364(PART-2)-2002, CE-WITH PROPERTY CLASS-10.9 TO IS:1367(PART-3)-2002, COATING AS PER MDT5-057, Packing Instruction: AS PER STANDARD PACKING. IT SHOULD BE ENSURED THAT ITEM SHOULD NOT RUB DURING TRANSPORTATION. THE ITEM SHOULD BE PACKED WITH ADEQUATE STRENGTH. TRANSIT DAMAGE , IF ANY , SHALL BE AT THE COST OF SUPPLIER. NIL	LA3HMPX, LACCNBDX, LACCNE, LACCNEX, L ACCNEX1, LACCNGR, LACCNGRT, LACCNH MX, LACCNX, LACCNX1, LACCWBDX, LACCW X, LACCWX1, LACOC, LCBACBDX, LCBACDB D, LCBACHMX, LCBACX, LCBHMPX, LCZDAC DX, LCZDACX, LFACBDX, LFACX, LFCWAC, L FCWACX, LFCZACHT, LFCZACHX, LGS, LLRM 500X, LLRM750X, LLRM752X, LLRRMBDX, LL RRMDDX, LLRRMHMX, LLRRMHT, LLRRMHX, LLRRMLGR, LLRRMLX, LLRRMWSX, LLRRMX , LRAACX, LRAX, LRM500DL, LRM500HM, LRM 500WS, LRRMHMPX, LS., LS1, LSACX, LSASP, LSCNHM, LSCNHMT, LSCNW, LSCNWX, LSC NWX1, LSCNX, LSCZACHT, LSCZACHX, LSCZ ACX, LSCZX, LSDD, LSDDX, LSDDX1, LSLRD, L SX	35	1,716	19.39	33,273
289. RM	33670997	HEX NUT M30 HIGH TENSILE IS:1364(PART-3)-92,8 COATING AS PER MDT5-057	LA3HMPX, LACCNBDX, LACCNE, LACCNEX, L ACCNEX1, LACCNGR, LACCNGRT, LACCNH MX, LACCNX, LACCNX1, LACCWBDX, LACCW X, LACCWX1, LACOC, LCBACBDX, LCBACDB D, LCBACHMX, LCBACX, LCBHMPX, LCZDAC DX, LCZDACX, LDM2ACEA, LFACBDX, LFACX, LFCWAC, LFCWACX, LFCZACHX, LGS, LJBR, LJGSCZ, LJSCZAC, LLRM752X, LLRRMBDX, L LRRMDDX, LLRRMHMX, LLRRMHT, LLRRMH X, LLRRMLGR, LLRRMLX, LLRRMWSX, LLRR MX, LRAACX, LRAX, LRRMHMPX, LS., LS1, LS ACX, LSASP, LSCNHM, LSCNHMT, LSCNW, L SCNWX, LSCNWX1, LSCNX, LSCZACHX, LSC ZACX, LSCZX, LSDD, LSDDX, LSDDX1, LSX, LV PHASDX, LVPHX, LWACCN, LWACCN- S, LWACCNA	35	6,777	26.56	1,79,997
290. RM	33671990	HEX HEAD BOLT M20X100 HIGH TENSILE IS:1364(PART-1)-92-8.8-CE, COATING AS PER MDT5-057	LA3HMPX, LACCNBDX, LACCNE, LACCNEX, L ACCNEX1, LACCNGR, LACCNGRT, LACCNH MX, LACCNX, LACCNX1, LACCWBDX, LACCW X, LACCWX1, LACOC, LCBACBDX, LCBACDB D, LCBACHMX, LCBACX, LCBHMPX, LCZDAC DX, LCZDACX, LFACBDX, LFACX, LFCWAC, L	35	5,967	25.85	1,54,247

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value
291. RM	73031483	HEX HEAD BOLT M16X120 HIGH TENSILEAS PER DRAWING/SPEC. IS:1364(PART-1)-1983-8.8, COATING AS PER MDTS 057 NIL	35	22,256	31.82	7,08,186
292. RM	73321795	SPLIT PIN 4X22 IS:549-2005 St34 COATING AS PER MDTS-057	35	2,739	0.45	1,233
293. RM	73710600	SPRING WASHER B24, COATING AS PER MDTS 057AS PER DRAWING/SPEC. IS:3063-1994 GRADE 60C6 NIL	35	652.12	115.56	75,359
294. RM	73980870	HEX HEAD BOLT M10X40 HIGH TENSILE, as per Drawing: IS:1364(PART-1)-2002-CE-10.9, COATING AS PER MDTS-057, Packing Instruction: AS PER STANDARD PACKING. IT SHOULD BE	35	19,550	6.39	1,24,925

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
		ENSURED THAT ITEM SHOULD NOT RUB DURING TRANSPORTATION. THE ITEM SHOULD BE PACKED WITH ADEQUATE STRENGTH. TRANSIT DAMAGE , IF ANY , SHALL BE AT THE COST OF SUPPLIER. NIL					
295. RM	73983299	HEX NUT M22 IS:1364(PART-3)-1992,6 COATING AS PER MDTS-057	MEMU, MEMU3PB, MEMU3PH, MEMUAD, MEMUASP, MEMUFTM, MEMUT3PB, MEMUT3PH	35	752	120.39	90,533
296. RM	73190317	HEX HEAD SCREW M16X25 HIGH TENSILEAS PER DRAWING/SPEC. IS:1364(PART-2)-1992-10.9, CE COATING AS PER MDTS-057 NIL	MEMUASP	5	270	17.69	4,776
297. RM	73980766	HEX NUT M24 HIGH TENSILEAS PER DRAWING/SPEC. IS:1364(PART-3)-1992-10, COATING AS PER MDTS-057 NIL	MEMUT3PB, MEMUT3PH, MEMUTASP, MEMUTGS, MEMUTL, WGACCN64, WGACCND, WGSCN72	5	9,393	21.63	2,03,171
298. RM	33670900	NYLOC NUT M10 HIGH TENSILEAS PER DRAWING/SPEC. IS:7002-1991, 8, COATING AS PER MDTS-057 NIL	LCBACBDX, LCBACDBD, LCBACHMX, LCBACX, LCBHMPX, LCZDACDX, LCZDACX, LGS, LWCBCAC, LWCBCACA, LWCBCACD, LWCZDAC, LWCBRRM, MEMUASP, MEMUTASP, MEMUTGS, MEMUTL	35	4,400	3.19	14,036
299. RM	73030120	HEX HEAD BOLT M12X110 STAINLESS STEELAS PER DRAWING/SPEC. IS:1364(PART-1)-1992, A2-70 TO IS:1367(PART-14)-1984 NIL	LLRM752X, LLRRMBDX, LLRRMDDX, LLRRMHX, LLRRMHT, LLRRMHX, LLRRMLGR, LLRRMLX, LLRRMWSX, LLRRMX, LRRMHMPX, LSLRASD, LSLRASP, LWLCBRRM, LWLRMASE, LWLRRM, LWLRRMA, LWLRRMD, LWLRRMH, LWLRRMHM, LWLRRMU, LWLRRMWS, MBIUCV, MBIUSP, MEMUT3PB, MEMUT3PH, MEMUTASP, MEMUTGS, WEST, WGACCN, WGACCN64, WGACCNCC, WGACCND, WGACCNS1, WGACN64D, WGCWNAC, WGCWNAC1, WGFACNAC, WGSCN, WGSCN2, WGSCN72, WGS CN72D, WGSCNCC	35	2,561	25.37	64,973
300. RM	73100195	HEX NUT M10 IS:1364(PART-3)-1992,6 COATING AS PER MDTS-057	LA3HMPX, LACCNBDX, LACCNE, LACCNEX, LACCNEX1, LACCNGR, LACCNGRT, LACCNHMX, LACCNHX, LACCNX, LACCNX1, LACCWBDX, LACCWHX, LACCWX, LACCWX1, LACWNASP, LCBACBDX, LCBACDBD, LCBACHMX, LCBACHX, LCBACX, LCBHMPX, LFACBDX, LFACHX, LFACX, LFCWAC, LFCWACX, LFCZACH	35	308.19	93.73	28,887

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
301. RM	73100286	HEX NUT M16 as per Drg.No. IS:1364(PART-3)-1992,6 COATING AS PER MDTS-057 IS:1364(PART-3)-1992,6 COATING AS PER MDTS-057	X,LGS,LGSASP,LLRM752X,LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRRMHT,LLRRMHX,L LRRMLGR,LLRRMLX,LLRRMWSX,LLRRMX, LRRMHMPX,LS.,LS1,LSACX,LSASP,LSCNA SD,LSCNASP,LSCNHM,LSCNW,LSCNWX,L SCNWX1,LSCNX,LSCZACHX,LSCZACX,LSC ZX,LSLRASD,LSLRASP,LSX,LWACCN,LWA CCNHM,LWACCW,LWACNASD,LWACNAS G,LWACNASP	35	239	129.14	30,864
302. RM	73111259	HEX NUT M 5 SC as per Drg.No. IS:1364(PART-3)-1992,5 COATING AS PER MDTS-057 IS:1364(PART-3)-1992,5 COATING AS PER MDTS-057	LWSLRD,MBIUCV,MBIUSP,MEMU,MEMU3P B,MEMU3PH,MEMUAD,MEMUASP,MEMUFT M,MEMUT,MEMUT3PB,MEMUT3PH,MEMUT ASP,MEMUTGS,MEMUTL,WACCNH1,WRR MDAC	35	64.97	147.48	9,582
303. RM	73324383	SPLIT PIN 10X100AS PER DRAWING/SPEC. IS:549-2005 St34 COATING AS PER MDTS-057 NIL	LACWNASP,LCBACBDX,LCBACBBD,LCBA CHMX,LCBACX,LCBHMPX,LCC,LCZDACDX, LCZDACX,LGSASP,LSCNASD,LSCNASP,LS CNHM,LSCNW,LSCNWX,LSCNWX1,LSCZX, LSDDX,LSDDX1,LSLRASD,LSLRASP,LSX,L WACNASP,LWCBAC,LWCBACA,LWCBACD, LWCBASD,LWCBASE,LWCBASP,LWCZDA C,LWFCWASP,LWGFCASP,LWSCZ,LWSCZ D,MBIUCV,MBIUSP,MEMU,MEMUAD,MEMU ASP,MEMUFTM,MGSR,MMGSA,MMGSFC,M MSLR,WACCNH1,WGACCN,WGACCN64,W GACCND,WGACCNS1,WGCWNAC,WGFCN AC,WGSCN2,WGSCN72,WGSCN72D,WGS CNCC,WRRMDAC	35	12,977	6.39	82,923
304. RM	73560200	HEX HEAD SCREW M6X20 as per Drg.No. IS:1364(PART-2)-1992,5.6,CE COATING AS PER MDTS-057 IS:1364(PART-2)-1992,5.6,CE COATING AS PER MDTS-057	LACWNASP,LGSASP,LSCNASD,LSCNASP, LSLRASD,LSLRASP,LWACNASD,LWACNA SG,LWACNASP,LWACWASD,LWACWASG, LWCBASD,LWCBASP,LWFCWASP,LWGFC ASD,LWGFCASG,LWGFCASP,MBIUCV,MBI USP,MEMU,MEMU3PB,MEMU3PH,MEMUAD ,MEMUASP,MEMUFTM,MEMUT,MEMUT3PB ,MEMUT3PH,MEMUTASP,MEMUTGS,MEMU TL,MGSR,MMGSA,MMGSFC,MMSLR,WACC N,WACCNH1,WACCNK,WACCNM,WACCW, WEST,WGACCN,WGACCN1,WGACCN64,W GACCNCC,WGACCND,WGACCNS1,WGAC N64D,WGCWNAC,WGCWNAC1,WGFCNAC, WGSCN,WGSCN2,WGSCN72,WGSCN72D, WGSCNCC,WRRMDAC	35	2,340	96.4	2,25,576
			LACCNX,LACCNX1,LCZDACDX,LCZDACX,L FACBDX,LFACX,LFCZACHX,LS.,LSCNHM,L SCNW,LSCNWX,LSCNWX1,LSCNX,LSCZA CHX,LSCZACX,LSCZX,LSLRD,LVPHASDX,L VPHX,LWCZDAC,LWFAC,LWFACA,LWFAC				

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value
305. RM	33670754	SCREW INSERT M6X12 DIN7965, STEEL, COATING TO MDTS-057	38	5,780	14.63	84,561
306. RM	73561344	HEX HEAD SCREW M12X50 IS:1364(PART-2)-1992,5.6,CE COATING AS PER MDTS-057	35	3,146.06	102.66	3,22,975
307. RM	73982064	HIGH TENSILE FASTENERS FOR DMC COACHES OF BRAND DFL/LPS/TUFF/POOJA FORGE. COATING AS PER MDTS-057  NOTE : ITEM NO. 1 TO 24 OF SETLIST ARE ALSO ACCEPTABLE WITHOUT SPLIT PIN HOLE. as per Drg.No. MPLHTHWDMC VERSION 11 MPLHTHWDMC VERSION 11	35	4	22,422.64	89,691
308. RM	73832650	HEX NUT M 8 HIGH TENSILEAS PER DRAWING/SPEC. IS:1364(PART-3)-2002-10 COATING AS PER MDTS-057 NIL	5	71,737	1.12	80,345
309. RM	73981461	CSK HD TAPPING SCREW ST 4.8X38-C STAINLESS STEEL IS:7170-1989 A2-70 TO IS:1367(PART-14)-1984	5	6,69,350	1.71	11,44,589

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value
310. RM	33671280	HEX SOCKET HEAD CAP SCREW M8X20, as per Drawing: IS:2269-1995, A2-70 TO IS:1367(PART-14)-1984, Packing Instruction: SUITABLY PACKED IN JUTE BAGS NIL	35	46,000	3.54	1,62,840
311. RM	37981183	NYLOC NUT M16 STAINLESS STEEL, as per Drawing: IS:7002-1991, A2-70 TO IS:1367(PART-14)-1984, Packing Instruction: SUITABLY PACKED IN JUTE BAGS, Quality Plan: N.A. NIL	35	1,454	20.48	29,778
312. RM	73030648	HEX HEAD SCREW M16X40 HIGH TENSILEAS PER DRAWING/SPEC. IS:1364(PART-2)-92-8.8,CE COATING AS PER MDT5-057 NIL	35	3,200	16.51	52,832
313. RM	73500402	HEX SOCKET HEAD CAP SCREW M12X45 STAINLESS STEEL IS:2269-2006 A2-70 TO IS:1367(PART-14)-1984	35	2,800	13.98	39,144
314. RM	73511950	HEX HEAD SCREW M16X50 STAINLESS STEEL IS:1364(PART-2)-1992,A2-70 TO IS:1367(PART-14)-1984	35	375	44.45	16,669

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
315. RM	73522703	CHEESE HD SCREW M6X20, COATING AS PER MDT5 057 IS:1366-1982-4.8	CNASD,LWACNASE,LWACNASG,LWACWASD,LWACWASG,LWGACCN,LWSLRD LA3HMPX,LACCNBDX,LACCNGR,LACCNH MX,LACCNX,LACCNX1,LACCWBDX,LACCW X,LACCWX1,LACWNASP,LCBACBDX,LCBA CDBD,LCBACHMX,LCBACX,LCBHMPX,LCZ DACDX,LCZDACX,LFACBDX,LFACX,LCWA C,LFCWACX,LGSASP,LLRM752X,LLRRMBD X,LLRRMDDX,LLRRMHMX,LLRRMHT,LLRR MHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LL RRMX,LRRMHMPX,LSCNASD,LSCNASP,LS CZX,LVPHASDX,LVPHX,LWACCN,LWACCN - S,LWACCNA,LWACCND,LWACCNHM,LWA CCW,LWACCWA,LWACCWD,LWACNASD,L WACNASE,LWACNASG,LWACNASP,LWAC WASD,LWACWASE,LWACWASG,LWCBAC, LWCBACA,LWCBACD,LWCZDAC,LWFAC,L WFACA,LWFACASE,LWFACD	35	728	35.6	25,917
316. RM	73530153	CSK HD SCREW M5X40 STAINLESS STEELAS PER DRAWING/SPEC. IS:1365-2005 A2-70 TO IS:1367(PART-14)-1984 NIL	LSCNHM,LSCNW,LSCNWX,LSCNWX1	35	13,228	2.57	33,996
317. RM	73530177	PAN HD TAPPING SCREW ST 4.8X13-C STAINLESS STEELAS PER DRAWING/SPEC. IS:7173-1989, A2-70 TO IS:1367(PART-14)- 1984 NIL	LLRM500X,LLRM750X,LLRM752X,LLRRMBD X,LLRRMDDX,LLRRMHMX,LLRRMHT,LLRR MHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LL RRMX,LRM500DL,LRM500WS,LRRMHMPX, LSCZACHX,LSCZACX,LWACCN,LWACCN- S,LWACCNA,LWACCND,LWACCNHM,LWA CCW,LWACNASD,LWACNASE,LWACNASG ,LWACWASD,LWACWASE,LWACWASG,L WCBAC,LWCBACA,LWCBACD,LWCBASD,L WCBASE,LWCBASP,LWFAC,LWFACA,LWF ACASE,LWFACD,LWFCZAC,LWFCZACH,L WGACCN,LWGACCW,LWGFCASD,LWGFC ASG,LWGSCZAC,LWLRMASE,LWLRRM,LW LRRMA,LWLRRMD,LWLRRMH,LWLRRMHM ,LWLRRMWS,LWSCZAC,LWSCZACH	35	20,290	1.04	21,102
318. RM	73530426	CSK HD SCREW M5X16, COATING AS PER MDT5 057 IS:1365-1978-4.8	LA3HMPX,LACCNBDX,LACCNGR,LACCNH MX,LACCNX,LACCNX1,LACCWBDX,LACCW X,LACCWX1,LACWNASP,LCBACBDX,LCBA CDBD,LCBACHMX,LCBACX,LCBHMPX,LCZ DACDX,LCZDACX,LFACBDX,LFACX,LCWA C,LFCWACX,LFCZACHX,LGS,LGSASP,LLR M752X,LLRRMBDX,LLRRMDDX,LLRRMHMX ,LLRRMHT,LLRRMHX,LLRRMLGR,LLRRML X,LLRRMWSX,LLRRMX,LRRMHMPX,LS1,LS ASP,LSCNASD,LSCNASP,LSCNHM,LSCNW ,LSCNWX,LSCNWX1,LSCNX,LSCZACHX,LS	35	85.8	208.86	17,920



## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
326. RM	73989976	PUNCHED WASHER A22 STAINLESS STEELAS PER DRAWING/SPEC. IS:2016-1967 A2-70 TO IS:1367(PART-14)-1984 200HV BRUSH FINISH NIL	LA3HMPX,LACCNGR,LACCNHMX,LACCNX,LACCNX1,LFCWAC,LFCWACX,LSCNHM,LS CNW,LSCNWX,LSCNWX1,LSCNX,WGACN6 4D,WGSCN72	35	1,40,405	4.6	6,45,863
327. RM	33670778	HEX SOCKET HEAD CAP SCREW M6X45 IS:2269-1995, A2-70 TO IS:1367(PART-14)-1984	LACCWBDX,LACCWX,LACCWX1,LACWNA SP,LCBACBDX,LCBACDBD,LCBACHMX,LC BACX,LCBHMPX,LFCWACX,LFCZACHX,LL RM500X,LLRM750X,LLRM752X,LLRRMBDX, LLRRMDDX,LLRRMHMX,LLRRMHT,LLRRM HX,LLRRMLGR,LLRRMLX,LLRRMWSX,LLR RMX,LRM500DL,LRM500WS,LRRMHMPX,L SCZACHX,LSCZACX,LWACCW,LWACCWA, LWACCWD,LWACNASP,LWACWASE,LWC BAC,LWCBACA,LWCBACD,LWCBASE,LWF CZAC,LWFCZACH,LWFCZACU,LWGACCW, LWGFCASP,LWGSCZAC,LWLCBRRM,LWL RMASE,LWLRRM,LWLRRMA,LWLRRMD,L WLRRMH,LWLRRMHM,LWLRRMU,LWLRR MWS,LWSCZAC,LWSCZACH,LWSCZACU,L WTRC,LWTRCS	38	2,762	4.17	11,518
328. RM	33672106	HEX HEAD SCREW M5X16 STAINLESS STEEL IS:1364(PART-2)-1992, A2-70 TO IS:1367(PART-14)-1984,CE	LA3HMPX,LACCNBDX,LACCNGR,LACCNH MX,LACCNX,LACCNX1,LACCWBDX,LACCW X,LACCWX1,LACWNASP,LCBACBDX,LCBA CDBD,LCBACHMX,LCBACX,LCBHMPX,LCZ DACDX,LCZDACX,LFCWAC,LFCWACX,LGS ,LGSASP,LLRM500X,LLRM750X,LLRM752X, LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRR MHT,LLRRMHX,LLRRMLGR,LLRRMLX,LLR RMWSX,LLRRMX,LRM500DL,LRM500HM,L RM500WS,LRRMHMPX,LS.,LSASP,LSCNAS D,LSCNASP,LSCNHM,LSCNW,LSCNWX,LS CNWX1,LSCNX,LSCZX,LSDD,LSDDX,LSDD X1,LSLRASD,LSLRASP,LSLRD,LSX,LWACC N,LWACCN- S,LWACCNA,LWACCND,LWACCNHM,LWA CCW,LWACCWA,LWACCWD,LWACNASD,L WACNASE	38	27,032	0.86	23,248
329. RM	73321552	SPLIT PIN 3.2X40AS PER DRAWING/SPEC. IS:549-2005 NIL	MEMU,MEMU3PB,MEMU3PH,MEMUAD,ME MUASP,MEMUFTM,MEMUT3PB,MEMUT3P H,MEMUTL	35	3,024	0.35	1,058
330. RM	73560420	HEX HEAD SCREW M6X50AS PER DRAWING/SPEC. IS:1364(PART-2)-1992,5.6,CE COATING AS PER MDTS-057 NIL	MEMU3PB,MEMUT,MEMUTASP,MEMUTGS, MEMUTL,WACCNH1,WRRMDAC	35	3,740	1.89	7,069
331. RM	73560844	HEX HEAD SCREW M10X20 IS:1363(PART 2)-1984-4.6 COATING AS PER MDTS-057	MEMU,MEMUAD,MEMUASP,MEMUFTM,ME MUT,MEMUTASP,MEMUTGS,MEMUTL	35	13	106.23	1,381
332. RM	33660669	FLEET GRAPHIC FILM FOR EXTERIOR OF HUMSAFAR COACHES. EXTERIOR VINYL WRAP SHOULD BE PROVIDED WITH ANTI-GRAFFITI MEASURES. (INDICATIVE APPLIED AREA	LA3HMPX,LACCNHMX,LCBACHMX,LCBHM PX,LLRRMHMX,LRRMHMPX,LSCNHM,LSCN HMT,LWLRRMHM	6	23	2,54,298.32	58,48,861

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
333. RM	33660712	IS 970 SQ.FEET APPROX. EXCEPT WINDOWS ETC.). PAYMENT SHOULD BE MADE AS PER ACTUAL AREA APPLIED. PATTERN AND DEVELOPEMENT OF DETAILED DESIGN AS PER ENCLOSED PATTERN IN CD. DESIGN OF PATTERN TO BE DEVELOPED BY FIRM AND TO BE GOT APPROVED FROM CDE/RCF BEFORE BULK SUPPLY RDSO SPECIFICATION NO. RDSO/2010/CG-08. ANTI-GRAFFITI REQUIREMENT SHOULD BE AS PER PARA 1.0 OF DESIGN LETTER NO. MD22151 DATED 10/5/2017. AREA OF APPLICATION AS PER CLAUSE 2.0 OF SPEC AND RDSO DRAWING NO. CG-10076 (BODY SIDE DOORS ARE ALSO TO BE PROVIDED WITH VINYL WRAPPING EXCEPT ITS WINDOW AREA) FLEET GRAPHIC FILM FOR EXTERIOR OF ANTODAYA COACHES. EXTERIOR VINYL WRAP SHOULD BE PROVIDED WITH ANTI-GRAFFITI MEASURES. (INDICATIVE APPLIED AREA IS 970 SQ.FEET APPROX. EXCEPT WINDOWS ETC.). PAYMENT SHOULD BE MADE AS PER ACTUAL AREA APPLIED. PATTERN AND DEVELOPEMENT OF DETAILED DESIGN AS PER ENCLOSED PATTERN IN CD. DESIGN OF PATTERN TO BE DEVELOPED BY FIRM AND TO BE GOT APPROVED FROM CDE/RCF BEFORE BULK SUPPLYAS PER DRAWING/SPEC. RDSO SPECIFICATION NO.RDSO/2010/CG-08. ANTIGRAFFITI REQUIREMENT SH NIL	LFCZACHX,LLRRMHX,LLRRMWSX,LSCZAC HX,LSX	6	1	3,82,320	3,82,320
334. RM	33660839	FLEET GRAPHIC FILM FOR EXTERIOR OF LHB POWER CAR COACHES. EXTERIOR VINYL WRAP SHOULD BE PROVIDED WITH ANTI-GRAFFITI MEASURES. (INDICATIVE APPLIED AREA IS 860 SQ.FEET APPROX. EXCEPT WINDOWS ETC.). PAYMENT SHOULD BE MADE AS PER ACTUAL AREA APPLIED., as per Drawing: RDSO SPECIFICATION NO.RDSO/2010/CG-08. ANTIGRAFFITI REQUIREMENT SHOULD BE AS PER PARA 1.0 OF DESIGN LETTER NO. MD22151 DATED 10/5/2017. AREA OF APPLICATION AS PER CLAUSE 2.0 OF SPEC AND RDSO DRAWING NO. CG-10076 (BODY SIDE DOORS ARE ALS NIL	LLRRMLX,LLRRMX,LRRMHMPX	6	2	2,13,944.45	4,27,889
335. RM	77070069	FLEET GRAPHIC FILM FOR EXTERIOR OF TEJAS COACHES. (INDICATIVE APPLIED AREA IS 970 SQ.FEET APPROX. EXCEPT WINDOWS ETC.) PAYMENT TO BE MADE AS PER ACTUAL AREA APPLIED. PATTERN AND DEVELOPEMENT OF DETAILED DESIGN AS PER ENCLOSED PATTERN IN CD. DESIGN OF PATTERN TO BE DEVELOPED BY FIRM AND TO BE GOT APPROVED FROM CDE/RCF BEFORE BULK SUPPLY RDSO SPECIFICATION NO. RDSO/2010/CG-08. AREA OF APPLICATION AS PER CLAUSE 2.0 OF SPEC AND RDSO DRAWING NO. CG-10076. (BODY SIDE DOORS ARE ALSO TO BE PROVIDED WITH VINYL WRAPPING EXCEPT ITS WINDOW AREA)	LACCNHX,LACCWHX,LCBACHX,LFACHX,LFCZACHT,LLRRMHT,LLRRMHX,LLRRMTX,LSCZACHT,LWLRRMH	6	52	2,13,924.21	1,11,24,059
336. RM	77980610	PU PAINTS FOR MEMU TRAILER COACHES MPLPUTC2013 VERSION 3	LACCNX,MEMUT,MEMUTASP,MEMUTGS,MEMUTL	6	31	35,995.27	11,15,853
337. RM	23983100	AL CONDUIT 40MM THREADABLE QUALITY DESIGNATION-63400WP 2.5MM THICK IN LENGTH OF 3660MM. IS:1285-2002,SUITABLE FOR ELECTRICAL DIMENSIONS	LCZDACDX,LCZDACX,LWCZDAC,MEMU,MEMUASP,MEMUFTM,MEMUTASP,MEMUTGS,MEMUTL,MGDMU,MGDMUDTC,MGDMUT	3	4,558.58	175.11	7,98,253

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
		CONFIRMING TO IS:9537-81 (PART-2)					
338. RM	42311202	AL COUPLER 40MM OF THREADABLE QUALITY TO DESIGNATION 63400WP as per Drg.No. IS:1285-LATEST,DIMENSION TO IS 14768 (PART-2) : 2003 NOTE: THE LENGTH OF COUPLER OF 40MM SHOULD BE TAKEN AS 43MM TO SUIT THE REQUIREMENT OF IS:9537 PART-II SUITABLE FOR 19MM +/-1MM THREADED LENGTH OF CONDUIT ON BOTH SIDE. NIL	MEMU,MEMUAD,MEMUASP,MEMUFTM,ME MUT,MEMUTASP,MEMUTGS,MEMUTL,MG DMU,MGDMUDTC,MGDMUT,WACCNH1,WA CCNM,WGACCN,WGACCN1,WGACCNCC, WGACCNS1,WGACCW,WGACN64D,WGC WNAC,WGCWNAC1,WRRMDAC	3	1,936	22.57	43,696
339. RM	33530245	ALUMINIUM PIPE 63MMX3.15MM IN LENGTH OF 5 MTRS DIN EN 755 (Part 1 , 3) AIMg1SiO.8 / DIN 1795 and IS:2673-1979	LDM2ACEA,LDM3ACEA,LDMGSEA,LDMPA NCA,LGS,LGSLR,LJSCZAC,LS.,LS1,LSASP, LWACCN- S,LWACCNA,LWACCND,LWACCNIB,LWAC CNLC,LWACCWA,LWACCWD,LWACNASD, LWACNASE,LWACNASG,LWACWASD,LWA CWASE,LWACWASG,LWCBACA,LWCBAC D,LWCBASD,LWCBASE,LWCBASP,LWFAC A,LWFACASE,LWFACD,LWFCZACU,LWGF CASD,LWGFCASG,LWGSCN,LWGSCZ,LW GSD,LWLCBRM1,LWLRMASE,LWLRRMA,L WLRRMD,LWLRRMU,LWSCN,LWSCND,LW SCZACU,LWSCZD	33	1,590.4	450.61	7,16,650
340. RM	33535048	HARD PVC FOAM SHEET TO SIZE 12X1200X2400MM MDTS-096 REV NIL	LACCWBDX,LACCWX,LACCWX1,LDM1ACE A,LDM2ACEA,LDM3ACEA,LDMGSEA,LDMP ANCA,LDMSCNEA,LDMSLREA,LFACBDX,LF ACX,LFCZACHX,LJGSCZ,LJSCZAC,LSCZA CHX,LSCZACX,LWACCW,LWACCWA,LWA CCWD,LWACWASE,LWFAC,LWFACA,LWF ACASE,LWFACD,LWFCZAC,LWFCZACH,L WFCZACU,LWGACCW,LWGFCAC,LWGFCAS D,LWGFCASG,LWGSCZAC,LWSCZAC,LWS CZACH,LWSCZACU	5	84	3,238.6	2,72,042
341. RM	37981250	SEALANT PUTTY FOR BONDING METAL SURFACES (TWO PACKS) as per Drg.No. ICF/M/D/SPEC-114 REVISION 2 NIL	LMEMU,LMEMUT,MEMU3PB,MEMU3PH,ME MUT3PB,MEMUT3PH	6	292.95	332.1	97,289
342. RM	37987136	HOOK AND LOOP TAPE FOR CURTAIN ARRANGEMENT WIDTH 25MM, COLOUR BLACK IS:8156-1994	LA3HMPX,LACCNHMX,LACCWBDX,LACCW X,LACCWX1,LACWNASP,LFACBDX,LFACX, LFCWAC,LFCWACX,LWACCN- S,LWACCNA,LWACCND,LWACCNHM,LWA CCW,LWACCWA,LWACCWD,LWACNASD,L WACNASE,LWACNASG,LWACWASD,LWA CWASE,LWACWASG,LWFAC,LWFACA,LW FACASE,LWFACD,LWGACCW,LWGFCASD, LWGFCASG,WGACCNCC,WGACCNS1,WG ACN64D,WGCWNAC,WGCWNAC1,WGFCN AC	7	5,719	9.87	56,447

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
343. RM	62989820	CURTAIN TAPE WIDTH 25 MM IS:6117-1977 VARIETY NO. 4	LA3HMPX,LACCNBDX,LACCNGR,LACCNH MX,LACCNX,LACCNX1,LACCWBDX,LACCW X,LACCWX1,LACWNASP,LCBACBDX,LCBA CDBD,LCBACHMX,LCBACX,LCBHMPX,LFA CBDX,LFACX,LFCWAC,LFCWACX,LWACCN ,LWACCN- S,LWACCNA,LWACCND,LWACCNHM,LWA CCW,LWACCWA,LWACCWD,LWACNASD,L WACNASE,LWACNASG,LWACNASP,LWAC WASD,LWACWASE,LWACWASG,LWCBAC, LWCBACA,LWCBACD,LWCBASE,LWFAC,L WFACA,LWFACASE,LWFACD,LWFCWASP, LWGACCN,LWGACCW,LWGFCASD,LWGF CASG,LWGFCASP,LWOGCAR,LWTRC,LW TRCS,WACCNH1,WGACCN1,WGACCN64, WGACCNCC,WGACCND,WGACCNS1,WGA CN64D,WGCWNAC,WGCWNAC1,WGFCNA C	7	8,086	1.93	15,606
344. RM	33540056	HPL SHEET 1.2X1220X2440MM COLOUR SHADE RAL DS 030-40-30 MDTS-086 REVISION NIL	LFCZACHX,LWFCZACH	9	190	840.16	1,59,630
345. RM	33540068	HPL SHEET 4X1220X2440MM COLOUR SHADE RAL DS 030-40-30 MDTS-086 REVISION NIL	LFCZACHX,LWFCZACH	9	230	2,064.58	4,74,853
346. RM	37983386	TEAK WOOD 4"X7"X6.5' WELL SEASONED IRS-K-2-66 WELL SEASONED	LA3HMPX,LACCNBDX,LACCNE,LACCNEX,L ACCNEX1,LACCNGR,LACCNGRT,LACCNH MX,LACCNX,LACCNX1,LACCWBDX,LACCW X,LACCWX1,LCBACBDX,LCBACDBD,LCBA CHMX,LCBACX,LCBHMPX,LDM1ACEA,LDM 2ACEA,LDM3ACEA,LDMPANCA,LFACBDX,L FACX,LFCWAC,LFCWACX,LFCZACHX,LLR M752X,LLRRMBDX,LLRRMDDX,LLRRMHM X,LLRRMHT,LLRRMHX,LLRRMLGR,LLRRML X,LLRRMWSX,LLRRMX,LRRMHMPX,LSACX ,LSCZACHX,LSCZACX,LWACCN,LWACCN- S,LWACCNA,LWACCND,LWACCNHM,LWA CCNIB,LWACCNLC,LWACCNSS,LWACCW, LWACCWA,LWACCWD,LWACNASD,LWAC NASE,LWACNASG,LWACWASD,LWACWAS E,LWACWASG,LWCBAC,LWCBACA	9	28	1,996.52	55,903
347. RM	75403286	LP SHEET 3X1220X1830MM, SHADE AS PER SAMPLE NO. NAC-SP05 as per Drg.No. RDSO C-K514 REVISION NIL WITH AMENDMENT SLIP NO. 7 OF AUGUST 2016 NIL	LCZDACDX,LCZDACX,LLRM500X,LLRM750 X,LRM500DL,LRM500WS,LWCZDAC,LWGS CN,LWGSCZ,LWLCBRRM,LWSCN,LWSCZ, LWSCZD,MEMU,MEMUASP,MEMUFTM,WG SCN72,WGSCN72D,WGSCNCC	9	135	1,256.7	1,69,655
348. RM	93980462	PRE-LAMINATED SHADED COMPREG 3X760X1920MM SHADE AS PER SAMPLE CODE NO. NAC-SP05 RDSO SPEC C-K513 REV.NIL AMENDMENT SLIP NO. 6 OF AUGUST 2016 (ONE SIDE LAMINATED)	LGS,LS,LSASP,LWGSCN,MEMUTASP,ME MUTGS,MEMUTL	9	2,735	1,384.32	37,86,115

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
349. RM	33530129	ALUMINIUM SQUARE TUBE 20X20X2MM IM MULTIPLE LENGTH OF 2.5 MAS PER DRAWING/SPEC. IS:733-1983 GRADE 63400WP NIL	LLRM752X,LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRRMHT,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LLRRMX,LRRMHMPX,LWLCBRRM,LWLRMASE,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMU,LWLRRMWS,WRRMDAC	19	8,577	93.51	8,02,035
350. RM	33535097	RUBBER HOSE 63BORE, 6MM THICK, OD-75MM IN MULTIPLES OF 4.2 MTRS IS:444-1987 TYPE-1, TABLE-1	LA3HMPX,LACCNBDX,LACCNE,LACCNEX,LACCNEX1,LACCNGR,LACCNGRT,LACCNHMX,LACCNX,LACCNX1,LACCWBDX,LACCWX,LACCWX1,LCBACBDX,LCBACDBD,LCBACHMX,LCBACX,LCBHMPX,LFACBDX,LFACX,LFCWAC,LFCWACX,LFCZACHX,LGS,LLRM500X,LLRM750X,LLRM752X,LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRRMHT,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LLRRMX,LRM500DL,LRM500HM,LRM500WS,LRRMHMPX,LS.,LS1,LSACX,LSASP,LSCNHM,LSCNW,LSCNX,LSCNX1,LSCNX,LSCZACHX,LSCZACX,LSCZX,LSDD,LSDDX,LSDDX1,LSX,LWACCN,LWACCN-S,LWACCNNA,LWACCNND,LWACCNHM,LWACCNIB,LWACCNLC,LWACCNSS	19	1,834.2	261.25	4,79,185
351. RM	35984466	CURTAIN CLOTH , FIRE RETARDANT, PATTERN QUALITY NO. DT/15M OF M/S. DELKON TEXTILES OR PPA-57/1A OF M/S. ADITYA BIRLA NUVO OR T-369 R OF M/S. RSWM OR 51105R OF M/S. BANSWARA SYNTEX (IN CASE THE COLOUR, SHADE AND PATTERN OF THE FIRM HAVE NOT BEEN APPROVED, THEN THE SAME SHOULD BE AS PER PPA-57/1A OF M/S. ADITYA BIRLA NUVO) RDSO SPEC C-9911 REV.3 WITH AMENDMENT SLIP NO.6 OF AUG 2016 (EDGES SHOULD BE INTERLOCKED TO AVOID UNRAVELLING. THERE SHALL BE NO LOOSE THREADS/YARNS ON THE EDGES AFTER INTERLOCKING).	LACCWBDX,LACWNASP,LFACBDX,LFACX,LFCWAC,LFCWACX,LWACNASP,LWACWASP,LWFAC,LWFACA,LWFACASE,LWFACD,LWFCWASP,LWGFCASD,LWGFCASG,LWGFCASP	19	3,920	250.26	9,81,019
352. RM	75328057	RUBBER PACKING EPDM SPONGE 3X20MM IN LENGHT OF 7 MTRS MDTS-046 REVISION 02	LACCNBDX,LCZDACDX,LCZDACX,LGS,LS.,LS1,LSASP,LSCNHM,LSCNX,LSCZX,LSDD,LWACCN,LWACCN-S,LWACCNHM,LWCBASD,LWCBASP,LWCZDAC,LWFCWASP,LWGACCN,LWGFCASP,LWGSCN,LWGSCZ,LWGSD,LWS,LWSCN,LWSCND,LWSCZ,LWSCZ1,LWSCZD,MBIUCV,MBIUSP,MEMU,MEMUAD,MEMUASP,MEMUFTM,MEMUTASP,MEMUTGS,MEMUTL	19	73,933	5.3	3,91,845
353. RM	33535103	RUBBER PACKING 8X100X150MM EPDM, as per Drawing: MDTS-030, Packing Instruction: JUTE FABRIC NIL	LA3HMPX,LACCNBDX,LACCNGR,LACCNHMX,LACCNX,LACCNX1,LWACCN,LWACCN-S,LWACCNNA,LWACCNND,LWACCNHM,LWACCNASD,LWACNASE,LWACNASG,LWACWASD,LWACWASG,LWGACCN	33	4,941	25.08	1,23,920
354. RM	33535334	RUBBER PACKING 2X999X1039MM EPDM MDTS-030	LA3HMPX,LACCNBDX,LACCNE,LACCNEX,LACCNEX1,LACCNGR,LACCNGRT,LACCNH	33	504	382.59	1,92,825

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
355. RM	75327806	RUBBER PACKING 4X30MM EPDM IN LENGTH OF 5 METRES, as per Drawing: MDT5-030 REVISION NIL, Packing Instruction: AS PER STANDARD PACKING. IT SHOULD BE ENSURED THAT ITEM SHOULD NOT RUB DURING TRANSPORTATION. THE ITEM SHOULD BE PACKED WITH ADEQUATE STRENGTH. TRANSIT DAMAGE , IF ANY , SHALL BE AT THE COST OF SUPPLIER. NIL	LA3HMPX,LACCNBDX,LACCNE,LACCNEX,LACCNEX1,LACCNGR,LACCNGRT,LACCNHMX,LACCNHX,LACCNX,LACCNX1,LACCWHX,LACCWX,LACCWX1,LCC,LCZDACDX,LCZDACX,LLRM500X,LLRM750X,LRM500DL,LRM500HM,LRM500WS,LSACX,LSCNHM,LSCNHMT,LSCNW,LSCNWX,LSCNWX1,LSCNX,LSCZX,LSLRD,LSX,LVPHASDX,LVPHX,LWACCNX,LWACCN,LWACCNA,LWACCND,LWACCNHM,LWACCNSS,LWACCNW,LWACCWA,LWACCWD,LWACNASD,LWACNASE,LWACNASG,LWACWASD,LWACWASE,LWACWASG,LWCBAC,LWCBACA	19	450	26.88	12,096
356. SHELL	30637107	BRACKET FOR FAN CC10879	LCC,MGDMU,WACCN,WACCNH1,WACCNK,WACCNM,WACCNW,WACCNW1,WACCNW2,WACCNW3,WACCNW4,WACCNW5,WACCNW6,WACCNW7,WACCNW8,WACCNW9,WACCNW10,WACCNW11,WACCNW12,WACCNW13,WACCNW14,WACCNW15,WACCNW16,WACCNW17,WACCNW18,WACCNW19,WACCNW20,WACCNW21,WACCNW22,WACCNW23,WACCNW24,WACCNW25,WACCNW26,WACCNW27,WACCNW28,WACCNW29,WACCNW30,WACCNW31,WACCNW32,WACCNW33,WACCNW34,WACCNW35,WACCNW36,WACCNW37,WACCNW38,WACCNW39,WACCNW40,WACCNW41,WACCNW42,WACCNW43,WACCNW44,WACCNW45,WACCNW46,WACCNW47,WACCNW48,WACCNW49,WACCNW50,WACCNW51,WACCNW52,WACCNW53,WACCNW54,WACCNW55,WACCNW56,WACCNW57,WACCNW58,WACCNW59,WACCNW60,WACCNW61,WACCNW62,WACCNW63,WACCNW64,WACCNW65,WACCNW66,WACCNW67,WACCNW68,WACCNW69,WACCNW70,WACCNW71,WACCNW72,WACCNW73,WACCNW74,WACCNW75,WACCNW76,WACCNW77,WACCNW78,WACCNW79,WACCNW80,WACCNW81,WACCNW82,WACCNW83,WACCNW84,WACCNW85,WACCNW86,WACCNW87,WACCNW88,WACCNW89,WACCNW90,WACCNW91,WACCNW92,WACCNW93,WACCNW94,WACCNW95,WACCNW96,WACCNW97,WACCNW98,WACCNW99,WACCNW100	19	63	105.01	6,616
357. SHELL	37986247	ANGLE MOULDING SCN-7-6-316 ITEM 1 ALT.d					
358. SHELL	37986260	ANGLE SCN-7-6-316 ITEM 9 d					
359. SHELL	30727169	RESISTOR BOX FOR MAIN COMPRESSORAS PER DRAWING/SPEC. ICF/SK-7-2-762 COL-I ALT 'c' PACKING INSTRUCTION : PI000. PROTECTION PROCEDURE NO. WI100100 NIL	MEMU,MEMUASP,MEMUFTM	28	13	1,641.59	21,341
360. SHELL	31907040	RECTIFIER AIR INTAKE WITH MATERIAL TO SPEC.NO IS:1079AS PER DRAWING/SPEC. EMU/M-9-0-202 ALT j NIL	MEMU,MEMUASP,MEMUFTM	28	5	3,396.95	16,985

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
361. SHELL	31907064	SUPPORT FOR CURRENT TRANSFORMERAS PER DRAWING/SPEC. MEMU/DMC-9-0-006 ALT c COL I NIL	MEMU,MEMUASP,MEMUFTM	28	1	1,155	1,155
362. SHELL	45980214	BATTERY BOX COMPLETEAS PER DRAWING/SPEC. CC91190 ALT 'nil' NIL	LRAACX,LRAX,LWCBASP	28	20	31,039.67	6,20,793
363. SHELL	42319420	INTERNALLY SCREWED BUSH,25MMAS PER DRAWING/SPEC. ICF/SK-7-2-230 ALT.'A' ITEM-10 NIL	LCC,LVPHASDX,LVPHX	3	24,025	11.78	2,83,015
364. SHELL	36987920	CHANNEL RCF/SLR-7-1-047		19	752	28.08	21,116
365. SHELL	37986340	ANGLE CC71110 PACKING INST. NO. P1100	WGSCN,WGSCN2,WGSCZ	19	5,238	21.56	1,12,931
366. SHELL	31727219	COVER SHEET 2.5X600X785AS PER DRAWING/SPEC. EM71016 ITEM 2 ALT.'nil' NIL	MEMU,MEMUAD,MEMUASP,MEMUFTM	23	14	750.4	10,506
367. SHELL	30100379	SET OF CABLE TRAY COMPLETE FOR MEMU/DMC COACH MPCLCTRAY VERSION 2	MEMU,MEMUAD,MEMUASP,MEMUFTM	28	10	27,037.49	2,70,375
368. SHELL	31907052	FRAME FOR CONSERVATOR TANK as per Drg.No. EMU/M-9-0-203 ALT f COL II NIL	MEMU,MEMUAD,MEMUASP,MEMUFTM	28	15	2,526.35	37,895
369. SHELL	31907118	BASE FRAME FOR BATTERY CHARGER EMU/M2-9-0-511 ALT 'g' COL I	MEMU,MEMUAD,MEMUASP,MEMUFTM	28	29	1,988.17	57,657
370. SHELL	31907155	FRAME FOR AUX. COMPRESSOR IN L.T. COMPARTMENT ICF/SK-9-0-565 ALT 'f/5' COL III	MEMU,MEMUAD,MEMUASP,MEMUFTM	28	30	1,058.73	31,762
371. SHELL	33650500	CONNECTION BOX, as per Drawing: LE11174 ALT. 'NIL', Packing Instruction: NO SPECIAL PACKING REQUIRED, Proction Procedure: N.A, Quality Plan: N.A NIL	LA3HMPX,LACCNBDX,LACCNE,LACCNEX,LACCNEX1,LACCNGR,LACCNGRT,LACCNHMX,LACCNX,LACCNX1,LACCWBDX,LACCWX,LACCWX1,LCBACBDX,LCBACDBD,LCBACHMX,LCBACX,LCBHMPX,LFACBDX,LFACX,LFCWAC,LFCWACX,LFCZACHX,LLRM500X,LLRM750X,LLRRMBDX,LLRRMDDX,LLRRMHMX,LLRRMHX,LLRRMLGR,LLRRMLX,LLRRMWSX,LLRRMX,LRM500DL,LRM500HM,LRM500WS,LRRMHMPX,LS.,LSASP,LSCNW,LSCNWX,LSCNWX1,LSCNX,LSCZACHX,LSCZACX,LSCZX,LSDDX,LSDDX1,LSX,LSX1,LWACCN,LWACCNHM,LWACCW,LWCBA C,LWFAC,LWFCZAC,LWFCZACH,LWLRRM,LWLRRMH,LWLRRMHM,LWLRRMWS,LWS,LWSCN,LWSCNX	3	2,076	811.19	16,84,030
372. SHELL	41112428	PVC SLEEVE 10MM ID BLUE IS:1951-61	LGSASP,LGSRDASP,LSCNASP,LSCZX,LSLRASP,LWCBASP,MBIUCV,MBIUSP,MGDMU DTC,MGDMUT,MMGSA,MMGSFC,MMSLR,WACCW,WGACCN,WGACCN1,WGACCNS1,WGACCW,WGCWNAC,WGCWNAC1,WGF	3	42,281	1.43	60,462

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
373. SHELL	33572033	PARTITION FRAME BETWEEN END WALL DOOR & ELECT. PANEL, as per Drawing: ET10188 ALT. 'nil', Packing Instruction: WOODEN CAGE NIL	AC,WGFCNAC,WGSCN,WGSCN2,WGSCN7 2,WGSCNCC,WGSCZ MEMUT3PB	19	300	3,324.15	9,97,245
374. SHELL	33690455	SET OF CHANNEL FOR DOUBLE DECKER COACH MPCHANNELDD VERSION 0	LCZDACDX,LCZDACX,LWCZDAC,LWCZDA CD	19	50	668.11	33,406
375. SHELL	33574042	PARTITION FRAME SET FOR AC DOUBLE DECKER FOR FUR.		27	7	29,873.91	2,09,117
376. SHELL	33510040	MPPFDDLHBF VERSION 4 BRACKET COMPLETE LP36143	LLRM752X,LLRRMBDX,LLRRMDDX,LLRRM HMX,LLRRMHX,LLRRMLGR,LLRRMLX,LLR RMTX,LLRRMWSX,LLRRMX,LRRMHMPX,L WLRM752,LWLRRM,LWLRRMH,LWLRRMH M,LWLRRMWS	38	21	52.03	1,093
377. SHELL	30510790	DISTANCE PIECE T-5-1-644 ITEM 1 m		19	412	25.9	10,671
378. SHELL	30981153	PACKING RAIL CC51017		19	1,050	26.1	27,405
379. SHELL	31986377	WASHER T-7-2-715 ITEM 6		19	20,820	0.3	6,246
380. SHELL	36981335	SEALING RAIL TOP MG/T-5-2-010 COL III ALT. 'm'	LCC	19	278	79.73	22,165
381. SHELL	45318750	INTERNALLY SCREWED BUSH,40MM as per Drg.No. ICF/SK-7-2- 230 ALT A ITEM 12 ICF/SK-7-2-230 ALT A ITEM 12	LCC,LCZDACDX,LCZDACX,LWCZDAC,LWC ZDACD	3	10,340	18.65	1,92,841
382. SRM	36988339	ANGLE CC75013 ALT.'NIL'		19	1,741	3.65	6,355
383. SRM	83059775	FORM FOR TA JOURNAL SIZE 20.5x30.5 cm, 60 GSM, 100 forms in each pad, printing as per approved sample GA-31/SRC/G-1677		7	1,020	36.28	37,006
384. SRM	83980192	PRE PRINTED COMPUTER STATINARY ON SUPERIER 65GSM PAPER (RNOTE) as per Drg.No. 10X12X3 80 COL 3PLY FOR RONOTE S-719 PER 1000 NIL		7	65	1,982.05	1,28,833
385. SRM	83980258	SUPERVISOR DIARY AS PER APPROVED SAMPLE NIL		7	233	187.58	43,706
386. SRM	83985074	COMPUTER STATIONERY 15"X12" 3 PLY 60 GSM SUPERIOR QUALITY PAPER		7	229	595	1,36,255
387. SRM	66983831	MCB TPN 32AMP,250V,50HZ,BOTH THERMAL MAGNETIC TRIPP WITH BR.CAP.10KA AS PER DRAWING/SPEC. SUITABLE FOR DIN RAIL MOUNTING WITH AL CABLE TER. CONF.TO IS:8828-78 FOR M9 DUTY CATEGORY,SUITABLE FOR ELECTRIC MOTOR APPLICATION, RTHTEST CERTIFICATE		3	24	654.92	15,718

## List of Sparable Inactive Items of (FUR)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value
		NIL				
388. SRM	66985572	BOLTED TYPE HRC FUSE,63A RATING, TYPE FSA 415V,50HZ AC,WATT LOSS#>5.7W IS:13703-93(PT-1 & PT-2),TEST CERTIFICATE FROM RTH BY MFR OR DEALER	3	858	45.43	38,979
389. SRM	40056302	PVC INSULATED TWIN CORE COPPER WIRE 23/.0076 IS:694	23	95	13.42	1,275
390. SRM	79985040	SURFACE MAT DENSITY 30GM/SQ.M WIDTH 1.5M/1.0M,BS:3496/73	9	5,000	18.85	94,250
391. SRM	75100009	CAP CAP WITH RCF-INSIGNIA PRINTED ON IT. SAMPLE TO BE APPROVED BEFORE BULK SUPPLY.	7	5	196.94	985
392. SRM	79010842	SET OF PROTECTIVE CLOTHS FOR LADIES, ARTICLE 40302, BRAND JCT LIMITED, WIDTH 147 CM, LENGTH 4 METERS, BLEND 65:35 PC + / - 3% COLOUR SKY BLUE (DISPERSE- VAT)(AS PER SAMPLE APPROVED AND TECHNICAL DATA SHEET).	7	29	628.95	18,240
393. SRM	79011640	DUST BONDING CLOTH (FUSS FREE) PST/23/SPEC/DBC REV.NIL	7	3,100	16.79	52,049
<b>Total Stock Value:</b>						20,45,04,190