

## List of Sparable Inactive Items of (SHELL)

SNo.	Section	PL.No.	Description/Specification	Coaches Applicable	Ward	Stock	Rate(Rs.)	Value
1.	BOGIE	33501555	DAMPER BRACKET LW05117 ALT. 'Nil'	LACCNHMX,LACCNX,LACCWX,LCBACX,LCZDACX,LFACX,LFCWACX,LFCZACHX,LFCZACX,LGS,LGSLR,LLRRMHMX,LLRRMHX,LLRRMWSX,LLRRMX,LS1,LSASP,LSCNX,LSCZ1X,LSCZACHX,LSCZACX,LSDD,LSDDX,LSX,LWACCNA,LWACCWA,LWACNASE,LWACWASE,LWCBACA,LWCBASE,LWCZDAC,LWFACA,LWFACASE,LWLCBRM1,LWLCBRM,LWLRMASE,LWLRMA,LWS	37	73	254.82	18,602
2.	ELEC	80010362	BP BHARAT ACHIMA 30 OR BHART ACTUM T-30 OR IOC SERVO ENGINE OIL 30 OR MAKE:- HP MILCY 30.	MEMU,MEMUASP,MEMUFTM	25	210	133.73	28,083
3.	FUR	30907044	FUEL LEVEL GAUGE DMU/DPC3-9-0-312 COL I ALT b	WLRRMDST,WRRMDAC	25	1	2,625	2,625
4.	FUR	31687015	FUEL LEVEL GAUGE MM68100 ALT NIL	MGDMU	25	54	2,114.99	1,14,209
5.	FUR	31907179	FUEL TANK COMPLETE VR90100 ALT b AND COLOUR SCHEME AS PER MDTS0141 COLOUR BLACK		25	19	23,531.1	4,47,091
6.	RM	74502815	BRASS BUTT HINGE 75E12 SATIN FINISH IS:205-92 TABLE-3 PIN OF STAINLESS STEEL TO IS:6528-72 O4Cr18Ni10	LWSCZ,LWSCZD,MGACCWS,MGZAC,WACCN,WACCW	4	1,322	10.68	14,119
7.	RM	30350086	HEXAGON BUSH 40X32 BORE IS:1239(PART-2)-1992 TABLE-27, AISI304, THREADS ISO-7/1		36	425	180.82	76,849
8.	RM	33613229	MALE STUD CONNECTOR (BSPT) GE18LR3/4CF of M/s PARKER or 0110272007 of M/s VOSS or ST GEV 18LR 3/4 WD of M/s VOLZ or P-GEV 18L/R 3/4-WD of M/s EATON-WALTERSCHEID or AL 22-R 3/4 M/s BLAGO PART NO. TEST AS PER DIN 2353	LWLCBRRM,LWLRMASE,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMU,LWLRRMWS,WGACCN64,WGACCN	36	1,880	255.26	4,79,889
9.	RM	33613709	SOCKET UNION 10MM IS:1239(PT-2)-92, TABLE-24, AISI304	LACWNASP,LGSASP,LSCNASD,LSCNASP,LSLRASD,LSLRASP,LWACNASD,LWACNASG,LWACNASP,LWACWASD,LWACWASG,LWFCWASP,LWGFCASP	36	920	80.19	73,775
10.	RM	33614210	EQUAL/UNION ELBOW W18LCF ERMETO OR EQUIVALENT WITH INFRASTRUCTURE REQUIREMENTS AS PER MDST-108 REV NIL	LACOC,LFCWAC,LGS,LS.,LS1,LSASP, LSD,LWACCN,LWACCNHM,LWACCW,LWCBA C,LWCZDAC,LWFAC,LWFCZAC,LWFCZAC H,LWGACCN,LWGACCW,LWGSCN,LWGS CZ,LWGSCZAC,LWLRRM,LWLRRMH,LWLR RMHM,LWLRRMWS,LWS,LWSCN,LWSCZ, LWSCZ1,LWSCZAC,LWSCZACH,MEMUAS P	36	468	167.63	78,451
11.	RM	35984843	BARREL NIPPLE 15 BORE X 51 IS:1239(PART-2)-1992 TABLE-2, (HEAVY DUTY) AISI304, THICKNESS AS PER TABLE-3 OF IS:1239(PT-1)90, THREADS ISO7/1-1982, NOMINAL SIZE OF PIPE THREADS AS PER ANNEXURE-B OF IS:1239(PT-2)92	L2CCSAU,LACOC,LCC,LDM1ACEA,LDM2ACEA,LDM3ACEA,LDMGSEA,LDMPANCA,LD MSCNEA,LDMSLREA,LFCWAC,LGSASP,LJ BR,LJGSCZ,LJSCZAC,LSCNASD,LSCNASP, LWACCN,LWACCN-	36	1,903	48.29	91,896

## List of Sparable Inactive Items of (SHELL)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
12.	RM	62124754 REDUCING TEE 20X15 BORE FORGED & GALVD. IS:1239(PART-2)-92, TABLE-10	S,LWACCNA,LWACCND,LWACCNHM,LWACCNIB,LWACCNLC,LWACCW,LWACCWA,LWACCWD,LWACNASD,LWACNASE,LWACNASG,LWACWASD,LWACWASE,LWACWASG,LWCBAC,LWCBACA,LWCBACD,LWCBASD,LWCBASE,LWCBASP,LWCZDAC,LWFAC,LWFACA,LWFACASE,LWFACD,LWFCZAC,LWFCZACH,LWFCZACU,LWGACCN,LWGACCW,LWGFAC,LWGFACSD,LWGFACSG,LWGSCZ,LWGSCZAC,LWLCBRRM,LWLRMASE,LWLRRM,LWLRRMA,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMU WACCNH1,WACCNK,WGACCN,WGACCN1,WGACCN64,WGACCNCC,WGACCNND,WGACCNNS1,WGACN64D,WGCWNAC,WGCWNA C1	36	587	68.81	40,391
13.	RM	62131552 ELBOW EQUAL 50MM FORGED AND GALVANISED IS:1239(PART-2)-1992, TABLE-8, CLAUSE 13.1 & 11.1(a)	LGS,LS.,LS1,LSASP,LSDD,LWS,MBIUSP,MGDMU,MGSLR,WRRMDAC	36	654	293.54	1,91,975
14.	RM	62131631 ELBOW MALE AND FEMALE 50MM FORGED AND GALVANISED IS:1239(PART-2)-1992, TABLE-15, CLAUSE 13.1 & 11.1(a)	LACOC,LWACCN- S,LWACCW,LWCZDAC,LWGACCW,LWLRM,LWLRRMH,LWLRRMHM,LWLRRMWS,MGSLR,MGSR	36	1,990	349.83	6,96,162
15.	RM	62132155 REDUCING ELBOW 40X25 IS:1239(PART-2)-92, TABLE-9, FORGED & GALVD.	WRRMDAC	36	182	296.94	54,043
16.	RM	62132635 RUNNING NIPPLE 15MM FORGED AND GALVANISED IS:1239(PART-2)-1992, TABLE-2, CLAUSE 13.1 & 11.1(a)	LACWNASP,LWACNASP,LWFCWASP,LWFCASP,MBIUCV,MBIUSP,WGACCN64,WGACCNCC,WGACCNND,WGCWNAC,WGCWNA C1	36	4,021	9.12	36,672
17.	RM	62132660 RUNNING NIPPLE 25MM FORGED AND GALANISED IS:1239-(PART-2)-1992, TABLE-2, CLAUSE 13.1 & 11.1(a)	MGSLR,MMGSA,MMGSFC,MMSLR,WACCN,WACCNH1,WACCNK,WACCW,WFAC,WFCZAC,WGACCN,WGACCN1,WGACCN64,WGACCNCC,WGACCNND,WGACCW,WGACN64D,WGCWNAC,WGCWNAC1,WGFCNAC,WGSCN,WGSCN2,WGSCN72,WGSCN72D,WGSCZAC,WRRMDAC,WSCZAC	36	593	26.5	15,715
18.	RM	62285415 SOCKET UNION 40MM FORGED AND GALVANISED "THE MATERIAL WILL BE SUPPLIED AND FITTED WITH GUN METAL WASHER" IS:1239(PART-2)-1992, TABLE-24, CLAUSE 13.1 & 11.1(a)	LCC,MBIUSP,MGFC,MGGS,MGSCN,MGSLR,MGSR,WACCNH1,WACCNK,WACCNM,WGACCN,WGACCN1,WGACCNCC,WGACCNNS1,WGACCW,WGACN64D,WGCWNAC,WGCWNAC1,WGFCNAC,WRRMDAC	36	1,664	196.62	3,27,176
19.	RM	62987501 ELBOW REDUCING 25X15MM FORGED AND GALVANISED IS:1239(PART-2)-1992, TABLE-9, CLAUSE 13.1 & 11.1(a)	LSLRASD,LSLRASP,MBIUSP,MGFC,MGGS,MGSCN,MGSLR,MGSR,MMGSA,MMGSFC,MMSLR,WACCN,WGACCNCC,WGACCW	36	329	89.16	29,334
20.	RM	33670158 SCREW PLUG DIN 910 M12X1.5 - ST DIN910	LACOC,LGS,LS.,LS1,LSASP,LSDD,LWACCN,LWACCND,LWACCNHM,LWACCW,LWACCWD,LWCBAC,LWCBACD,LWCBNAC,LWCZDAC,LWFAC,LWFACD,LWFCZAC,LWFCZ	36	1,343	20.36	27,343

## List of Sparable Inactive Items of (SHELL)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
21. RM	33521013	FERRITIC STEEL COIL 1.6X1250MM, GRADE X2CRNI12 (409M) TABLE 1 & 2 RDSO SPEC.NO. C-K201, HEAT TREATMENT CONDITION 2B AS PER TABLE-5, COIL ID 450-800, OD 1000-1300MM, COIL WEIGHT 2.4-10 TONNES	ACH,LWGACCN,LWGACCW,LWGSCN,LWGSCZ,LWGSCZAC,LWLRRM,LWLRRMD,LWLRRMH,LWLRRMHM,LWLRRMWS,LWS,LWSCN,LWSCZ,LWSCZ1,LWSCZAC,LWSCZACH,LWTRCS LGS,LGSASP,LS.,LS1,LSASP,LSDD,LSLRASD,LSLRASP,LWFCWASP,LWFCZAC,LWCZACH,LWGFCASP,LWGSCZ,LWGSCZAC,LWGSD,LWOGCAR,LWS,LWSCZ,LWSCZ1,LWSCZAC,LWSCZACH,LWSCZD,LWTRC	8	9,976	135.94	13,56,137
22. RM	33520630	FERRITIC STEEL COIL 1X1250MM, GRADE X2CRNI12 (409M) TABLE 1 & 2 RDSO SPEC. NO.C-K201, HEAT TREATMENT CONDITION 2B AS PER TABLE-5, COIL ID 450-800MM, OD 1000-1300MM COIL WEIGHT 2.4-10 TONNES	LGSASP,LSCNASD,LSCNASP,LSLRASD,LSLRASP,LWGFCASP,LWLCBRRM,LWLRMA SE,LWLRRM,LWLRMA,LWLRMD,LWLR RMH,LWLRRMHM,LWLRRMWS	8	17,891	112.72	20,16,674
23. RM	90231016	MILD STEEL ANGLE 8X90X90MM IN LENGTH OF 6 MTRS. IS:808-1989 TAB.5.1	WACCN,WACCW,WGACCW,WGCWNAC,WGCWNAC1	14	150	623.57	93,536
24. RM	90336124	STEEL ROUND DIA 10 MM IS:2062-1999 Fe410 WC	WGACCN,WGACCN1,WGACCN64,WGACC NCC,WGACCND,WGACCNS1,WGACN64D,WGCWNAC,WGCWNAC1,WGFCNAC	14	1,110	49.35	54,779
25. RM	90404178	STEEL PLATE 6X2000X5400MM WITH 0.2% CARBON CONTENT IS:2062-2011 E250 c Cu with IMPACT PROPERTIES at -20 DEG.CELCIUS	LCC,LDMGSEA,LDMSCNEA,LFCWAC,LJBR ,LJGSCZ,LWACCNIB,MEMU,MEMU3PH,ME MUFTM,MEMUT3PH,MEMUTL,MGFC,MGGS ,MGSCN,MGSLR,WACCN,WACCNH1,WAC CNK,WACCNM,WACCW,WFAC,WFCZAC, WGACCN,WGACCN1,WGACCN64,WGACC NCC,WGACCND,WGACCNS1,WGACCW,W GACN64D,WGCWNAC,WGCWNAC1,WGFA C,WGFCNAC,WGSCN,WGSCN2,WGSCN72 ,WGSCN72D,WGSCNCC,WGSCZ,WGSCZAC,WRRMDAC,WSCZAC	15	860	39.52	33,987
26. RM	33510453	SEAMLESS STAINLESS STEEL PIPE SIZE 32 MM (1 1/4") NB X 4600 MM ASTM-A312 , SCHEDULE 40S , GRADE TP-304 (SEAMLESS) & IDENTIFICATION MARKING AS PER SME/DEV. L NO. MD46131 DT 03-05-2006	LFCWAC,LWACCN,LWACCNHM,LWACCW,LWGACCN,LWGACCW,WGSCN72	29	347	3,848.18	13,35,318
27. RM	62095341	MILD STEEL CONDUIT DIA 25MM MEDIUM, WALL THICKNESS 1.6-1.8 MM HOT DIP GALVD.IN LENGTH OF 3400MM IS:9537 (PART-2)-1981 AND CLAUSE 5.1(c) OF IS:9537(PART-1)-1980	MEMUASP,MGFC,MGGS,MGSCN,MGSLR,M GSR,WFCZAC,WGSCN72	29	1,203	206	2,47,818
28. RM	62310574	MILD STEEL PIPE 20MM LIGHT PLAIN END GALVD. IS:1239(PART-1)-1990	MGDMU,MGDMUT,MMSLR,WGSCZ	29	4,826.94	133.28	6,43,335
29. RM	62310604	MILD STEEL PIPE 25MM LIGHT PLAIN END GALVD IS:1239(PART-1)-1992	MBIUCV,MBIUSP,MGFC,MGGS,MGSLR,MG SR,MMGSA,MMGSFC,MMSLR,WACCN,WACCW,WFAC,WGACCW,WGFAC,WGSCZ,W GSCZAC	29	1,312.15	67.44	88,491
30. SHELL	33650263	THROUGH BOX COMPLETE LH91103 alt. 'nil'	LDMPANCA,LWCB,LWCBAC,LWCBACA,L WCBACD,LWOGCAR,LWSCZACU	34	89	2,463.1	2,19,216

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
31. SHELL	33510465	SLACK COMPLETE 3 10113.0.09.095.051	LFCWAC,LS.,LWACCN,LWACCN- S,LWACCNA,LWACCND,LWACCNHM,LWA CCNIB,LWACCNLC,LWACCW,LWACCW- S,LWACCWA,LWACCWD,LWCB,LWCBAC, LWCBACA,LWCBACD,LWCZDAC,LWCZDA CD,LWFAC,LWFACA,LWFACD,LWFCZAC,L WFCZACH,LWFCZACU,LWGFAC,LWLGBR RM,LWLRMASE,LWLRRM,LWLRRMA,LWL RRMD,LWLRRMH,LWLRRMHM,LWLRRMU, LWLRRMWS,LWSCN,LWSCN- S,LWSCZ,LWSCZAC,LWSCZACH,LWSCZA CU,LWTRC,LWTRCS	24	199	73.18	14,563
32. SHELL	33511070	BRACKET FOR LHB COACHES LW36133	LACOC,LFCWAC,LGSASP,LSCNASP,LSLR ASP,LWACCN,LWACCN- S,LWACCNA,LWACCND,LWACCNHM,LWA CCW,LWACCW- S,LWACCWA,LWACCWD,LWACNASG,LW ACWASG,LWCB,LWCBAC,LWCBACA,LWC BACD,LWCZDAC,LWCZDACD,LWFAC,LWF ACA,LWFACD,LWFCZAC,LWFCZACH,LWL CBRRM,LWLRRM,LWLRRMA,LWLRRMD,L WLRRMH,LWLRRMHM,LWLRRMWS,LWSC N,LWSCN- S,LWSCZ,LWSCZAC,LWSCZACH,LWTRCS	34	785	2,408.71	18,90,837
33. SHELL	30359030	HOSE COUPLING SUPPORT (PROTECTED AS PER DRG.) CC35333 ALT 'c'	LCC,WACCN,WACCNH1,WACCNK,WACCN M,WACCW,WFAC,WFCZAC,WGACCN,WG ACCN1,WGACCN64,WGACCND,WGACCN S1,WGACCW,WGCWNAC,WGCWNAC1,W GFAC,WGFCNAC,WGSCN,WGSCN2,WGS CN72,WGSCNCC,WGSCZ,WGSCZAC,WLR RMDST,WRRMDAC,WSCZAC	11	2,453	175.95	4,31,605
34. SHELL	32980050	STIFFENING ARRANGEMENT FOR MIDDLE DOORWAY LB13203 ALT 'nil'		11	662	1,605.48	10,62,828
35. SHELL	30157043	END CONSTRUCTION ASSLY COMPLETE SG15113 ALT. 'h'		15	1	70,574.52	70,575
36. SHELL	30157419	END WALL CONSTRUCTION ASSLY.COMPLETE FOR MEMU/TC COACH ET15101 ALT 'e'	MEMUT,MEMUTASP,MEMUTL	15	1	1,21,527.6	1,21,528
37. SHELL	33557573	END WALL ASSLY FOR LHB/GS (EOG) COACH FITTED ALONGWITH SHUTTER COMPLETE TO DRG. NO. 2 10113.0.76.300.012 LG15168 ALT 'a'	LS.,LSASP	15	36	1,63,784.93	58,96,257
38. SHELL	30985419	FAN BRACKET SG16134 ALT 'd'		24	1	147	147
39. SHELL	30985481	BRACKET FOR F.L SE16468 ALT 'a'		24	1	87	87

## List of Sparable Inactive Items of (SHELL)

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value	
40.	SHELL 31127034	CENTRE STIFFENER HALF T-1-2-511 ITEM 2 ALT 'I'	MBIUCV,MBIUSP,MEMU,MEMUAD,MEMUA SP,MEMUFTM	24	1,604	534.43	8,57,226
41.	SHELL 30167814	SET OF FAN BRACKET FOR AAC) COACH MPFANRAAC VERSION 1		25	16	1,424.9	22,798
42.	SHELL 30167851	FDB BRACKET CC16404 ALT 'a'		25	1,358	161.26	2,18,991
43.	SHELL 30985559	FAN BRACKET MEMU/DMC-1-6-010 COL III ALT 'eR'		25	32	1,157.75	37,048
44.	SHELL 31117156	BODY BOLSTER COMPLETE FOR MG COACH MD11134 ALT 'nil'	MGDMUT	29	3	17,206.79	51,620
45.	SHELL 33550268	FUEL TANK COMPLETE LR90100 ALT 'nil'AND SPEC.NO.MDTS 100 REV.01.		29	4	1,11,000	44,400
46.	SHELL 30141011	DOOR CORNER SHEET WITHOUT BENDING LB14225 ALT 'nil'		34	70	1,080.86	75,660
47.	SHELL 30141023	DOOR CORNER SHEET WITHOUT BENDING LB14226 ALT 'nil'		34	71	1,066.16	75,697
48.	SHELL 30148030	DOOR CORNER SHEET WITHOUT BENDING LB14165 ALT 'a'		34	181	670.98	1,21,447
49.	SHELL 30148042	DOOR CORNER SHEET WITHOUT BENDING LB14166 ALT 'a'		34	182	670.98	1,22,118
50.	SHELL 30149022	DOOR CORNER SHEET WITHOUT BENDING LB14179 ALT 'nil'		34	73	771.56	56,324
51.	SHELL 30149034	DOOR CORNER SHEET WITHOUT BENDING LB14180 ALT 'nil'		34	63	771.56	48,608
52.	SHELL 33511044	SET OF BRACKET ASSEMBLY MPBRASLHB VERSION 6		34	577	3,344.48	19,29,765
53.	SHELL 33557081	SET OF ROOF FLANGE FOR LHB 2T MP09RFL2T VERSION 0 MFG.DOC.NO.:MDST :102 REV.01.	LWACCW,LWACCW- S,LWACCWA,LWACCWD,LWACWASD,LW ACWASE,LWACWASG,LWGACCW	34	29	5,161.78	1,49,692
54.	SHELL 33690753	CHANNEL ASSEMBLY LW14257 ALT 'NIL'	LACWNASP,LDM2ACEA,LWACCW,LWACC W- S,LWACCWA,LWACCWD,LWACWASD,LW ACWASE,LWACWASG,LWACWASP,LWAC WNAP	34	18	147.13	2,648
55.	SHELL 35980631	SET OF INLAY FOR LAVATORY CHUTE FOR LHB NON-AC COACHES MP13INLAY11 VERSION 0	LS.,LWSCN,LWSCN-S	34	359	2,566.76	9,21,467
56.	SHELL 35984065	SET OF BRACKET FOR LHB GS COACH MPBKLS VERSION 0	LS.,LS1,LSASP	34	68	1,313.42	89,313
57.	SHELL 30981220	NYLONE WASHER FOR 1/2" NB FLEXIBLE HOSE AE36183	WGACCN64,WGACCND,WGSCN72	11	19,246	2.04	39,262
58.	SRM 70011953	GRINDING WHEEL(DISHED) SIZE DIA 125MM,BORE 20 MM, T- X=23MM,X=4,W=10MM		4	2	3,508.48	7,017

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value
59. SRM	70017750	IS:3264-1985 DESIG-12A2, TABLE 3.9.2 & 6.1, IS GRIT DESIG-D54, CONCENTRATION C38 BY VOLUME, TYPE OF BOND-RESIN, DISHED AT 45 DEGREE MAKE:- ORIENT OF M/s GRINDWELL NORTON GRINDING WHEEL 150X31.75X25MM, A24R5V99 CODE V120P.	4	67	215.67	14,450
60. SRM	72202828	IS:2324(PART-2)-1985 & IS:13596-1993, GRADE 10A24R5V17, MAKE-3M/MARION WUERTH/BOSCH/HITACHI/CARBORUNDUM/ORIENT/GRINDWELL NORTON. HIGH SPEED STEEL HIGH COBALT CONTANT DRILL BIT 5.0 MM	4	98	34.78	3,408
61. SRM	72208030	DIN 338, OTHER DETAILS AS PER ENCLOSED ANNEXURE-MP/SPEC-01/12 DATED-07.11.2012. TO BE PURCHASED FROM OEM, OR THE AUTHORIZED DEALERS OF OEMs. DRILL TWIST HSS MT 10.0 MM	4	5	124.2	621
62. SRM	72209355	IS:5103-1969 DRILL TWIST HSS MT 57.0 MM	4	7	2,289.8	16,029
63. SRM	72980228	IS:5103-1969 CARBIDE INSERT SUITABLE FOR END MILL CUTTER DIA 40 MM (S. ORD NO. R390 040B32 17 M)	4	250	559.15	1,39,788
64. SRM	72980450	MAKE/BRAND- CERATIZIT/LDMT1504 PDSR-29 GM.43+ DRILLING KIT OF HOLE DIA 31MM MAKE ISCAR. MPLDKHD31 VERSION 0	4	3	88,021.28	2,64,064
65. SRM	72985069	HIGH SPEED STEEL HIGH COBALT CONTANT DRILL BIT 14 MM DIN 338, OTHER DETAILS AS PER ENCLOSED ANNEXURE-MP/SPEC-01/12 DATED-07.11.2012	4	484	317.36	1,53,602
66. SRM	72987650	TAP HAND HSS MET C-PITCH M24X3 IS:6175(PART-3)-1992	4	7	1,678.96	11,753
67. SRM	72140094	IMPACT WRECNH 1/2" SQUARE DRIVE WITH PU HOSE PIPE WITH 12MM ID SPRING/SQUERL TYPE = 20 METERS AND END CONNECTOR FOR HOSE PIPE= 2 SETS MAKE CHICAGO PNEUMATIC CP7749 SERIES, MARION WUERTH, BOSCH OR SIMILAR ALL METALIC TOREQUE RANGE 700NM, MAXIMUM TORQUE 100NM TO 800NM APPROX. REVERSE TORQUE 900NM, TYPE OF POWER PNEUMATIC. HOSE SIZE 3/8" AIR INLET 1/4" APPROXIMATE WEIGHT 2.5 KG	4	8	9,975	79,800
68. SRM	72140112	3/4" SQUARE DRIVE RATCHET TYPE TORQUE WRENCH CAP-135-675NM(14-70 KGM) IS:7268-1974 (CALIBRATION CERTIFICATE SHOULD BE PROVIDED BY THE FIRM)	4	19	6,390.7	1,21,423
69. SRM	72507093	TAPE METRIC MEASURING STEEL 13MMX2 MTR IS:1270-1965 (SUPERIOR QUALITY) MAKE- FREEMAN	4	540	19.86	10,724
70. SRM	67010465	NYLON TYRE FOR PIAGGIO THREE WHEELER IS : 10914 - 1991 , 4.50 - 10 , 8PLY RATING, MAKE - CEAT ANMOL RIB ONLY	4	3	1,984.62	5,954
71. SRM	67980673	RADIAL TYRE SIZE 145/80 R 12 FOR TATA ACE MINI TRUCK CONFORMING TO SIZE 145/80 R12 AS PER IS: NO 15633-2005 MAKE-CEAT, MRF, JK, APPOLO ONLY.	4	8	1,900	15,200

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value
72. SRM	67980820	RADIAL TYRE FOR BOLERO CONFORMING TO SIZE 215/75R 15 AS PER IS: 15633 - 2005 MAKE - CEAT, MRF,JK, APPOLO, CONTINENTAL ONLY	4	4	4,450	17,800
73. SRM	67980831	NYLON TYRE FRONT (FM TYRE) FOR ASHOK LEYLAND TRUCK CONFORMING TO SIZE 10.00 - 20, 16 PLY RATING AS PER IS: 15636 - 2005 MAKE - CEAT,MRF,JK,APPOLO,CONTINENTAL ONLY	4	2	12,950	25,900
74. SRM	67980855	BUTYL RUBBER TUBE FOR TATA ACE FOUR WHEELER CONFORMING TO SIZE 145/80R 12 AS PER IS: 13098 - 1991 MAKE - CEAT,MRF,JK,APPOLO,CONTINENTAL ONLY	4	5	300	1,500
75. SRM	67980880	RADIAL TYRE FOR AMBULANCE TRAVELLER CONFORMING TO SIZE 215R 14 AS PER IS: 15633 - 2005 MAKE - CEAT,MRF,JK,APPOLO,CONTINENTAL ONLY	4	3	6,850	20,550
76. SRM	67985312	TUBE FOR COMPRESSORS, TRAILER 5T & SWARAJ MAZDA SIZE 7.50-16 IS:13098-1991	4	30	367.35	11,021
77. SRM	67985488	TYRE SOLID CUSHIN FRONT FOR SWARAJ KAMATSU FLT,SIZE 28"X9"X15". ELASTOMERS/HINDUSTAN/KINKAI/PANTHER/VOLTAS/SHAKTI/ RUBBERTECH MAKE	4	4	9,875.63	39,503
78. SRM	67988015	TUBE FOR M&M JEEP 6.00-16 6 PLY	4	48	202.09	9,700
79. SRM	67988155	TYRE NYLON FOR M&M JEEP, SIZE 6.00-16 6PLY MAKE- APPOLLO / CEAT / MRF / JK / DUNLOP / GOODYEAR / MODI CONTINENTAL IS:10914(PT-2)-1992	4	16	3,140.42	50,247
80. SRM	67988258	TYRE NYLON FOR MARUTI VAN, SIZE R-80/4.50-12, 6 PLY MAKE- APPOLLO / CEAT / MRF / JK / DUNLOP / GOODYEAR / MODI CONTINENTAL IS:10914(PT-3)-1991	4	4	1,850	7,400
81. SRM	65985576	FUEL FILTER ELEMENT FOR DG SET MODEL-KTA-3067-1000 KVA PART NO KIT 3238493	36	17	501.03	8,518
82. SRM	67010209	BIG END BRG. 0.020" U / S CONFORMING TO PART NO. 31131174 OF M/S SIMPSON & CO. LTD.	36	24	38.42	922
83. SRM	67010210	WHEEL RIM CONFORMING TO PART NO. MH02363286 OF M/S. GODREJ & BOYCE MFG. CO. LTD.	36	10	6,036.4	60,364
84. SRM	67010301	OIL FILTER (ELOFIC MAKE) CONFORMING TO PART NO. LP02 - 802 OF M/S. SML/EK-6200 OF ELOFIC MAKE OR EQUIVALENT	36	10	368	3,680
85. SRM	67986638	OIL DISTRIBUTOR CONFORMING TO PART NO. MH02049542 OF M/S. GODREJ & BOYCE	36	28	5,094.42	1,42,644
86. SRM	65985771	NOZZLE NITROGEN-0.120 FOR PLASMA CUTTING M/C(ASSLY OF PTFE+COPPER PART	4	95	709.89	67,440

SNo.	PL.No.	Description/Specification	Ward	Stock	Rate(Rs.)	Value
		MAKE- 'ATTC' CONFORMING TO DRG. NO. MW/PCM/N2/N/3/3 ALT 1 (PART NO.020089)				
87. SRM	80014811	TURBINOL-46	25	1,050	111.56	1,17,138
		IS:1012-1987,GR. VG-46				
88. SRM	75900026	PLASTIC / NYLON TAPERED PLUG	4	19,996	3.39	67,786
		PST2326/NP REV- NIL FIRM SHOULD GOT SAMPLE APPROVED BEFORE BULK SUPPLY				
89. SRM	90775661	TOOL STEEL FLAT 65MMX105MM	4	583	144.53	84,261
		IS:3749-1990 T215Cr12, HOT ROLLED AND ANNEALED				
90. SRM	72980345	ELECTRODE	4	85	423.33	35,983
		HYPER THERM HPR260 PART NO.220352, MAKE HYPERTHERM, MAKE:-THERMACUT PART NO.T-9969				
91. SRM	76217346	HEATING TORCH (BLOW PIPE WITH SINGLE NOZZLE)	4	32	2,724.97	87,199
		IS:7653 -1975 ESAB CODE NO. 0431-0144-100 OR ITS EQUIVALENT STANDARD/REPUTED FIRM. MAKE- "HMP" MODLE: 'BLOWFIRE'				
92. SRM	76980049	CONTACT TIP 0.8MM M6 Pt.No.A150102561	4	6,855	16.52	11,311
		X				
93. SRM	72090909	SHORT MACHINE TAP 4MM	4	42	40	1,680
		X				
94. SRM	72903235	TURNING TOOL HOLDER	4	224	589.98	1,32,156
		ISO NO. PTFNR 2525 M16				
<b>Total Stock Value:</b>						2,51,34,735