



**RAIL COACH FACTORY, KAPURTHALA**  
**ROLLING STOCK CERTIFICATE (LHB)**

(FORM NO. QMF 9454 VER:1.00)

1.	SHELL NO	0002	BOGIE NO	206841 / 206842	DISPATCH DATE	02-JUL-20	
2.	RAILWAY	NR	TYPE OF COACH	LFCWACX	COACH NO	202326	
3.	BOOKED TO	SSE/C&W/DLI					
4.	Tare Weight of Coach	42.5 T					
5.	Carrying Capacity	Seating	38	Sleeping	38	Luggage	NIL
6.	6.1	Leading Dimensions:					
	i)	Maximum length over Body		23700+10/-0			
	ii)	Maximum width over Body		3240-8/+0 mm, 3050 mm (for LWSCZDAC)			
	iii)	Maximum height from Rail Level		4250 (for LWACCN), 4039 (for LWACCW, LGS, LWSCN, LWSCZAC, LWFAC, LWCBCAC, LWLRRM), 4366 (for LWSCZDAC)			
	iv)	CBC Height	Specified: 1105 +0/-15 mm		1105	1105	
	v)	CBC (Make)			SANROK	SANROK	
	vi)	Buffer (Make)					
7.	Air Brake Testing:		Description		Specified		
	7.1	Full Brake Application	Reduce pressure of BP from 5.0 to 3.4 kg/cm <sup>2</sup>		06 - 10 Sec		
			Max Pressure in BC		3.80±0.15 Kg/cm <sup>2</sup>		
			All Brake are applied		OK		
	7.2	Insensitivity	Exhaust BP @ 0.3 Kg/cm <sup>2</sup> /min		No brake application		
	7.3	Sensitivity	Exhaust BP @ 0.1 Kg/cm <sup>2</sup> /Sec, After 02 Sec		Brake must apply		
8.	Painting Details:		Type of Paint		Make	Average Gloss Value	
	8.1	Paint	PU PAINT		NAROLACK	86 / 86	
	8.2	Application of PCN-123	SATISFACTORY				
	8.3	Insulation	SATISFACTORY				
9.	Traceability of Furnishing Items:						
	1	FLOOR BOARD	SRI RAM				
	2	PVC	PREMIER POLYFILM				
	3	UIC VESTIBULES	CEMCON				
	4	BODY SIDE DOOR	SVARN INFRATEL				
	5	VESTIBULE SLIDING DOOR	KALSI				
	6	WATER TANKS	KUTEER, SHIVALIK, MANOJ				
	7	COMPOSITE MODULAR TOILET	CMT				
	8	LAVATORY DOORS	CMT				
	9	SEAT & BEARTH	AAR KAY FOAM, OVPL				
	10	BIO-TOILET	JSL				
	11	EP BRAK / BRAKE EQUIPMENT	FAVELLY				
	12	BIO DIGESTER/VACUUM EVACUATION SYSTEM	JSL, JSL, JSL, JSL				
10.	10.1	Modification/ Trial (If any): 1-ASPIRATION FIRE/SMOKE DETECTION WITH ALARM SYSTEM AS PER RDSO SPECIFICATION NO. RDSO/2008/CG-04 REV.04, SUPPLIED AND COMMISSIONED BY M/S- SANROK ENTERPRISES , FARIDABAD, CONTACT NO. 09810566723. 2-VINYL WRAPPING SUPPLIED AND FITTED BY M/S EMPRISE MARKETTING, LUCKNOW.					
	10.2	Deviations (If any): NIL					



भारतीय रेलवे प्राधिकरण  
RAIL COACH FACTORY, KAPURTHALA  
ROLLING STOCK CERTIFICATE (LHB)

QMF 9829, VER:1.00

<b>11.</b>	<b>Bogie Details:</b>	Shell No.	Railway	Type	Coach No.	Dispatch Date				
		0002	NR	LFCWACX	202326	02-JUL-20				
<b>11.1 Wheel &amp; Axle Details:</b>										
	i.	Bogie No.	206841				206842			
	ii.	Frame No.	BEC-154				KE-46			
	iii.	Bolster No.	SHIVALIK-91				SHIVALIK-51			
	iv.	Axle No.	RWF - W0358		RWF - W0723		RWF - V9693		RWF - W0636	
	v.	Items/locations	Earthing end side	Phonic wheel side	Phonic wheel side	Plain side	Earthing end side	Phonic wheel side	Phonic wheel side	Plain side
	vi.	Wheel Dia.	917.00	917.00	917.10	917.10	917.00	917.00	916.90	916.90
	vii.	Wheel Disc No.	98158-9WJ3-TZ	92668-9XH6-TZ	94773-9XG6-TZ	92044-9WH7-TZ	90551-9WJ7-TZ	84562-9VD1-TZ	94188-9WL4-TZ	94189-9WL4-TZ
	viii.	RB Nos.	405960	500674	404365	405859	402343	404340	500581	403240
	ix.	RB Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	
	x.	RB Type	UIC CARTRIDGE TAPER ROLLER BEARING							
<b>11.2 Secondary suspension load deflection Values:</b>										
Description		Lateral Damper Side		Non-Lat. Damper Side		Lateral Damper Side		Non-Lat. Damper Side		
i.	Make & Nos.	TAYAL-20-1-7313		TAYAL-20-1-7280		AVADH-20-1-3867		AVADH-20-1-3834		
<b>Items traceability:</b>										
<b>11.3</b>	<b>Sno. Item</b>					<b>Make</b>				
	i.	Primary Outer Spring	CMSTL-19-11			CMSTL-19-11			CMSTL	
	ii.	Primary inner Spring	GBD-20-01			GBD-20-01			GBD	
	iii.	Primary Damper	307602, 307596, 307652, 307330			307537, 307753, 307598, 307442			IAI	
	iv.	Secondary Damper	18040, 17681			17658, 17652			KBI	
	v.	Lateral Damper	305918			305766			IAI	
	vi.	Brake cylinder & Caliper	B20247-600,B20180-600, B20232-600,B20124-600			C20389-600,C20312-600, C20399-600,C20523-600			FTI	
	vii.	Brake Disc							FTI	
	viii.	Contral arm top							KUMAR	
	ix.	Control arm bottom							KUMAR	
	x.	Top rubber Pad							ARYAN	
	xi.	Vertical Bump Stop							ARYAN	
	xii.	Ball Joint Control arm							GMT	
	xiii.	Lateral Bump stop							ARYAN	
	xiv.	Traction center make							RNG	
	xv.	Traction lever make							TAJ	
	xvi.	Ball joint traction lever							ARYAN	
	xvii.	Traction center elastic							ARYAN	
	xviii.	Secondary rubber pad							NA	
	xix.	Rubber spring							NA	
	xx.	Anti roll bar make							EMSON	
	xxi.	Ball joint roll link							SARITA	
	xxii.	Fork make							RNG	
<b>11.4</b>	i.	Modification/Trail(if any):	NIL							
	ii.	Deviations (if any):	Deviations (If any): NIL							

LFCWACX - 0002



**RAIL COACH FACTORY, KAPURTHALA**  
**ROLLING STOCK CERTIFICATE (LHB)**

**FOR ELECTRICAL ITEMS**

**ROLLING STOCK CERTIFICATE OF**

**LHB AC (1+2 ) COACH WITH AIR SPRING IN SECONDARY**

**TYPE OF COACH : LFCWACX      Shell No : 0002      COACH\_NO : 202326**

**RAILWAY : NR      COUPLING TYPE : CBC      DATE OF FITMENT: 02-JUL-20**

S.No	PL No & Item Description	Drawing No	Make	Item Sr.No.(if any)
<b>Group Name PP-SIDE</b>				
0	33501427-0, AXLE MOUNTED DISC BRAKE SYSTEM FOR ALSTOM-LHB DESIGN-AC & NAC COACHES	MDTS077 REV. 02	FAIVELEY TRANSPORT RAIL TECH. INDIA LTD.	I-147
2	33635080-2, PUMP CONTROLLER	EDTS186	L E CORP. KAPSONS	1971090
1	33635237-1, RMPU	SPECIFICATION NO. EDTS075	AMIT ENGINEERS	4617-A-20
2	33635237-2, MICRO PROCESSOR CONTROLLER	SPECIFICATION NO. EDTS075	AMIT ENGINEERS	AE-2001313
1	33640300-1, PA SYSTEM	EDTS173,TYPE-V	AHUJA BY PUNJAB RADIOS	4773439
0	33641419-0, REGULATED BATTERY CHARGER	EDTS109	HI-REL POWER ELECTRONICS PVT.LTD	HHPE-20033228
1	33641663-1, ANNUNCIATOR UNIT	EDTS 117	V.S. INSTRUMENTS	NIL
1	33641936-1, SWITCH BOARD CABINET	EDTS-073, REV.-A	MV ELECTRO SYSTEM PVT. LTD.	19120048
2	33641936-2, DISCONNECTING & EARTHING DEVICE	EDTS-073, REV.-A	MV ELECTRO SYSTEM PVT. LTD.	L&T
<b>Group Name NON-PP SIDE</b>				
1	33635237-1, RMPU	SPECIFICATION NO. EDTS075	AMIT ENGINEERS	4619-A-20
<b>Group Name BOGIE PP SIDE</b>				
1	33635067-1, BOGIE 1	EDTS101 REV-"A"	M/S CHANDA & CHANDA	206842
<b>Group Name BOGIE NPP SIDE</b>				
2	33635067-2, BOGIE 2	EDTS101 REV-"A"	M/S CHANDA & CHANDA	206841
<b>Group Name UNDER FRAME</b>				
1	33635080-1, PUMP	EDTS186	KAPSON (KIND)	19090297/ 19090298
0	33635183-0, 60 KVA TRANSFORMER	EDTS076	MAA LAXMI INDUSTRY	025
0	33635328-0, 3 KVA DELTA/STAR 415/190 V TRANSFORMER	EL/EOG/4-74 WITH RCF NOTE-1	BHASIN PACKARD ELECTRONICS PVT. LTD.	11194691
0	33640178-0, BATTERY FUSE BOX -VE	LW71002 ALT"a"	RADIANT ELECTRICAL & ALLIED INDUSTRIES	2002112



**RAIL COACH FACTORY, KAPURTHALA**  
**ROLLING STOCK CERTIFICATE (LHB)**

**FOR ELECTRICAL ITEMS**

**ROLLING STOCK CERTIFICATE OF**

**LHB AC (1+2 ) COACH WITH AIR SPRING IN SECONDARY**

S.No	PL No & Item Description	Drawing No	Make	Item Sr.No.(if any)
<b>Group Name UNDER FRAME</b>				
0	33640786-0, BATTERY FUSE BOX +VE	LW71001 ALT"a"	RADIANT ELECTRICAL & ALLIED INDUSTRIES	2002122
0	33641729-0, 70AH,110V, VRLA LEAD ACID MAINTENANCE FREE BATTERY(9 NOSX12V)	RDSO/PE/SPEC/AC/09-2008,REV-1 WITH AM-1	HBL	05-2019
0	33650184-0, BATTERY BOX MOUNTING FOR LHB COACH AND 9 HOLES OF DIA 25 mm AS PER SKED-383 IN DRG.NO. 3 10113.0.76	1 10113.0.76.700.005 EXCEPT ITEM NO. 5,22,23,25 TO 27 ALT 'C'.	MEENAKSHI ENGINEERING WORKS	NIL
1	35982913-1, CAPACITOR BANK FOR LHB EOG POWER CAR COACHES	EDML130, TABLE-2	NEC SW. GEARS & CONTROLS	2020-03-359
<b>Group Name COMPARTMENT</b>				
2	33640300-2, SPEAKERS	EDTS173, TYPE-V	AHUJA BY PUNJAB RADIOS	NIL
2	33641663-2, INDICATOR UNITS	EDTS 117	V.S. INSTRUMENTS	NIL
<b>Group Name UNDER FRAME PP SIDE</b>				
1	33640580-1, FEEDR JUNCTION BOX	EDTS328	M.V.ELECTRO SYSTEM PVT.LTD.	NIL
1	33641110-1, ZS COULING 500A,750V,3-PHASE 50 HZ	EDTS105,,REV-E,AM1&2 WITH ANN. A	MAA LAXMI INDUSTRY	NIL
<b>Group Name UNDER FRAME NPP SIDE</b>				
2	33640580-2, FEEDR JUNCTION BOX	EDTS328	M.V.ELECTRO SYSTEM PVT.LTD.	NIL
2	33641110-2, ZS COULING 500A,750V,3-PHASE 50 HZ	EDTS105,,REV-E,AM1&2 WITH ANN. A	MAA LAXMI INDUSTRY	NIL
SSE/EL/QC		AME/WM QC/DY CQM I		



**RAIL COACH FACTORY, KAPURTHALA**  
**ROLLING STOCK CERTIFICATE (LHB)**

(FORM NO. QMF 9454 VER:1.00)

1.	SHELL NO	0003	BOGIE NO	207066	/ 207067	DISPATCH DATE	25-JUL-20
2.	RAILWAY	NR	TYPE OF COACH	LFCWACX		COACH NO	202328
3.	BOOKED TO	SSE/C&W/DLI					
4.	Tare Weight of Coach	42.5 T					
5.	Carrying Capacity	Seating	38	Sleeping	38	Luggage	NIL
6.	6.1	Leading Dimensions:					
	i)	Maximum length over Body		23700+10/-0			
	ii)	Maximum width over Body		3240-8/+0 mm, 3050 mm (for LWSCZDAC)			
	iii)	Maximum height from Rail Level		4250 (for LWACCN), 4039 (for LWACCW, LGS, LWSCN, LWSCZAC, LWFAC, LWCBCAC, LWLRRM), 4366 (for LWSCZDAC)			
	iv)	CBC Height	Specified: 1105 +0/-15 mm		1105	1105	
	v)	CBC (Make)			SANROK	SANROK	
	vi)	Buffer (Make)					
7.	Air Brake Testing:		Description		Specified		
	7.1	Full Brake Application	Reduce pressure of BP from 5.0 to 3.4 kg/cm <sup>2</sup>		06 - 10 Sec		
			Max Pressure in BC		3.80±0.15 Kg/cm <sup>2</sup>		
			All Brake are applied		OK		
	7.2	Insensitivity	Exhaust BP @ 0.3 Kg/cm <sup>2</sup> /min		No brake application		
	7.3	Sensitivity	Exhaust BP @ 0.1 Kg/cm <sup>2</sup> /Sec, After 02 Sec		Brake must apply		
8.	Painting Details:		Type of Paint		Make	Average Gloss Value	
	8.1	Paint	PU PAINT		NAROLACK	85 / 85	
	8.2	Application of PCN-123	SATISFACTORY				
	8.3	Insulation	SATISFACTORY				
9.	Traceability of Furnishing Items:						
	1	FLOOR BOARD	SRI RAM				
	2	PVC	RESPONSIVE				
	3	UIC VESTIBULES	CEMCON				
	4	BODY SIDE DOOR	JVR				
	5	VESTIBULE SLIDING DOOR	KALSI				
	6	WATER TANKS	KUTEER, SHIVALIK, MANOJ				
	7	COMPOSITE MODULAR TOILET	CMT				
	8	LAVATORY DOORS	CMT				
	9	SEAT & BEARTH	AMIR CHAND, AAR KAY FOAM				
	10	BIO-TOILET	MK, AMIT				
	11	EP BRAK / BRAKE EQUIPMENT	FAVELLY				
	12	BIO DIGESTER/VACUUM EVACUATION SYSTEM	MK, AMIT, MK, AMIT				
10.	10.1	Modification/ Trial (If any): 1-ASPIRATION FIRE/SMOKE DETECTION WITH ALARM SYSTEM AS PER RDSO SPECIFICATION NO. RDSO/2008/CG-04 REV.04, SUPPLIED AND COMMISSIONED BY M/S- SANROK ENTERPRISES , FARIDABAD, CONTACT NO. 09810566723. 2-VINYL WRAPPING SUPPLIED AND FITTED BY M/S EMPRISE MARKETTING, LUCKNOW.					
	10.2	Deviations (If any): NIL					



भारतीय रेलवे प्राधिकरण  
RAIL COACH FACTORY, KAPURTHALA  
ROLLING STOCK CERTIFICATE (LHB)

QMF 9829, VER:1.00

<b>11.</b>	<b>Bogie Details:</b>	Shell No.	Railway	Type	Coach No.	Dispatch Date
		0003	NR	LFCWACX	202328	25-JUL-20

<b>11.1 Wheel &amp; Axle Details:</b>									
i.	Bogie No.	207066				207067			
ii.	Frame No.	KE-89				ECBT-1621			
iii.	Bolster No.	NE-111				NE-85			
iv.	Axle No.	RWF - Y1603		RWF - W6909		RWF - T8507		RWF - T4303	
v.	Items/locations	Earthing end side	Phonic wheel side	Phonic wheel side	Plain side	Earthing end side	Phonic wheel side	Phonic wheel side	Plain side
vi.	Wheel Dia.	917.00	917.00	917.00	917.00	917.00	917.00	917.10	917.10
vii.	Wheel Disc No.	94884- 9XH7-TZ	94880- 9XH7-TZ	82678- 9WF5-TZ	82695- 9VD9-TZ	94059- 9WM5-TZ	87190- 9WH3-TZ	53490- 9QI5-TZ	94716- 9XG6-TZ
viii.	RB Nos.	408270	502862	408621	503242	408485	406988	501318	501390
ix.	RB Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	
x.	RB Type	UIC CARTRIDGE TAPER ROLLER BEARING							

<b>11.2 Secondary suspension load deflection Values:</b>					
Description		Lateral Damper Side	Non-Lat. Damper Side	Lateral Damper Side	Non-Lat. Damper Side
i.	Make & Nos.	AVADH-20-2-4489	AVADH-20-2-4488	AVADH-20-2-4464	AVADH-20-2-4422

<b>Items traceability:</b>					
11.3	Sno.	Item	Make		
	i.	Primary Outer Spring	CMSTL-19-11	CMSTL-19-11	CMSTL
	ii.	Primary inner Spring	CMSTL-19-03	CMSTL-19-12	CMSTL
	iii.	Primary Damper	310857, 310887, 311195, 311365	310920, 310830, 310678, 310664	IAI
	iv.	Secondary Damper	17892, 17942	17035, 17788	KBI
	v.	Lateral Damper	305964	305939	IAI
	vi.	Brake cylinder & Caliper	E20287-600,E20251-600, E20270-600,E20248-600	E20111-600,E20105-600, E20288-600,E20112-600	FTI
	vii.	Brake Disc			KBI
	viii.	Contral arm top			KUMAR
	ix.	Control arm bottom			KUMAR
	x.	Top rubber Pad			ARYAN
	xi.	Vertical Bump Stop			ARYAN
	xii.	Ball Joint Control arm			ARYAN
	xiii.	Lateral Bump stop			ARYAN
	xiv.	Traction center make			RNG
	xv.	Traction lever make			JI
	xvi.	Ball joint traction lever			GMT
	xvii.	Traction center elastic			ARYAN
	xviii.	Secondary rubber pad			NA
	xix.	Rubber spring			NA
	xx.	Anti roll bar make			EMSON
	xxi.	Ball joint roll link			SARITA
	xxii.	Fork make			RNG

11.4	i.	Modification/Trail(if any):	NIL
	ii.	Deviations (if any):	Deviations (If any): NIL

LFCWACX - 0003



**RAIL COACH FACTORY, KAPURTHALA**  
**ROLLING STOCK CERTIFICATE (LHB)**

**FOR ELECTRICAL ITEMS**

**ROLLING STOCK CERTIFICATE OF**

**LHB AC (1+2 ) COACH WITH AIR SPRING IN SECONDARY**

**TYPE OF COACH : LFCWACX      Shell No : 0003      COACH\_NO : 202328**

**RAILWAY : NR      COUPLING TYPE : CBC      DATE OF FITMENT: 24-JUL-20**

S.No PL No & Item Description	Drawing No	Make	Item Sr.No.(if any)
-------------------------------	------------	------	---------------------

**Group Name      PP-SIDE**

0	33501427-0, AXLE MOUNTED DISC BRAKE SYSTEM FOR ALSTOM-LHB DESIGN-AC & NAC COACHES	MDTS077 REV. 02	FAIVELEY TRANSPORT RAIL TECH. INDIA LTD.	I-2233
2	33635080-2, PUMP CONTROLLER	EDTS186	L E CORP. KAPSONS	1971067
1	33635237-1, RMPU	SPECIFICATION NO. EDTS075	SIDWAL REFRIGERATION INDUSTRIES PVT. LTD	20-E-3918
2	33635237-2, MICRO PROCESSOR CONTROLLER	SPECIFICATION NO. EDTS075	SIDWAL REFRIGERATION INDUSTRIES PVT. LTD	20043471
1	33640300-1, PA SYSTEM	EDTS173,TYPE-V	AHUJA BY PUNJAB RADIOS	4820271
0	33641419-0, REGULATED BATTERY CHARGER	EDTS109	HI-REL POWER ELECTRONICS PVT.LTD	HHPE-20033182
1	33641663-1, ANNUNCIATOR UNIT	EDTS 117	V.S. INSTRUMENTS	NIL
1	33641936-1, SWITCH BOARD CABINET	EDTS-073, REV.-A	ESS ESS KAY ENGG. CO. PVT. LTD.	2019-12-017
2	33641936-2, DISCONNECTING & EARTHING DEVICE	EDTS-073, REV.-A	ESS ESS KAY ENGG. CO. PVT. LTD.	L&T

**Group Name      NON-PP SIDE**

1	33635237-1, RMPU	SPECIFICATION NO. EDTS075	SIDWAL REFRIGERATION INDUSTRIES PVT. LTD	20-E-3903
---	------------------	---------------------------	------------------------------------------	-----------

**Group Name      BOGIE PP SIDE**

1	33635067-1, BOGIE 1	EDTS101 REV-"A"	PRIME ELECTRONICS	207067
---	---------------------	-----------------	-------------------	--------

**Group Name      BOGIE NPP SIDE**

2	33635067-2, BOGIE 2	EDTS101 REV-"A"	PRIME ELECTRONICS	207066
---	---------------------	-----------------	-------------------	--------

**Group Name      UNDER FRAME**

1	33635080-1, PUMP	EDTS186	KAPSON IND. (KIND)	19090349/ 19090350
---	------------------	---------	--------------------	-----------------------



**RAIL COACH FACTORY, KAPURTHALA**  
**ROLLING STOCK CERTIFICATE (LHB)**

**FOR ELECTRICAL ITEMS**

**ROLLING STOCK CERTIFICATE OF**

**LHB AC (1+2 ) COACH WITH AIR SPRING IN SECONDARY**

S.No	PL No & Item Description	Drawing No	Make	Item Sr.No.(if any)
<b>Group Name UNDER FRAME</b>				
0	33635183-0, 60 KVA TRANSFORMER	EDTS076	RAMYAA ELECTRO-GEAR PVT. LTD.	1912-82-336
0	33635328-0, 3 KVA DELTA/STAR 415/190 V TRANSFORMER	EL/EOG/4-74 WITH RCF NOTE-1	BHASIN PACKARD ELECTRONICS PVT. LTD.	11194724
0	33640178-0, BATTERY FUSE BOX -VE	LW71002 ALT"a"	RADIANT ELECTRICAL & ALLIED INDUSTRIES	2002136
0	33640786-0, BATTERY FUSE BOX +VE	LW71001 ALT"a"	RADIANT ELECTRICAL & ALLIED INDUSTRIES	200203
0	33641729-0, 70AH,110V, VRLA LEAD ACID MAINTENANCE FREE BATTERY(9 NOSX12V)	RDSO/PE/SPEC/AC/09-2008,REV-1 WITH AM-1	HBL	03/2020
0	33650184-0, BATTERY BOX MOUNTING FOR LHB COACH AND 9 HOLES OF DIA 25 mm AS PER SKED-383 IN DRG.NO. 3 10113.0.76	1 10113.0.76.700.005 EXCEPT ITEM NO. 5,22,23,25 TO 27 ALT 'C'.	ANKUR ENGINEERING WORKS	NIL
1	35982925-1, CAPACITOR BANK FOR LHB EOG TYPE COACHES	EDML130, TABLE-1	NEERA ENTERPRISES	NE-01/25
<b>Group Name COMPARTMENT</b>				
2	33640300-2, SPEAKERS	EDTS173, TYPE-V	AHUJA BY PUNJAB RADIOS	NIL
2	33641663-2, INDICATOR UNITS	EDTS 117	V.S. INSTRUMENTS	NIL
<b>Group Name UNDER FRAME PP SIDE</b>				
1	33640580-1, FEEDR JUNCTION BOX	EDTS328	LAMBA ENTERPRISES	NIL
1	33641110-1, ZS COULING 500A,750V,3-PHASE 50 HZ	EDTS105,,REV-E,AM1&2 WITH ANNX. A	MAA LAXMI INDUSTRY	NIL
<b>Group Name UNDER FRAME NPP SIDE</b>				
2	33640580-2, FEEDR JUNCTION BOX	EDTS328	LAMBA ENTERPRISES	NIL
2	33641110-2, ZS COULING 500A,750V,3-PHASE 50 HZ	EDTS105,,REV-E,AM1&2 WITH ANNX. A	MAA LAXMI INDUSTRY	NIL
<b>SSE/EL/QC</b>		<b>AME/WM QC/DY CQM I</b>		