




**HALOGEN FREE, POLYAMIDE ACCESSORIES WITH PG/METRIC THREAD REQUIRED  
FOR LHB TYPE NON-AC COACHES WITH PROVISION OF DC FANS**

**Table-1:** Halogen free, Polyamide accessories with Pg/metric thread required for LHB GS Coach with provision of DC fans.

Sr. No.	Description	Spec. No.	Total Unit/Coach	Location
1.	Straight End fitting with Pg thread, Pg36	EDTS-291, Rev.'0', Annexure-I, Table-3, Item-8	02 Nos.	For RR & main box wiring
2.	Straight End fitting with metric thread, Pg36	EDTS-291, Rev.'0', Annexure-I, Table-2 Item-23	02 Nos.	
3.	Hexagonal Lock nut, Pg36	EDTS-291, Rev.'0', Annexure-I, Table-12 Item-8	02 Nos.	
4.	Polyamide flexible conduit, NW36	EDTS-291, Rev.'0', Annexure-I, Table-1 Item-9	13 Mtrs.	
5.	Tube clamp, NW36	EDTS-291, Rev.'0', Annexure-I, Table-10 Item-7	10 Nos.	
6.	Straight End fitting with Pg thread, Pg21	EDTS-291, Rev.'0', Annexure-I, Table-3 Item-5	12 Nos.	For Battery & BCT wiring
7.	Polyamide flexible conduit, NW23	EDTS-291, Rev.'0', Annexure-I, Table-1 Item-7	55 Mtrs.	
8.	Hexagonal Lock nut, Pg21	EDTS-291, Rev.'0', Annexure-I, Table-12 Item-6	12 Nos.	
9.	Tube clamp, NW23	EDTS-291, Rev.'0', Annexure-I, Table-10 Item-5	30 Nos.	

**Table-2:** Halogen free, Polyamide accessories with Pg/metric thread required for LHB SCN coach with provision of DC fans.

Sr. No.	Description	Spec. No.	Total Unit/Coach	Location
1.	Straight End fitting with Pg thread, Pg36	EDTS-291, Rev.'0', Annexure-I, Table-3, Item-8	02 Nos.	For RR & main box wiring
2.	Straight End fitting	EDTS-291, Rev.'0',	02 Nos.	




EDML-087	1	31.03.09				1 of 3
Document No.	Rev.	Date	SE/CAD	SEE/D&D	DY.CEE/D&D	Sheet

Storage data		
M/C Name	File Name	Date
PC123522	EDML-087	31-03-2009

	with metric thread, Pg36	Annexure-I, Table-2 Item-23		
3.	Hexagonal Lock nut, Pg36	EDTS-291, Rev.'0', Annexure-I, Table-12 Item-8	02 Nos.	
4.	Polyamide flexible conduit, NW36	EDTS-291, Rev.'0', Annexure-I, Table-1 Item-9	14 Mtrs.	
5.	Tube clamp, NW36	EDTS-291, Rev.'0', Annexure-I, Table-10 Item-7	10 Nos.	
6.	Straight End fitting with Pg thread, Pg21	EDTS-291, Rev.'0', Annexure-I, Table-3 Item-5	12 Nos.	For Battery & BCT wiring
7.	Polyamide flexible conduit, NW23	EDTS-291, Rev.'0', Annexure-I, Table-1 Item-7	65 Mtrs.	
8.	Hexagonal Lock nut, Pg21	EDTS-291, Rev.'0', Annexure-I, Table-12 Item-6	12 Nos.	
9.	Tube clamp, NW23	EDTS-291, Rev.'0', Annexure-I, Table-10 Item-5	30 Nos.	




**Table-3:** Halogen free, Polyamide accessories with Pg/metric thread required for LHB DSLR coach with provision of DC fans.

Sr. No.	Description	Spec. No.	Total Unit/Coach	Location
1.	Straight End fitting with Pg thread, Pg36	EDTS-291, Rev.'0', Annexure-I, Table-3, Item-8	02 Nos.	For RR & main box wiring
2.	Straight End fitting with metric thread, Pg36	EDTS-291, Rev.'0', Annexure-I, Table-2 Item-23	02 Nos.	
3.	Hexagonal Lock nut, Pg36	EDTS-291, Rev.'0', Annexure-I, Table-12 Item-8	02 Nos.	
4.	Polyamide flexible conduit, NW36	EDTS-291, Rev.'0', Annexure-I, Table-1 Item-9	15 Mtrs.	
5.	Tube clamp, NW36	EDTS-291, Rev.'0', Annexure-I, Table-10 Item-7	10 Nos.	
6.	Straight End fitting	EDTS-291, Rev.'0',	12 Nos.	For Battery &

EDML-087	1	31.03.09				2 of 3
Document No.	Rev.	Date	SE/CAD	SEE/D&D	DY.CEE/D&D	Sheet

Storage data		
N/c Name	File Name	Date
PC123522	EDML-087	31-03-2009

	with Pg thread, Pg21	Annexure-I, Table-3 Item-5		BCT wiring
7.	Polyamide flexible conduit, NW23	EDTS-291, Rev.'0', Annexure-I, Table-1 Item-7	45 Mtrs.	
8.	Hexagonal Lock nut, Pg21	EDTS-291, Rev.'0', Annexure-1, Table-12 Item-6	12 Nos.	
9.	Tube clamp, NW23	EDTS-291, Rev.'0', Annexure-1, Table-10 Item-5	30 Nos.	

EDML-087	1	31.03.09				3 of 3
Document No.	Rev.	Date	SE/CAD	SEE/D&D	DY.CEE/D&D	Sheet

Storage data		
M/c Name	File Name	Date
PC123522	EDML-087	31-03-2009