

| PL_NO | WARD | DRG | DESCRIPTION | CODE | UNIT_D ESC |
|----------|------|--|---|------|-----------------|
| 33500757 | 4 | GRADE S355 J2 W + N , EN10025 - 5- 2004 AND DIMENSIONS & TOLERANCES AS PER EN10029-1991 | STEEL ROUND OF 36 MM DIAMETER | 13 | KG |
| 33520586 | 4 | IS:6603-1972,04Cr18Ni10 | STAINLESS STEEL ROUND DIA 40MM | 13 | KG |
| 33520756 | 4 | IS:6603-1972,04Cr18Ni10 | STAINLESS STEEL ROD DIA 30MM | 13 | KG |
| 33520902 | 4 | IS:6603-2001,X04Cr12 | STAINLESS STEEL BAR ROUND 20X6000MM | 13 | KG |
| 33520914 | 4 | DIN1013(EN10088-3 X5CRNI1810) | STAINLESS STEEL ROD OF DIA 12MM | 13 | KG |
| 33535243 | 4 | IS:444-1987 TYPE-1, PARA 4.1, 4.3 AND 4.4 | RUBBER HOSE 35BORE, 4MM THICK, OD-43MM | 22 | METRE |
| 33610915 | 4 | DIN-7603 | GASKET A27X32 CU | 1 | NOS |
| 33611397 | 4 | ART NR 9112XDN40,EPDM | SEALING ELEMENT | 1 | NOS |
| 33611634 | 4 | DIN-7603 | GASKET A22X27 CU | 1 | NOS |
| 33660475 | 4 | DIN7603 | GASKET A10X14 CU | 1 | NOS |
| 35984612 | 4 | TECHNICAL SPECIFICATION AS PER QMTS-001 REV. 01 DATED 12.12.2013 APPROVED BY CQM.PILOT SAMPLE TO BE GOT APPROVED AS PER CLAUSE NO. 4 OF QMTS-001 REV. 01 DATED 12.12.2013. | BLAST GRADE ABRASIVES (SIMILAR TO GARNET) FOR ROBOTIC SAND BLASTING PLANT | 15 | METRIC TONNE |
| 37983258 | 4 | KLINGERIT | PACKING KLINGERIT RING 1.6XID 50XOD 150MM | 1 | NOS |
| 40110552 | 4 | IS:9857-1990 | WELDING CABLE(AL) COV.WITH HOFR NORMAL DUTY ELASTOMERIC COMPD.70 SQ MM | 22 | METRE |
| 42981165 | 4 | SPORLAN MAKE | FILTER DRIER CARTRIDGE FOR LIQUID LINE C-083, 3/8" SAE FLARE CON | 1 | NOS |
| 45970040 | 4 | MODULAR DRILL SIMILAR TO KENNAMETAL ORDERING NO. KSEM145R3WN20M AND INSERT NO. KSEM1450HPGMKC7315 OR SIMILAR | ##### | 3 | SET |
| 62106843 | 4 | IS:1879-1987 TABLE 10.1 | UNION 1/2" U1 | 1 | NOS |
| 62132039 | 4 | IS:1239(PART-2)-1992 CLAUSE 13.1 AND 11.1(a) | ELBOW REDUCING 20X15 BORE GALVD. | 1 | NOS |
| 62132544 | 4 | CC36979 ALT 'a' ' | HEX NIPPLE 10 BORE | 1 | NOS |
| 62280387 | 4 | CC36950 ITEM-2 ALT.'a' | REDUCING BUSH 15MMX10 MM | 1 | NOS |
| 62280399 | 4 | JOHNSON AUTOMATION/ADVANCE AUTOMATION/KIRLOSKAR & FESTO MAKE : K1 | PN 5/2 WAY HAND OPER.LEVER DIRECTION CONTROL VALVE FOR 5/8 BSP FITTING | 1 | NOS |
| 65985114 | 4 | IS:2269-1995-12.9 | HEXAGON SOCKET HEAD CAP SCREW M16X50MM LONG WITH FULL THREADS | 1 | NOS |

| | | | | |
|----------|---|--|---|----------|
| 65985242 | 4 | 50 M24 X45 MM | ALLEN HEAD BOLTS 24X45 | 1 NOS |
| 65985382 | 4 | TPAN 1203 PA120 OR P15 P40 MAKE/BRAND- WIDIA/SANVIK/SECO/TAEGUTEC/CERATIZIT | CARBIDE INSERT | 1 NOS |
| 65985394 | 4 | IS:7369-1983 LOAD CAP. 500KGS MIN.,FITTED WITH DOUBLE BALL BRG | HEAVY DUTY FORGED ST.SWIVEL TYPE CASTER WHEEL RUBBER BOND SIZE 8"X2". | 1 NOS |
| 65985400 | 4 | IS:7369-1983 LOAD CAP. 500KGS MIN.,FITTED WITH DOUBLE BALL BRG | HEAVY DUTY FORGED ST. FIXED TYPE CASTER WHEEL RUBBER BOND SIZE 8"X2" | 1 NOS |
| 65985473 | 4 | AS PER PART NO 3-01894 10 OF M/S BYSTRONIC SINGAPORE OR AS PER PART NO L98 OF M/S II- VI INFRARED. MAKE:-BYSTRONIC SINGAPORE BRAND CENRICUT | NOZZLE (CUTTING) FOR CNC LASER PROFILE CUTTING MACHINE | 1 NOS |
| 65985564 | 4 | ARAVALI MAKE OR SIMILAR | FILTER FOR RESPIRATOR | 1 NOS |
| 65985709 | 4 | MW/MTC/N/PC/1 ALT 2 INSP.BY A/REP.OF CPE. MAKE : ATTC, USA. | NOZZLE OF (FMC) CNC PLASMA PROFILE CUTTING MACHINE | 1 NOS |
| 65985710 | 4 | IS:7653-1975 OR ESAB REFERENCE NO. E-10790 MAKE:-KUMAR. | HEATING NOZZLE NO. 30 FOR HEATING TORCH | 1 NOS |
| 65985722 | 4 | MAKE- ATTC PART NO.020086 | NOZZLE OXYGEN FOR PLASMA CUTTING M/C (ASSLY OF COPPER+TEFLON PART) | 1 NOS |
| 65985746 | 4 | IS:7653-1975 OR ESAB REFERENCE NO. 122209. MAKE:-KUMAR | HEATING NOZZLE NO. 3 FOR HEATING TORCH | 1 NOS |
| 65985758 | 4 | 020084 PAC ON ESAB | NOZZLE N2 | 1 NOS |
| 65985771 | 4 | MAKE- 'ATTC' CONFORMING TO DRG. NO. MW/PCM/N2/N/3/3 ALT 1 (PART NO.020089) | NOZZLE NITROGEN-0.120 FOR PLASMA CUTTING M/C(ASSLY OF PTFE+COPPER PART | 1 NOS |
| 65985916 | 4 | IS:6353-1971 | PS END MILLS DIA 10MM | 1 NOS |
| 65986015 | 4 | PAC ITEM-CHICAGO PNEUMATIC INDIA NDLS | PACKING RING WITH SPRING (3 PIECES) PART NO | 1 NOS |
| 65986143 | 4 | PAC ITEM-CHICAGO PNEUMATIC INDIA NDLS | SPRING 174CR1-LP PART NO. H 3489 162 | 1 NOS |
| 65988192 | 4 | IS:10140-1982 | BLADE FOR BAND SAW 19 GAUGE 50MM WIDE | 22 METRE |
| 66100002 | 4 | MAKE-CERATIZIT PTFNR 12CA 16 | CARTRIDGE | 1 NOS |
| 66100013 | 4 | PART NO. 0124562 OF M/S TRUMPF | NOZZLE DIA 1.00 MM FOR LASER FROFILE CUTTING MACHINE(TRUMPF) | 1 NOS |
| 66100024 | 4 | TRUMPF PART NO. 0966809 . | II-VI PART NO. L361, NOZZLES DIA 1.20MM FOR | 1 NOS |
| 66100035 | 4 | PART NO. 0260432 OF M/S TRUMPF | CERAMIC PART FOR LASER PROFILE CUTTING MACHINE (TRUMPF) | 1 NOS |

| | | | | | |
|----------|---|---|--|---|-----|
| 66982017 | 4 | NOZZLE AS PER MW/PCM/N2/N/3/3 ALT 1 & ELECTRODE AS PER MW/PCM/N2/EL/1 ALT 5 | SET OF INDEGENOUS CNC NITROGEN CONSUMABLE(ONE EACH N2 NOZZLE & ELECTRO | 1 | NOS |
| 66988561 | 4 | PAC- PART NO 165-1693-040 | ASSEMBLY MOTOR CONTROL CARD FOR IOL W/SET | 1 | NOS |
| 66988779 | 4 | ESAB PART NO:165-1693-242 | CARBON BUSH SET(MOTOR) FOR IOL MIG STANDARD WIRE FEEDER MOTOR | 3 | SET |
| 67010362 | 4 | IS : 15633-2005 , 205 / 65 -R -15 , MAKE - CEAT, MRF, | RADIAL TYRE FOR TAVERA CHEVROLET | 1 | NOS |
| 67010374 | 4 | 205 / 65 -R - 15, MAKE- CEAT, MRF, MODI, JK ONLY | BUTYL RUBBER RADIAL TUBE FOR TAVERA CHEVROLET | 1 | NOS |
| 67010386 | 4 | IS : 15633 -2005, 195/ 80 - R -15 , MAKE - CEAT, MRF, | RADIAL TYRE FOR TATA SUMO | 1 | NOS |
| 67010398 | 4 | 195/ 80 - R -15, MAKE - CEAT, MRF, MODI, JK ONLY | BUTYL RUBBER RADIAL TUBE FOR TATA SUMO | 1 | NOS |
| 67010404 | 4 | IS : 15633 - 2005 , 175 / 65 - R - 14 ,. MAKE - CEAT, MRF, MODI, JK ONLY | RADIAL TYRE FOR TATA INDIGO | 1 | NOS |
| 67010416 | 4 | 175/ 65 - R - 14 , MAKE - CEAT, MRF, MODI, JK ONLY | BUTYL RUBBER RADIAL TUBE FOR TATA INDIGO | 1 | NOS |
| 67010428 | 4 | IS : 10914 - 1991 , 6.50 - 20, 8 PLY RATING , MAKE- CEAT. | NYLON TYRE FRONT FOR TRACTOR SHUNTER | 1 | NOS |
| 67010430 | 4 | 6.50 - 20 , MAKE - CEAT. | BUTYL RUBBER TUBE FOR TRACTOR SHUNTER | 1 | NOS |
| 67010441 | 4 | IS : 10914 - 1991 , 16.9-28 ,12 PLY RATING , MAKE - CEAT, MRF, MODI, JK ONLY. | NYLON TYRE REAR FOR TRACTOR SHUNTER | 1 | NOS |
| 67010453 | 4 | 16.9 - 28 , MAKE- CEAT, MRF, MODI, JK ONLY | BUYTL RUBBER TUBE FOR TRACTOR SHUNTER | 1 | NOS |
| 67010465 | 4 | IS : 10914 - 1991 , 4.50 - 10 , 8PLY RATING, MAKE - CEAT ANMOL RIB ONLY | NYLON TYRE FOR PIAGGIO THREE WHEELER | 1 | NOS |
| 67010477 | 4 | 4.5 - 10 , MAKE - CEAT. | BUTYL RUBBER TUBE FOR PIAGGIO THREE WHEELER | 1 | NOS |
| 67010489 | 4 | IS : 1014 - 1991, 9.00-16 , 16 PLY RATING, MAKE- CEAT, MRF, MODI, JK ONLY | NYLON TYRE FRONT FOR JCB (DITCH MACHINE) | 1 | NOS |
| 67010490 | 4 | IS : 10914 - 1991 , 16.9-28 , 12 PLY RATING , MAKE- CEAT, MRF, MODI, JK ONLY | NYLON TYRE REAR FOR JCB (DITCH MACHINE) | 1 | NOS |
| 67010507 | 4 | 9.00 - 16 , MAKE - CEAT, MRF, MODI, JK ONLY | BUTYL RUBBER TUBE FOR JCB (DITCH MACHINE) | 1 | NOS |
| 67120005 | 4 | SIZE 39"X9"X20" MAKE CUSH-N-LIFT | SOLID RUBBER CUSHION TYRE FOR GODREJ FLT CAP. | 1 | NOS |
| 67120016 | 4 | ##### | SOLID RUBBER CUSHION TYRE FOR GODREJ FLT CAP. 5 TON SIZE 29"X7.5"X16" | 1 | NOS |

| | | | | | |
|----------|---|--|---|---|-----|
| 67320007 | 4 | SPEC NO. PST/2326/C.W. REV. NIL(SAMPLE TO BE APPROVED BY DY.CME/FP OR AWM/FP BEFORE SUPPLY | HEAVY DUTY RUBBER BONDED CASTER WHEEL SIZE 8 INCH X 50MM WIDE FITTED WITH DOUBLE BALL BEARING WITH CENTRE PIN ONLY (WITHOUT BRACKET) LOAD CARRYING CAPACITY 300 KGS | 1 | NOS |
| 67900011 | 4 | PST/2326/HALF FACE PIECE RESPIRATORS REVI.NIL DT.04/06/08.ISSUED BY DY.CME/FUR/PROG. | ##### | 1 | NOS |
| 67900022 | 4 | MAKE:-VENUS. | RESPIRATOR MASK WITH EXHALATION VALVE,ADJUSTIBLE ELASTIC BAND NOSE CLIP MODEL | 1 | NOS |
| 67980107 | 4 | IS:13098-1991 | TUBE FOR M&M JEEP & TRACTORS FRONT WHEEL, SIZE 6.00-16 MAKE- APPOLLO / CEAT / MRF / JK / DUNLOP / GOODYEAR /MODI CONTINENTAL | 1 | NOS |
| 67980259 | 4 | IS:6761 | MS CAP SCREW WITH NUT SIZE M 10X16 | 1 | NOS |
| 67980296 | 4 | IS:9473-1980 WITH EASILY REPLACEABLE FILTER/CARTRIDGE | MIST RESPIRATOR FOR EFFECTIVE PROTECTION AGAINST PAINT FUMES/ENAM | 1 | NOS |
| 67980308 | 4 | X | MS CAP SCREW WITH NUT M 12X25 | 1 | NOS |
| 67980355 | 4 | IS:13098-1991 | TUBE FPR AMBASSADOR CAR, SIZE 165/80-R-15 MAKE- APPOLLO / CEAT / MRF / JK / DUNLOP / GOODYEAR / | 1 | NOS |
| 67980430 | 4 | AS PER IS:NO. 15633-2005 MAKE-CEAT,MRF,JK,APPOLO ONLY. | RADIAL TYRE FOR RRV CONFORMING TO SIZE 10.00 R 20 | 1 | NOS |
| 67980636 | 4 | AS PER IS: NO 15633-2005 MAKE-CEAT,MRF,JK,APPOLO ONLY. | NYLON TYRE REAR(LUG TYPE) FOR ASHOK LEYLAND TRUCK CONFORMING TO SIZE 10.00-20,16 PLY RATING | 1 | NOS |
| 67980673 | 4 | AS PER IS: NO 15633-2005 MAKE-CEAT,MRF,JK,APPOLO ONLY. | RADIAL TYRE SIZE 145/80 R 12 FOR TATA ACE MINI TRUCK CONFORMING TO SIZE 145/80 R12 | 1 | NOS |
| 67980727 | 4 | AS PER IS: NO. 13098-1991 MAKE-CEAT,MRF,JK,APPOLO ONLY | BUTYL RUBBER TUBE FOR QUALIS CONFORMING TO SIZE 195/70 R 14 | 1 | NOS |
| 67980739 | 4 | AS PER IS: NO. 15633-2005 MAKE- | RADIAL TYRE FOR QUALIS CONFORMING TO SIZE | 1 | NOS |
| 67980740 | 4 | AS PER IS:NO.13098-1991 MAKE-CEAT,JK ONLY. | BUTYL RUBBER TUBE FOR ASHOK LEYLAND TRUCK CONFORMING TO SIZE 10.00-20 | 1 | NOS |
| 67980818 | 4 | AS PER IS: 13098 - 1991 MAKE - CEAT, MRF, JK, APPOLO, CONTINENTAL ONLY | BUTYL RUBBER TUBE FOR BOLERO CONFORMING TO SIZE 215/75 R 15 | 1 | NOS |
| 67980820 | 4 | AS PER IS: 15633 - 2005 MAKE - CEAT, MRF, JK, APPOLO, CONTINENTAL ONLY | RADIAL TYRE FOR BOLERO CONFORMING TO SIZE 215/75R 15 | 1 | NOS |
| 67980831 | 4 | AS PER IS: 15636 - 2005 MAKE - CEAT,MRF,JK,APPOLO,CONTINENTAL ONLY | NYLON TYRE FRONT (FM TYRE) FOR ASHOK LEYLAND TRUCK CONFORMING TO SIZE 10.00 - 20, 16 PLY | 1 | NOS |

| | | | | | |
|----------|---|---|--|---|-----|
| 67980855 | 4 | AS PER IS: 13098 - 1991 MAKE - CEAT,MRF,JK,APPOLO,CONTINENTAL ONLY | BUTYL RUBBER TUBE FOR TATA ACE FOUR WHEELER CONFORMING TO SIZE 145/80R 12 | 1 | NOS |
| 67980867 | 4 | AS PER IS: 15633 - 2005 MAKE - | TUBELESS TYRE FOR INNOVA CONFORMING TO SIZE | 1 | NOS |
| 67980879 | 4 | AS PER IS: 13098 - 1991 MAKE -CEAT, MRF,JK,APPOLO, MODI CONTINENTAL ONLY MAKE:-MRF,JK,APPOLO,MODI CONTINENTAL. | BUTYL RUBBER TUBE FOR AMBULANCE TRAVELLER CONFORMING TO SIZE 215R 14 | 1 | NOS |
| 67980880 | 4 | AS PER IS: 15633 - 2005 MAKE - CEAT,MRF,JK,APPOLO,CONTINENTAL ONLY | RADIAL TYRE FOR AMBULANCE TRAVELLER CONFORMING TO SIZE 215R 14 | 1 | NOS |
| 67985270 | 4 | IS:10914(PT-2)-1992 | TYRE NYLON (FRONT) FOR TRACTOR & WELDING SET, SIZE 6.00-16, 6 PLY MAKE- APPOLLO / CEAT / MRF / JK / DUNLOP / GOODYEAR / MODI CONTINENTAL. MAKE:-APPOLO,CEAT,JK,GOODYEAR AND MODI | 1 | NOS |
| 67985282 | 4 | 13.6-28 8PLY | TYRE NYLON WITH TUBE (REAR) FOR TRACTOR | 1 | NOS |
| 67985300 | 4 | IS:10914(PT-2)-1992 | TYRE NYLON FOR BUS/TRUCK, SIZE 9.00-20, 16 PLY MAKE- APPOLLO / CEAT / MRF / JK / DUNLOP / GOODYEAR / MODI CONTINENTAL | 1 | NOS |
| 67985312 | 4 | IS:13098-1991 | TUBE FOR COMPRESSORS, TRAILER 5T & SWARAJ MAZDA SIZE 7.50-16 | 1 | NOS |
| 67985415 | 4 | IS:10914(PT-2)-1992 | TYRE NYLON FOR COMPRESSOR/TRAILER 5T/SWARAJ MAZDA,SIZE 7.50-16,12 PLY | 1 | NOS |
| 67985427 | 4 | IS:10914(PT-2)-1992 | TYRE NYLON FOR TRAILER 8T & SIDE LOADER,SIZE 8.25- | 1 | NOS |
| 67985488 | 4 | ELASTOMERS/HINDUSTAN/KINKAI/PANTHER/VOLTA S/SHAKTI/RUBBERTECH MAKE | TYRE SOLID CUSHIN FRONT FOR SWARAJ KAMATSU FLT,SIZE 28"X9"X15". | 1 | NOS |
| 67985490 | 4 | PAC ITEM- CHICAGO PNEUMATIC INDIA NDLS | SPRING 174CR3-HP PART NO. H 3491 162 | 1 | NOS |
| 67985567 | 4 | MAKE-HT-400 HYPRTHERM OR PART NO. 020039 OF | SWIRAL RING NITROGEN FOR PLASMA CUTTING M/C | 1 | NOS |
| 67985609 | 4 | MAKE- ATTC/ U.S.A. | SWIRAL RING OXYGEN FOR PLASMA CUTTING MACHINE, PART NO.020096 OF ATTC MAKE. | 1 | NOS |
| 67985622 | 4 | MAKE : SHAKTHI | TYRE SOLID CUSHION (FRONT) FOR FORK-LIFTER (GODREJ),OD29"XID15"X7"WIDE | 1 | NOS |
| 67985646 | 4 | TRAXON OF MADRAS ELASTOMERS LTD.CHENNAI/HINDUSTAN OF HINDUSTAN TYRES(P)LTD.MUMBAI/KINKAI OF PRINCESS POLYMERS(P)LTD.CHENNAI/PANTHER OF PANTHER TYRE (P)LTD.INDORE/VOLTAS OF VOLTAS LTD. NEW | TYRE SOLID CUSHION (FRONT) FOR FORK-LIFTER (VOLTAS),OD26"XID12"X7"WIDE | 1 | NOS |

| | | | | | |
|----------|---|--|--|---|-----|
| 67985658 | 4 | OD 457XID 308X 127 WIDTH, ELASTOMERS/HINDUSTAN/AMTRACK/PANTHER/MA | TYRE SOLID CUSHION (REAR) FOR FORK-LIFTER (MACNEIL & MAGOR) | 1 | NOS |
| 67985671 | 4 | ##### | TYRE SOLID CUSHION (REAR) WIDE FOR FORK-LIFTER (GODREJ/VOLTAS/SAWRAJ)SIZE | 1 | NOS |
| 67985695 | 4 | ARAVALI MAKE OR SIMILAR | VISOR FOR RESPIRATOR | 1 | NOS |
| 67985701 | 4 | PART NO. PF001-013 OF M/S PATHFINDER METALOGICS. | SENSING RINGS/ SCANNER FOR BYSTRONIC LASER PROFILE CUTTING MACHINE | 1 | NOS |
| 67985713 | 4 | SIZE 7.50-16 | TUBE FOR | 1 | NOS |
| 67988015 | 4 | 6.00-16 6 PLY | TUBE FOR M&M JEEP | 1 | NOS |
| 67988039 | 4 | IS:13098-1991 | TUBE REAR FOR TRACTOR SIZE 13.6-28 | 1 | NOS |
| 67988052 | 4 | IS:13098-1991 | TUBE FOR BUS/TRUCK SIZE 9.00-20 MAKE- APPOLLO / CEAT / MRF / JK / DUNLOP / GOODYEAR / MODI CONTINENTAL. MAKE:- | 1 | NOS |
| 67988076 | 4 | IS:13098-1991 | TUBE FOR HYDRAULIC PLATFORM SIZE 7.00-15 | 1 | NOS |
| 67988088 | 4 | IS:13098-1991 | TUBE FOR MARUTY GYPSY AND TATA MOBILE SIZE F-78- 15 MAKE- APPOLLO / CEAT / MRF / JK / DUNLOP / GOODYEAR / MODI CONTINENTAL | 1 | NOS |
| 67988131 | 4 | IS:13098-1991 | TUBE FOR TRAILOR 8T & SIDE LOADER, SIZE 8.25-20 MAKE- APPOLLO / CEAT / MRF / JK / DUNLOP / GOODYEAR / MODI CONTINENTAL. MAKE:- APPOLO,CEAT,MRF,JK,GOODYEAR,MODI | 1 | NOS |
| 67988155 | 4 | IS:10914(PT-2)-1992 | TYRE NYLON FOR M&M JEEP, SIZE 6.00-16 6PLY MAKE/BRAND- CEAT/ TURBO RIB XM. | 1 | NOS |
| 67988179 | 4 | IS:10914(PT-2)-1992 MAKE : JK/MRF/DUNLOP/GOOD | TYRE NYLON (REAR) FOR TRACTOR, SIZE 13.6-28, 8 PLY | 1 | NOS |
| 67988234 | 4 | IS:10914(PT-2)-1992 | TYRE NYLON FOR HYDRAULIC PLATFORM, SIZE 7.00-15, | 1 | NOS |
| 67988246 | 4 | IS:10914(PT-2)-1992 | TYRE NYLON FOR MARUTI GYPSY AND TATA MOBILE, SIZE F 78-15, 4 PLY MAKE- APPOLLO / CEAT / MRF / JK / DUNLOP / GOODYEAR / MODI CONTINENTAL | 1 | NOS |
| 67988258 | 4 | IS:10914(PT-3)-1991 | TYRE NYLON FOR MARUTI VAN, SIZE R-80/4.50-12, 6 PLY MAKE- APPOLLO / CEAT / MRF / JK / DUNLOP / GOODYEAR / MODI CONTINENTAL | 1 | NOS |

| | | | | | |
|----------|---|--|--|---|-----|
| 67988271 | 4 | IS:15633-2005 | TYRE NYLON FOR STAFF CAR, SIZE 165/80-R15 MAKE-APPOLLO / CEAT / MRF / JK / DUNLOP / GOODYEAR / | 1 | NOS |
| 70010160 | 4 | IS:715 (PART-I)1976 SECTION 2 | SILICON CARBIDE WATER PROOF PAPER 150 SIZE | 1 | NOS |
| 70011874 | 4 | IS:8915-78 & IS:13596-93 (CARBORUNDUM/GRINDWELL/3M MAKE ONLY) MAKE:-CARBORUNDUM. | GRINDING WHEEL 180X7X22.23MM GRADE A24 (DC) | 1 | NOS |
| 70011886 | 4 | IS:715-1976 PART II MAKE:-GRINDWELL NORTON LIMITED. | GRINDING BELT 50MMX1800MM A-36 RR CLOTH (X) | 1 | NOS |
| 70011904 | 4 | MAKE: "GRINDWELL NORTON" | GRINDING BELT 50MMX2000MM A-36 RR CLOTH (X) | 1 | NOS |
| 70011916 | 4 | IS:715 Pt-II 1976 | SANDING DISK GRIT-36 | 1 | NOS |
| 70011928 | 4 | CARBORUNDAM/GRINDWELL NORTON/ORIENT/3M/WURTH/BOSCH) | GRINDING WHEEL 125X7X22.23 MM GRADE A24(DC) | 1 | NOS |
| 70011930 | 4 | IS :2324 (PART-285 IS :13596-93 MAKE:-ORIENT BY GRINDWELL NORTON LTD. | GRINDING WHEEL PLAIN 150X25TX15.88,GRADE:A163R5B912 AS PER IS-551. | 1 | NOS |
| 70011941 | 4 | IS:2324-1974 GRADE 89A60K5V401(CARBORUNDAM/GRINDWELL | SURFACE GRINDING WHEEL DIA 300X50X76.2MM BORE, 38A60K5VBE CODE V357. | 1 | NOS |
| 70011953 | 4 | IS:3264-1985 DESIG-12A2, TABLE 3.9.2 & 6.1, IS GRIT DESIG-D54, CONCENTRATION C38 BY VOLUME, TYPE OF BOND-RESIN, DISHED AT 45 DEGREE MAKE:- ORIENT OF M/s GRINDWELL NORTON | GRINDING WHEEL(DISHED) SIZE DIA 125MM,BORE 20 MM, T-X=23MM,X=4,W=10MM | 1 | NOS |
| 70017104 | 4 | IS:2324(PART-2)-85 & IS:13596-93 AND EN124B (MAKE- GRINDWEL NORTON R-77R) | GRINDING WHEEL PLAIN SIZE-150X25X15.88 (R77R) | 1 | NOS |
| 70017750 | 4 | IS:2324(PART-2)-1985 & IS:13596-1993, GRADE 10A24R5V17,MAKE-3M/MARION WUERTH/BOSCH/HITACHI/CARBORUNDUM/ORIENT /GRINDWELL NORTON. | GRINDING WHEEL 150X31.75X25MM, A24R5V99 CODE V120P. | 1 | NOS |
| 70220030 | 4 | GRIT NO. 220 | SILICON CARBIDE W/P PAPER SHEET WT COAD C/D IN SHEET FROM OF 500 SHEETS OF SIZE 280MM X 230MM. AS PER SPECIFICATION NO. IS: 715/2002 | 1 | NOS |
| 70220177 | 4 | AS PER IS 715-1976 PT 1 WITH AMDT NO 1&2 APRIL 96&MAY 81 BRAND'OAKKEY'S | SILICON CARBIDE NON WATERPROOF PAPER GRIT.150 SIZE 280X230MM ISI MARKE | 1 | NOS |
| 70237128 | 4 | IS:715(PART-I)-1976 SECTION 2 | SILICON CARBIDE WATER PROOF PAPER 180 SIZE | 1 | NOS |
| 70237270 | 4 | APPROVED BRAND 2832-1964 | SILICON CARBIDE WATER PROOF PAPER GR.400 SIZE | 1 | NOS |

| | | | | | |
|----------|---|--|---|---|-----|
| 70500617 | 4 | 89A60 KSV8 OR AA60KFVBE OR 89A60K5 V8/V41;MAKE- ORIENT GRADE:-89A60K5V41. | GRINDING WHEELTAPER CUP 100/73X50X31.75 MM | 1 | NOS |
| 70900016 | 4 | 3M MAKE OR EQUIVALENT AND PST/2326/SPEC/D/PAD REVI-IV ISSUED BY WM/PAINT DT.03.11.2010. | VELCRO TYPE DISC BACK UP PAD WITH HOLES FOR VCUUM EXTRACTION WITH HOOK IT SYSTEM SIZE 5" | 1 | NOS |
| 72010022 | 4 | PRODUCT NO. 3905-300-24-100 OF SANDCUT BAHCO MAKE OR PRODUCT NO. 3801-300-24-100P OF SANDVIK MAKE OR BIPICO ECLIPSE MAKE SIZE- | BLADE HACK-SAW HSS, 24 TPI, ALL HARD, SIZE- 300X12.50X0.63 | 1 | NOS |
| 72010307 | 4 | PRODUCT NO. 3905-300-32-100 OF SANDCUT BAHCO MAKE OR PRODUCT NO.3801-300-32-100P OF SANDVIK MAKE OR BIPICO ECLIPSE MAKE SIZE | BLADE HACK-SAW ,32 TPI HSS, ALL HARD, SIZE- 300X12.50X0.63 | 1 | NOS |
| 72010356 | 4 | TYPE: A, SIZE (MM) (L X W X T): 300X12.5X0.63, NO. OF TEETH PER 25MM: 18. | HIGH SPEED STEEL HAND HACKSAW BLADES. | 1 | NOS |
| 72020011 | 4 | DIN 338,OTHER DETAILS AS PER ENCLOSED ANNEXURE-MP/SPEC-01/12 DATED-07.11.2012.TO BE PURCHASED FROM OEM, OR THE AUTHORIZED | HIGH SPEED STEEL HIGH COBALT CONTANT DRILL BIT 3.7 MM | 1 | NOS |
| 72020022 | 4 | IS:5101-1991, TOOL TYPE 'N' WITH 135 DEGREE POINT ANGLE | DRILL TWIST M42 HSS PS 4.3 MM (JOBBER SERIES) SUITABLE FOR STAINLESS STEEL | 1 | NOS |
| 72020033 | 4 | SPMW 120408 TN450 (18618624), MAKE/BRAND- SPMT 120408-WL 4040 or similar (compatible to milling cutter no: R215.64-32A.32-4512(SANDVIK | CARBIDE INSERT | 1 | NOS |
| 72020044 | 4 | R215-4415T308M-WL (P/HC-4040) MAKE: SANDVIK . | CARBIDE INSERT | 1 | NOS |
| 72020055 | 4 | S PMT 09T308-WL (P/HC-4030) SANDVIK | CARBIDE INSERT | 1 | NOS |
| 72020066 | 4 | LNCX 1806 AZR-11 (P/HC-4030) SANDVIK/WIDIA/SECO | CARBIDE INSERT | 1 | NOS |
| 72020077 | 4 | PART NO. 60A 167 OF IGM ROBOT MAKE:- IGM,AUSTRIA | CONTACT TIP 1.2MM FOR IGM ROBOT | 1 | NOS |
| 72020088 | 4 | PART NO. 60A 578 OF IGM ROBOT MAKE:- IGM,AUSTRIA | TIP ADOPTER FOR IGM ROBOT | 1 | NOS |
| 72020099 | 4 | AS PER PART NO. PLA 74051100 OF M/S L&T OR PART NO. PG 5104 OF M/S PATHFINDER METALOGICS,PUNE OR SIMILAR | G-51 TIP 1.0-3A | 1 | NOS |

| | | | | | |
|----------|---|---|--|---|-----|
| 72027010 | 4 | MAKE- II-VI INFRARED PART NO L758 | CYLINDRICAL NOZZLE DIA 1.2 MM FOR LVD LASER | 1 | NOS |
| | | LVD PART NO. D7945434 | CYLINDRICAL NOZZLE DIA 1.5 MM FOR LVD LASER | | |
| 72027022 | 4 | MAKE- II-VI INFRARED PART NO.L142 | CUTTING M/C. | 1 | NOS |
| 72027034 | 4 | MAKE- II-VI INFRARED PART NO L143 | CYLINDRICAL NOZZLE DIA 2.0 MM FOR LVD LASER | 1 | NOS |
| | | | CYLINDRICAL NOZZLE DIA 2.5 MM FOR LVD LASER | | |
| 72027046 | 4 | MAKE- II-VI INFRARED PART NO L144 | CUTTING MACHINE. | 1 | NOS |
| 72027058 | 4 | MAKE- II-VI INFRARED PART NO L152X | CONICAL NOZZLE DIA 1.5 MM FOR LVD LASER | 1 | NOS |
| 72027060 | 4 | LVD PART NO.D5241855 OR II-VI INCORPORATED | CONICAL NOZZLE DIA 2.0 MM FOR LVD LASER | 1 | NOS |
| 72027083 | 4 | MAKE- II-VI INFRARED PART NO L147X | CONICAL NOZZLE DIA 2.5 MM FOR LVD LASER | 1 | NOS |
| | | SANDVIK ORD. NO. R415-5-1750-30A CO-1010 OR | | | |
| 72027174 | 4 | WIDIA ORD. NO. 7000775 | DRILLSOLID CARBIDE FOR DIA 17.50 MM | 1 | NOS |
| 72044703 | 4 | ISO D-4 IS:2162-62 | TIP CARBIDE | 1 | NOS |
| 72046806 | 4 | IS:2162-1962 | TIP CARBIDE C20-P20 | 1 | NOS |
| 72047690 | 4 | IS:2162-1962 | TIP CARBIDE D4-P20 | 1 | NOS |
| | | PULLMAX URSVIKEN ART NO. 16150485 AND ART | BEVELLED CUTTER (01 NO NORMAL CUTTING WHEEL & | | |
| 72060004 | 4 | NO. 16150585 OR RCF'S DRAWING NO. XK000101 | 01 NO FINE CUTTING WHEEL | 3 | SET |
| | | WIDIA ORD. NO. 80591004/SANDVIK ORD.NO. | | | |
| 72070016 | 4 | N331.32-100S32KM17.50/ISCAR ORD.NO. SDN D100- | FULL SIDE & FACE MILL CUTTER DIA 100X12X32MM | 1 | NOS |
| 72080006 | 4 | IS:5101-1991 | DRILL TWIST HSS MT 5.3MM | 1 | NOS |
| | | | DRILL CHUCK (1.5-10 MM) 1/2"X20 UNF | | |
| 72080012 | 4 | IS:2243-1971 | MAKE:-SHARP. | 1 | NOS |
| | | DIN 338,OTHER DETAILS AS PER ENCLOSED | | | |
| | | ANNEXURE-MP/SPEC-01/12 DATED-07.11.2012.TO | HIGH SPEED STEEL HIGH COBALT CONTENT DRILL BIT | | |
| 72080024 | 4 | BE PURCHASED FROM OEM, OR AUTHORIZED | 7.0 MM | 1 | NOS |
| | | DIN 338,OTHER DETAILS AS PER ENCLOSED | | | |
| | | ANNEXURE-MP/SPEC-01/12 DATED-07.11.2012.TO | HIGH SPEED STEEL HIGH COBALT CONTENT DRILL BIT | | |
| 72080036 | 4 | BE PURCHASED FROM OEM, OR THE AUTHORIZED | 8.5MM | 1 | NOS |
| | | DIN 338, OTHER DETALS AS PER ANNEXURE | HIGH SPEED STEEL HIGH COBALT CONTANT DRILL BIT | | |
| 72080048 | 4 | ENCLOSED | 12 MM OVER ALL LENGTH 151MM CUTTING LENGTH | 1 | NOS |
| | | | HIGH SPEED STEEL HIGH COBALT CONTENT DRILL BIT | | |
| 72080061 | 4 | AS PER ANNEXURE 'A' ENCLOSED. MAKE : HILTI | 3.7 MM OVERALL LENGTH 70MM CUTTING LENGTH | 1 | NOS |
| | | DIN 338,OTHER DETAILS AS PER ENCLOSED | | | |
| | | ANNEXURE-MP/SPEC-01/12 DATED-07.11.2012. TO | HIGH SPEED STEEL HIGH COBALT CONTENT DRILL BIT | | |
| 72080073 | 4 | BE PURCHASED FROM OEM,OR THE AUTHORIZED | 4.3MM | 1 | NOS |

| | | | | | |
|----------|---|---|---|---|-----|
| 72080085 | 4 | DIN 338,OTHER DETAILS AS PER ENCLOSED ANNEXURE-MP/SPEC-01/12 DATED-07.11.2012.TO BE PURCHASED FROM OEM, OR THE AUTHORIZED | HIGH SPEED STEEL HIGH COBALT CONTENT DRILL BIT 5.2MM | 1 | NOS |
| 72080097 | 4 | DIN 338,OTHER DETAILS AS PER ENCLOSED ANNEXURE-MP/SPEC-01/12 DATED-07.11.2012. TO BE PURCHASED FROM OEM,OR THE AUTHORIZED | HIGH SPEED STEEL HIGH COBALT CONTENT DRILL BIT 10MM | 1 | NOS |
| 72090420 | 4 | IS:6175-1977 PT -2 | SHORT MACHINE TAP 3.00 MM | 1 | NOS |
| 72090728 | 4 | IS:6175(PART-3)-1992 MAKE:- RKF OF REKOFA. | TAPS HAND HSS MET C-PITCH M8X1.25 | 3 | SET |
| 72090807 | 4 | IS:6175(PART-3)-1992 MAKE:-TECHOM OF LUCKY TOOLS ENTERPRISES. | TAPS HAND HSS MET C-PITCH M10X1.5 | 3 | SET |
| 72090909 | 4 | X | SHORT MACHINE TAP 4MM | 1 | NOS |
| 72090960 | 4 | IS:6175(PART-3)-1992 MAKE:-TECHOM OF LUCKY TOOLS ENTERPRISES. | TAPS HAND HSS MET C-PITCH M16X2 | 3 | SET |
| 72094898 | 4 | IS:6175(PART-4)-1991 MAKE:-TECHOM OF LUCKY TOOLS. | TAP M/C HSS MC PITCH TY B M5X0.8 | 1 | NOS |
| 72094941 | 4 | IS:7821-1975 | TAP M/C HSS MC PITCH TY B M10X1.5 | 1 | NOS |
| 72094965 | 4 | IS:7821-1975 | TAP M/C HSS PITCH TYPE B M12X1.75 | 1 | NOS |
| 72094989 | 4 | IS:6175(PART 4)-1991,MAKE-RKF BY REKOFA. | TAP M/C HSS MC PITCH TY B M16X2 | 1 | NOS |
| 72095258 | 4 | IS:6175(PART-4)-1991 MAKE:-TECHOM OF LUCKY TOOLS ENTERPRISES, | TAP M/C HSS MC PITCH TY B M6X1 | 1 | NOS |
| 72095465 | 4 | IS:6175-1977(PART 3) | TAP M/C HSS SHORT M39X3 PITCH | 1 | NOS |
| 72095477 | 4 | IS:7821-1975 | TAP M/C HSS MC PITCH TYPE B M4X0.7 | 1 | NOS |
| 72137010 | 4 | IS:7975(PART 2)-1991 CLAUSE 4.4, MAKE-EVEREST, PRODUCT CODE-80 | RATCHET HANDLE REVERSIBLE 12.5MM SQUARE DRIVE | 1 | NOS |
| 72140014 | 4 | DIN:838, IS:2029-1998 MAKE: EASTMAN | RING SPANNER DE 32/36MM | 1 | NOS |
| 72140025 | 4 | DIN:838, IS:2029-1998 MAKE : EASTMAN | RING SPANNER DE 34/36MM | 1 | NOS |
| 72140080 | 4 | CERATIZIT ORD NO:- TNMG160404 EN-M52 GRADE CT P2120 FOR INSERTS AND PTTNR 2020K 16 FOR TOOL HOLDERS. IT SHOULD BE OF ISO STANDERDS. | SET OF TURNING TOOL HOLDER AND CARBIDE INSERT (TURNING TOOLHOLDER = 01 NO, INSERT=33 NOS) | 3 | SET |

| | | | | | |
|----------|---|---|---|---|-----|
| 72140094 | 4 | ALL METALIC TOREQUE RANGE 700NM, MAXIMUM TORQUE 100NM TO 800NM APPROX. REVERSE TORQUE 900NM, TYPE OF POWER PNEUMATIC. HOSE SIZE 3/8" AIR INLET 1/4" APPROXIMATE WEIGHT 2.5 KG | IMPACT WREC�H 1/2" SQUARE DRIVE WITH PU HOSE PIPE WITH 12MM ID SPRING/SQUERL TYPE = 20 METERS AND END CONNECTOR FOR HOSE PIPE= 2 SETS MAKE CHICAGO PNUEMATIC CP7749 SERIES, MARION WUERTH, BOSCH OR SIMILAR | 1 | NOS |
| 72140100 | 4 | ALL METALIC TORQUE RANGE 800NM, MAX TORQUE 800NM TO 1300NM, APPROX. REVERSE TORQUE 1400NM. TYPE OF POWER PNEUMATIC HOSE SIZE 3/8" AND AIR INLET 1/4". APPROX. WEIGHT 3.25 KG | IMPACT WRENCH 3/4" SQUARE DRIVE WITH PU HOSE PIPE 12MM ID SPRING/SQUERL TYPE = 20 METER & END CONNECTOR FOR HOSE PIPE = 2 SETS MAKE CHICAGO PNUEMATIC RP8272 SERIES, MARION | 1 | NOS |
| 72140112 | 4 | IS:7268-1974 (CALIBRATION CERTIFICATE SHOULD BE PROVIDED BY THE FIRM) MAKE:-MACMASTER. | 3/4" SQUARE DRIVE RATCHET TYPE TORQUE WRENCH CAP- 135-675NM(14-70 KGM) | 1 | NOS |
| 72140124 | 4 | 7381/DIN 3124/ISO 2725 MAKE TAPARIA, EASTMAN, EVEREST OR AMBIKA | GOTTI 24MM WITH 1/2" SQUARE DRIVE 70MM LENGTH | 1 | NOS |
| 72140136 | 4 | IS:7268-1974 (CALIBRATION CERTIFICATION SHOULD BE PROVIDED BY THE FIRM) | TORQUE WRENCH 14-70NM | 1 | NOS |
| 72140148 | 4 | IS:7268-1974 (CALIBRATION CERTIFCATE SHOULD BE PROVIDED BY THE FIRM) | 3/4" SQUARE DRIVE TORQUE WRENCH 14-56 NM | 1 | NOS |
| 72147015 | 4 | IS:6149-1984 & DIN:3117 | ADJUSTABLE WRENCH 300MM (12 INCH) | 1 | NOS |
| 72202520 | 4 | IS:5101 | DRILL TWIST HSS PS 2.5 MM | 1 | NOS |
| 72202695 | 4 | IS:5101-1991 | DRILL TWIST HSS PS 3.70 MM | 1 | NOS |
| 72202750 | 4 | IS:5101-1991 | DRILL TWIST HSS PS 4.30 MM | 1 | NOS |
| 72202774 | 4 | IS:5101-1969 | DRILL TWIST HSS PS 4.50 MM | 1 | NOS |
| 72202828 | 4 | DIN 338,OTHER DETAILS AS PER ENCLOSED ANNEXURE-MP/SPEC-01/12 DATED-07.11.2012.TO BE PURCHASED FROM OEM,OR THE AUTHORIZED | HIGH SPEED STEEL HIGH COBALT CONTANT DRILL BIT 5.0 MM | 1 | NOS |
| 72202877 | 4 | , | M2 HSS PARALLER SHANK TWIST DRILLS JOBBER SERIES 5.50 MM FG TI IS: 5101-1991, 181160550. | 1 | NOS |
| 72202920 | 4 | DIN 338,OTHER DETAILS AS PER ENCLOSED ANNEXURE-MP/SPEC-01/12 DATED-07.11.2012.TO BE PURCHASED FROM OEM,OR THE AUTHORIZED | HIGH SPEED STEEL HIGH COBALT CONTANT DRILL BIT 6.0 MM | 1 | NOS |
| 72202956 | 4 | DIN 338,OTHER DETAILS AS PER ENCLOSED ANNEXURE-MP/SPEC-01/12 DATED-07.11.2012.TO BE PURCHASED FROM OEM, OR THE AUTHORIZED | HIGH SPEED STEEL HIGH COBALT CONTANT DRILL BIT 6.3 MM | 1 | NOS |

| | | | | | |
|----------|---|---|---|---|-----|
| 72203171 | 4 | IS:5101-1991, MAKE: DAGGER/ IT | DRILL TWIST HSS PS 8.50 MM | 1 | NOS |
| 72203328 | 4 | IS:5101-1991 | DRILL TWIST HSS PS 10.00 MM | 1 | NOS |
| 72207978 | 4 | DIN 338, OTHER DETAILS AS PER ANNEXURE | HIGH SPEED STEEL HIGH COBALT CONTANT DRILL BIT | 1 | NOS |
| 72208030 | 4 | IS:5103-1969 | DRILL TWIST HSS MT 10.0 MM | 1 | NOS |
| 72208077 | 4 | DIN 338,OTHER DETAILS AS PER ENCLOSED ANNEXURE-MP/SPEC-01/12 DATED-07.11.2012.TO BE PURCHASED FROM OEM, OR THE AUTHORIZED | HIGH SPEED STEEL HIGH COBALT CONTANT DRILL BIT 11 MM | 1 | NOS |
| 72208193 | 4 | DIN 338,OTHER DETAILS AS PER ENCLOSED ANNEXURE-MP/SPEC-01/12 DATED-07.11.2012.TO BE PURCHASED FROM OEM, OR THE AUTHORIZED | HIGH SPEED STEEL HIGH COBALT CONTANT DRILL BIT 14 MM | 1 | NOS |
| 72208351 | 4 | DIN 338,OTHER DETAILS AS PER ENCLOSED ANNEXURE-MP/SPEC-01/12 DATED-07.11.2012.TO BE PURCHASED FROM OEM, OR THE AUTHORIZED | HIGH SPEED STEEL HIGH COBALT CONTANT DRILL BIT 18 MM | 1 | NOS |
| 72208478 | 4 | IS:5103-1969 | DRILL TWIST HSS MT 21.0 MM | 1 | NOS |
| 72209215 | 4 | IS:5103-1969 | DRILL TWIST HSS MT 47.0 MM | 1 | NOS |
| 72209355 | 4 | IS:5103-1969 | DRILL TWIST HSS MT 57.0 MM | 1 | NOS |
| 72209471 | 4 | IS:5103-1969 | DRILL TWIST HSS MT 69.0 MM | 1 | NOS |
| 72209549 | 4 | IS:5103-1969 MATERIAL M-35 HAVING 5% COBALT CONTENT. TO BE PURCHASED FROM OEM OR THE | HIGH SPEED STEEL HIGH COBALT TAPER SHANK TWIST DRILL 76 MM. | 1 | NOS |
| 72505138 | 4 | IS:1270-1965 (SUPERIOR QUALITY) | TAPE METRIC MEASURING STEEL 9.5MMX30MTR | 1 | NOS |
| 72507093 | 4 | IS:1270-1965 (SUPERIOR QUALITY) MAKE- FREEMAN | TAPE METRIC MEASURING STEEL 13MMX2 MTR | 1 | NOS |
| 72902590 | 4 | BRANDS REQUIRED- TAPARIA,EVEREST,PYE,EASTMAN,JHALANI. | PLIERS COMBINATION 200MM WITH INSULATION | 1 | NOS |
| 72903235 | 4 | ISO NO. PTFNR 2525 M16 | TURNING TOOL HOLDER | 1 | NOS |
| 72907496 | 4 | IS:4009 TAB 2 | GREASE NIPPLE STR AM 10X1 | 1 | NOS |
| 72980015 | 4 | PART NO. 60A 595 OF IGM ROBOT MAKE:- IGM,AUSTRIA | GAS RING FOR IGM ROBOT | 1 | NOS |
| 72980026 | 4 | PART NO 60A 200 OF IGM ROBOT MAKE:- IGM,AUSTRIA | GAS NOZZLE CONICAL WATER COOLED FOR IGM ROBOT | 1 | NOS |
| 72980037 | 4 | PART NO. 60A 326 OF IGM ROBOT MAKE:- IGM,AUSTRIA | WIRE LINER 3.5MM FOR IGM ROBOT | 1 | NOS |

| | | | | | |
|----------|---|--|--|----|-------|
| 72980048 | 4 | AS PER PART NO. PLA 73105110 OF M/S L&T OR PART NO. PG 5102 OF M/S PATHFINDER METALOGICS,PUNE OR SIMILER. | G-51 ELECTRODE | 1 | NOS |
| 72980059 | 4 | ,MAKE:- PG5103 OF PATHFINDER.SAMPLES TO BE SUPPLIED AND GOT APPROVED FROM THE USER | G-51 AIR DISTRIBUTIVE RING | 1 | NOS |
| 72980060 | 4 | PART N. 73305103 OF M/S MESSER/ PART NO OF | G-51 SHIELD CAP (FIBRE+GLASS) | 1 | NOS |
| 72980070 | 4 | WIDIA ORD.NO. TPAN 1103 PPN PA 120/ SECO ORD.NO. TPAN 1103 PPN 800R/ L&T ORD.NO. TPAN | CARBIDE INSERT | 1 | NOS |
| 72980081 | 4 | SECO ORD. NO. XOMX 090308 TR-M08-250 M | CARBIDE INSERT FOR MACHINING OF CONTROL ARM ON KTM-1000 & HTC-600 MACHINES. | 1 | NOS |
| 72980102 | 4 | MATERIAL IS:7291-1974 M2 (T83W6Mo5Cr4V2) | CHASER TANGENTIAL(HSS) 4 INCH X 1-1/4 INCH,1.5MM PITCH (4 PCS/SET) | 3 | SET |
| 72980138 | 4 | WIDIA ORD.NO. 73085741 | WEDGE SCREW FOR FULL SIDE & FACE MILL CUTTER FOR MACHINING OF CONTROL ARM ON DEKER MAHO | 1 | NOS |
| 72980149 | 4 | SLTTING CUTTER CODE 335.10.315-04.40-24 SUITABLE CARBIDE INSERT FOR ABOVE SLITTING CUTTER CODE 150-10-4L6-12T25 (ONE SET = ONE | SET OF SLITTING CUTTER DIA 315MM AND CARBIDE INSERT (SLITTING CUTTER=01NO, INSERT=100 NOS) | 3 | SET |
| 72980150 | 4 | ESAB PART NO. 462-0607-072 OR SIMILAR. SAMPLE TO BE GOT APPROVED FROM CONSIGNEE BEFORE | GAS NOZZLE | 1 | NOS |
| 72980160 | 4 | ESAB PART NO. 165-1691-942 | SWAN NECK | 1 | NOS |
| 72980171 | 4 | IS:446--1987, TYPE 3 | PNEUMATIC HIGH PRESSURE PIPE (BRAIDED) 8MM | 22 | METRE |
| 72980182 | 4 | SANDVIK ORD NO.TCMT16T308 UR 4025 OR SIMILAR | CARBIDE INSERT (ISO) SUITABLE FOR SPEC. CHAMFRING CUTTER NO SP543 10563/1 | 1 | NOS |
| 72980193 | 4 | MAKE: CERATIZIT APKT 1604 PDSR-29 GM43/LDMT 1504 PDSR-29 | CARBIDE INSERT SUITABLE FOR END MILL DIA 32 MM | 1 | NOS |
| 72980228 | 4 | MAKE/BRAND- CERATIZIT/LDMT1504 PDSR-29 GM.43+ | CARBIDE INSERT SUITABLE FOR END MILL CUTTER DIA 40 MM (S.ORD NO.R390 040B32 17 M) | 1 | NOS |
| 72980230 | 4 | SANDVIK ORD.NO. SP543 10563/6 OR CERATIZIT PART NO. E 120.32.R04 TSC 30 OR EQUIVALENT. | BRAZED END MILL DIA 30MM | 1 | NOS |
| 72980242 | 4 | LVD PART NO. G8040182 OF M/S LVD COMPANY, BELGIUM | SPECIAL NOZZLE (NEW TYPE) WITH CORE AND SPRING CDP, DIA (1.3-2.5MM) | 1 | NOS |
| 72980254 | 4 | MPLCI VERSION 0 MAKE:-TAEGUTECH | SHOULDER MILL CUTTER DIA 80 MM WITH BORE DIA 27 MM AND INSERTS, SCREWS,TARQUE KEY SUITABLE TO FITTED IN ABOVE SAID CUTTER. | 3 | SET |

| | | | | | |
|----------|---|--|--|---|-----|
| 72980266 | 4 | PART NO.AL53 OF M/S II-VI INFRARED (USA) OR PART NO. A0103900 OF M/S BALLIU MTC (BELGIUM) | CERAMIC PART 5" KN HEAD EACH | 1 | NOS |
| 72980278 | 4 | HYPERTHERM HPR260 PART NO.220436 OR THERMACUT PART NO. T10271 OF PART NO. 220346 | SWIRIL RING | 1 | NOS |
| 72980280 | 4 | MPLMK25 VERSION 0, A) CUTTER DIA 25MM 25AO2R044A25SED18=01 NOS, B)INSERTS- EDPT180516PDSRGD KCPK30=50 NOS, C) INSERT SCREW MS2126=10NOS, D) TORQUE KEY DT151P = | MILLING KIT DIA 25MM MAKE- KENNAMETAL/GERMANY | 3 | SET |
| 72980291 | 4 | IS:7653, MAKE ESSAB | GAS CUTTING NOZZLE 1/16" IN ONE PIECE FOR NM250 GAS CUTTER | 1 | NOS |
| 72980308 | 4 | HYPERTHERM HPR260 PART NO. 220435 OR SIMILAR MAKE:-ABICOR BINZELTHERMACUT. | ELECTRODE | 1 | NOS |
| 72980310 | 4 | HYPERTHERM HPR260 PART NO. 220398, MAKE HYPERTHERM, | RETAINING CAP | 1 | NOS |
| 72980321 | 4 | SANDVIK ORDERING NO. R840-0850-50-W IA TO BE FITTED IN ADAPTOR SANDVIK ORDERING NO. C4- 391.21-10070 FOR WHISTLE NOTCH CONNECTION | CARBIDE DRILL 8.5MM MAKE- KENNAMETAL/GERMANY | 1 | NOS |
| 72980333 | 4 | MPLDKHD26 VERSION 0 | DRILLING KIT OF HOLE DIA 26MM MAKE- ISCAR, PER KIT LIST OF ITEM AS PER ENCLOSE ANNEXURE-E | 3 | SET |
| 72980345 | 4 | HYPERTHERM HPR260 PART NO.220352, MAKE HYPERTHERM, | ELECTRODE | 1 | NOS |
| 72980357 | 4 | HYPERTHERM HPR260 PART NO. 220440, MAKE HYPERTHERM, | SHIELD | 1 | NOS |
| 72980369 | 4 | MAKE:THERMACUT PART NO.T-11150. | INNER RETAINING CAP | 1 | NOS |
| 72980370 | 4 | MAKE:THERMACUT PART NO.T-9966. | INNER RETAINING CAP | 1 | NOS |
| 72980382 | 4 | HYPERTHERM HPR260 PART NO. 220354, MAKE HYPERTHERM, | NOZZLE | 1 | NOS |
| 72980394 | 4 | IS:7268-1974 (CALIBRATION CERTIFICATE SHOULD BE PROVIDED BY THE FIRM) MAKE:-TORQUE MASTER MODEL NO TM 250 R. | 1/2" SQUARE DRIVE RATCHET TYPE TORQUE WRENCH CAP-70-340 NM(7-35 KGM) | 1 | NOS |
| 72980400 | 4 | SANDVIK ORDERING NO. /TNMG220412 EN M70 CTIC 1115.MAKE OF CERATIZIT INDIA PVT.LTD. | CARBIDE INSERT TNMG220412 | 1 | NOS |

| | | | | |
|----------|---|--|--|-------|
| 72980412 | 4 | SANDVIK ORDERING NO. CNMX191140 PF 4325 OR PRAMET ORDERING NO. SNMX191140 SN-RFT9325 OR EQUIVALENT MAKE OF KENNAMETAL/WALTER WITH PERFORMANCE OF MINIMUM LIFE OF 6 | ##### | 1 NOS |
| 72980436 | 4 | DORMER PART NO. EX10TIN M16X1.5 OR EQUIVALENT MAKE OF TAEGUETEC/WALTER/KENNAMETAL WITH PERFORMANCE OF MINIMUM LIFE OF 50 AXLES PER | TIN COATED SPIRAL MACHINE TAP M16X1.5MM FOR TAPPING IN RAILWAY AXLES TO MATERIAL SPEC. IRS-R-16/95 OF BLIND HOLES UPTO 40MM DEPTH AT 100 RPM SPEED, 150 MM/MIN FEED. | 1 NOS |
| 72980448 | 4 | ##### | SET OF MODULAR DRILL 17.5MM FOR RAILWAY AXLES WITH 5 NOS INSERTS AND 1 NO. INSERT SCREW MAKE KENNAMETAL, SECO, WALTER, TAEGUETEC OR | 3 SET |
| 72980450 | 4 | MPLDKHD31 VERSION 0 | DRILLING KIT OF HOLE DIA 31MM MAKE ISCAR. | 3 SET |
| 72980461 | 4 | SANDVIK ORDERING NO. R411.5140 34 D14 p20 | CARBIDE DRILL DIA 14MM MAKE SANDVIK, KENNAMETAL, ISCAR OR WALTER | 1 NOS |
| 72980473 | 4 | MPLSMCD63 VERSION 0 | KIT OF SHOULDER MILL CUTTER DIA 63MM MAKE- | 3 SET |
| 72980485 | 4 | ISCARCODE NO. EHR150a63-4C16-123*IC08 | ROUGHING END MILL DIA 15MM MAKE-ISCAR | 1 NOS |
| 72980497 | 4 | MPLMSMK VERSION 0,MAKE:- CERATIZIT-CUTTER C211.32.R.03-15-A-40 QTY-01 NOS. INSERT-XDKT 150508 SR-M50 CTPP235 QTY-100 NOS. SCREW-10006887/M3.5X8.6/15IP QTY-20 NOS. | METAL STOP MILLING KIT MAKE SANDVIK, KENNAMETAL, ISCAR,WALTER OR CERATIZIT | 3 SET |
| 72980503 | 4 | ISCAR CODE CD0350 045XX-SN4U178598, UOP ORDERING NO. 341050350E9 | REAMER DIA 35E9 MAKE-ISCAR | 1 NOS |
| 72980515 | 4 | HYPERTHERM HPR260 PART NO. 220439 OR SIMILAR, OTHER SUITABLE MAKES ARE THERMACUT AND PRO-ARC WITH SIMILAR PART NO. MAKE:-ABICOR BINZEL,THERMACUT PART NO.T- | NOZZLE | 1 NOS |
| 72980527 | 4 | ##### | INSERT MAKE WIDIA, SECO, CERATIZIT, MITSUBISHI. | 1 NOS |
| 72980539 | 4 | . | TIN COATED SPIRAL MACHINE TAP M20X2.5MM FOR RAILWAY AXLES OF BLIND HOLES UPTO 50MM DEPTH, MAKE:-DORMER.PRODUCT CODE NO.EX00TINM20. | 1 NOS |

| | | | | | |
|----------|---|---|---|---|------|
| 72980540 | 4 | SANDVIK ORDERING NO.TNMG160412, WM-4315 OR EQUIVALENT MAKE OF KENNAMETAL/ WALTER/MITSUBISHI/PRAMET WITH PERFORMANCE OF MINIMUM LIFE OF 8 ICF AXLES PER EDGE AND | ##### | 1 | NOS |
| 72980552 | 4 | MPLOKLCW VERSION 1 | OPTICS KIT FOR LASER CUTTING & WELDING LCW (BALLIU) MACHINE. | 3 | SET |
| 72980564 | 4 | MPLOKLVD, VERSION 2 | OPTICS KIT FOR CNC LASER CUTTING MACHINES (LVD- | 3 | SET |
| 72981076 | 4 | ENGINEERS' SCREW DRIVER OF COMMERCIAL QUALITY, MAKE: JOHNSON. | ENGINEERS SCREW DRIVER 18"(450 mm) | 1 | NOS |
| 72981088 | 4 | IS:844-1979 | SCREW DRIVER 12 INCH | 1 | NOS |
| 72981155 | 4 | IS;2243-1971 TAB 3.1 &4.1 MAKE JUG/BENTEX | DRILL CHUCK THREE JAW LIGHT DUTY 10 MM,[WITH | 1 | NOS |
| 72981167 | 4 | ##### | DRILL CHUCK H6M10,GUIDED 3 JAW,INDUSTRIAL,TYPE H WITH NOM.SIZE 6MM | 1 | NOS |
| 72981180 | 4 | BLACK & DECOR OR SIMILAR | CARBON BRUSH NO 916425 OF BLACK & DECOR 6 MM | 2 | PAIR |
| 72985021 | 4 | BOSCH-PART NO. T-144 D/T-101 D, ATLAS COPCO PART NO. ID NO.4932 2131 16/ID NO.4932 2743 51. MAKE:-BOSCH PART NO.T-144D. | BLADE FOR BOSCH JIG SAW FOR WOOD CUTTING CAPACITY 60MM,65MM | 1 | NOS |
| 72985033 | 4 | BLADE WIDTH=92 MM BOLT PITCH=26 MM MODEL F-30-1 CODE NO.958893Z | BLADE FOR ELECTREX HITACHI (JAPAN) PLANER 92 MM (ONE SET OF TWO B | 3 | SET |
| 72985045 | 4 | BLADE WIDTH=82 MM BOLT PITCH=26 MM MODEL P-20V PAC ON M/S ELECTREX | BLADE FOR ELECTREX HITACHI (JAPAN) PLANNER 82 MM (ONE SET OF TWO | 3 | SET |
| 72985057 | 4 | ISO:532Y-PCLR-12 | BORING BAR | 1 | NOS |
| 72985069 | 4 | DIN 338,OTHER DETAILS AS PER ENCLOSED ANNEXURE-MP/SPEC-01/12 DATED-07.11.2012 | HIGH SPEED STEEL HIGH COBALT CONTANT DRILL BIT 14 MM | 1 | NOS |
| 72985082 | 4 | IS:5169-1986 | STRAIGHT GRIP NON-ADJUSTABLE FLAT HACKSAW | 1 | NOS |
| 72985227 | 4 | IS:5101-1991 | DRILL TWIST HSS PS 5.2 MM | 1 | NOS |
| 72985239 | 4 | IS:1270-1965 (SUPERIOR QUALITY) | TAPE METRIC MEASURING STEEL 13MMX3MTR | 1 | NOS |
| 72985252 | 4 | IS:2594(HS) 2003 | MACHINE HACKSAW BLADE A600X50X2.5X4.0 MM | 1 | NOS |
| 72985290 | 4 | IS:844-1979 (PART II) -1979 MAKE : EVEREST. | SCREW DRIVER (ENGINEERS) 1.6 x 10 x 250 WITH PLASTIC HANDLE | 1 | NOS |
| 72985380 | 4 | MAKE ACCUMAX(WP)/WIDIA/LEITZ/WUD TOOLS/MAGICUT/ORIENTAL MACHINE TOOLS (FOR CUTTING OF LP SHEET/PLYWOOD),SAMPLE SHOULD BE GOT APPROVED BEFORE BULK SUPPLY. | CIRCULAR SAW TUNGSTON CARBIDE TIPPED DIA 405,BORE 35,TEETH 72,THICK 4MM | 1 | NOS |

| | | | |
|----------|--|--|-------|
| 72985410 | 4 IS:7821-1975 | TAP M/C HSS MC PITCH TYPE B M 12X1.7 | 1 NOS |
| 72985616 | 4 962103Z,96215Z MPDEL ZHT-60 | BLADE FOR JIG SAW FOR ELECTREX AS PER CODE NO 962103Z,962105Z | 1 NOS |
| 72986001 | 4 HSS M42 COBALT FOR STAINLESS STEEL CUTTING | BIMETAL CUTTING BANDSAW BLADE (ENDLESS) SIZE 1.1X34X4430MM 5/8 TPI | 1 NOS |
| 72986013 | 4 IS: 7291-1981 GRADE- XT110MO10CO8CR4W2 TEETH MATERIAL- AS PER IS: 7291-1981 GRADE- XT110MO10CO8CR4W2, BACK MATERIAL- HIGH TENSILE TEMPERED STEEL WITH 3.8 TO 4.2 PERCENT CR HAVING 48-52 RC. | BIMETAL CUTTING BANDSAW BLADES (ENDLESS) SIZE 1.07X34X4430 MM, 4/6 TPI | 1 NOS |
| 72986025 | 4 HSS M42 COBALT FOR STAINLESS STEEL MATERIAL CUTTING | BIMETAL CUTTING BANDSAW BLADES (ENDLESS) SIZE 4430X34X1.1 2/3 TPI (BIPICO) | 1 NOS |
| 72986049 | 4 HSS M42 COBALT FOR STAINLESS STEEL CUTTING | BIMETAL CUTTING BANDSAW BLADE (ENDLESS) SIZE 1.1X34X5000MM, 5/8 TPI MAKE:-LENOX BY LENOX INDIA PVT.LTD. | 1 NOS |
| 72986050 | 4 IS: 7291-1981 GRADE- XT110MO10CO8CR4W2 TEETH MATERIAL- AS PER IS: 7291-1981 GRADE- XT110MO10CO8CR4W2, BACK MATERIAL- HIGH TENSILE TEMPERED STEEL WITH 3.8 TO 4.2 PERCENT CR HAVING 48-52 RC. | BIMETAL CUTTING BANDSAW BLADE (ENDLESS) SIZE 1.07X34X5000 MM, 4/6 TPI | 1 NOS |
| 72986116 | 4 T-118-A, FOR STAINLESS STEEL CUTTING HAVING CUTTING LENGTH 70 MM OF M/S BOSCH OR SIMILAR. | JIG SAW BLADE | 1 NOS |
| 72986220 | 4 MAKE- II-VI INFRARED PART NO L148X | CONICAL NOZZLE DIA 3.0 MM FOR LVD LASER | 1 NOS |
| 72986224 | 4 TPAN 2204 PDR 51012204, P15-P40, TPKN 2204 PDSR PU-30 MAKE CARBOLOY, TPAN 2204 PDR TN 7535 MAKE WIDIA, TPAN 2204 PDR GM43 MAKE | CARBIDE INSERT TPAN 2204 PDR 51012204, P15-P40 | 1 NOS |
| 72986232 | 4 II-VI PART # L149X | CONICAL NOZZLE DIA 3.5 MM FOR LVD LASER | 1 NOS |
| 72986236 | 4 SANDVIK ORD.NO. TNMG 160408 QM 4025 OR SIMILAR MAKE/BRAND- | CARBIDE INSERT (ISO) SUITABLE FOR COMB. BORING BAR NO. SP543 1056/1&2 | 1 NOS |
| 72986250 | 4 II-VI PART # L283X | CONICAL NOZZLE DIA 4.0 MM FOR LVD LASER | 1 NOS |
| 72986256 | 4 II-VI PART # L786X | NOZZLE DOUBLE FLOW DIA 2.50/1.50 MM FOR LVD LASER CUTTING M/C. | 1 NOS |

| | | | | | |
|----------|---|---|---|----|-------|
| 72986270 | 4 | LVD PART NO. 29100106 OR II-VI INCORPORATED | CEREMIC PIECE PRECITECH FOR LVD LASER CUTTING | 1 | NOS |
| 72986273 | 4 | SANDVIK ORD.NO. SNMG120408-PM 4035 P35 OR WIDIA ORD.NO. 391120408 TN 4000 OR SIMILAR | CARBIDE INSERT FOR CHAMFERING TOOL | 1 | NOS |
| 72986311 | 4 | SECO ORD.NO. TNMG 160404 MF3375T OR WIDIA OR ISCAR OR SANDVIK OR SIMILAR BRAND:-SUMITOMO. | CARBIDE INSERT SUITABLE FOR TURNING TOOL HOLDER WIDIA ORD NO. PTTNR 2020 K16 | 1 | NOS |
| 72986359 | 4 | ISO NO: CNMG 120408 GC435, CNMG 120408 MP CP 25 MAKE CARBOLOY, CNMG 120408 TN 2000 MAKE | CARBIDE INSERT | 1 | NOS |
| 72986384 | 4 | ISO No: SPMW 120408 MAKE/BRAND- | CARBIDE INSERT | 1 | NOS |
| 72986487 | 4 | ISO No:TPGN 110308 GC415 | CARBIDE INSERT | 1 | NOS |
| 72986565 | 4 | MAKE : CERATIZIT | CARBIDE INSERT TPAN 1603 PPN GM43+ | 1 | NOS |
| 72986608 | 4 | SANDVIC ORDERING CODE No:R166.33-AA200 | CARBEDE INSERT | 1 | NOS |
| 72986645 | 4 | IS:5101-1991, MAKE: DAGGER/ IT | DRILL TWIST HSS PS 6.9 MM | 1 | NOS |
| 72987054 | 4 | MAKE:-PYE-910. IS:11143-1984 | WIRE CUTTER (side cutting plier)size 6" FOR SS WIRE | 1 | NOS |
| 72987285 | 4 | MATERIAL M35A (HSS) WITH 5% COBALT (63-66 | BIT HSS 3/4 INCH SQ X 6 INCH LONG | 1 | NOS |
| 72987297 | 4 | MATERIAL IS:7291-1974 M2 (T83W6MO5CR4V2) MAKE:-TECHOM. | CHASER TANGENTIAL HSS 4 INCH X 1-1/4 INCH 11 TPI BSP (4 PCS/SET) | 3 | SET |
| 72987303 | 4 | MATERIAL IS:7291-1974, M2 (T83W6MO5CR4V 2) MAKE:-TECHOM BRAND. | CHASER TANGENTIAL (HSS) SIZE 4 INCHX1-1/4 INCH,14TPI BSP (4 PCS/SET) | 3 | SET |
| 72987420 | 4 | S-683/3 / 70452516 (SANDVIK/WADIA) | EXT.THREAD. TOOL HOLDER | 1 | NOS |
| 72987603 | 4 | IS:1270-1965 (SUPERIOR QUALITY) | TAPE METRIC MEASURING STEEL 13MMX5MTRS | 1 | NOS |
| 72987613 | 4 | ID NO 4932,2734,84 ATLAS COPCO OR SIMILAR COMPATBLE FOR FITMENT IN PLANNER,SAMPLE TO BE APPD BEFORE BULK SUPPLY | BLADE(TUNGUSTON CARBIDE REVERSIBLE)FOR ELECTRIC PLANNER ATLAS COPCO 82MM MODEL PR3- 82(ONE SET OF 2 BLADE)MAKE:BOSCH | 3 | SET |
| 72987625 | 4 | ID NO 4932316245 OF ATLAS COPCO OR ID NO 932316245 OF AEG POWER TOOLS OR ARTICLE NO 4932316245 OF MILWAUKEE OR SIMILAR COMPATIBLE FOR FITMENT IN PLANNER,SAMPLE TO | TUNGUSTON CARBIDE REVERSIBLE BLADES WITH NOTCHES FOR ELECTRIC PLANNER ATLAS COPCO 102MM MODEL PR 2-5-102(ONE SET OF 2 BLANDE) | 3 | SET |
| 72987637 | 4 | IS:2266-1977 HAVING WIRE OF TENSILE DESGN. 1960 N/SQ.MM | STEEL WIRE ROPE DIA 14MM CONST 6X36 MAIN CORE FIBRE-RHOL,UNGALVD AS PE | 22 | METRE |
| 72987650 | 4 | IS:6175(PART-3)-1992 | TAP HAND HSS MET C-PITCH M24X3 | 3 | SET |
| 72987662 | 4 | 44315039 OR S/682-3 (SANDVIK/WIDIA) | THREADING INSERT | 1 | NOS |

| | | | | | |
|----------|---|--|--|----|-------|
| 72987674 | 4 | IS:6708-1977 TYPE - A | M2 HSS CENTRE 4X10 MM | 1 | NOS |
| 74493152 | 4 | IS:363-1976 TAB.2 FIG.1 | HASP AND STAPLE 90MM | 1 | NOS |
| 74494648 | 4 | IS:1341-76 TAB-3 FIG-1 | HINGE 50 MM | 1 | NOS |
| 74498435 | 4 | IS:1341-1981 TAB 2 | LIGHT WEIGHT MILD STEEL BUTT HINGES UNCRANKED | 1 | NOS |
| 74499245 | 4 | IS:1341-1981 TABLE-6 FIGURE-1 | HINGE 75 MM HOT DIP GALVD. | 1 | NOS |
| 74502815 | 4 | IS:205-92 TABLE-3 PIN OF STAINLESS STEEL TO IS:6528-72 O4Cr18Ni10 | BRASS BUTT HINGE 75E12 SATIN FINISH | 1 | NOS |
| 74505269 | 4 | 4 LEVERS, GRADE-I WITH DUPLICATE KEYS ON STEEL KEY RING TO IS:15275-2003 | PAD LOCK 65MM L.P. | 1 | NOS |
| 74900006 | 4 | QRC & adapter of stainless steel up to 10 bar pressure. These should be got aproved before bulk | QUICK RELEASE COUPLING 3/4" WITH MALE ADAPTER AND 1/2" BARBED END ADAPTER | 1 | NOS |
| 75030037 | 4 | IS:12585-1988 TYPE-2 | SYNTHETIC THERMOPLASTIC POLYMER WATER HOSE 50MM (ISI MARKED) | 22 | METRE |
| 75030044 | 4 | MDTS-234 REV.1 | SYNTHETIC THERMOPLASTIC TPV WATER HOSE 50MM | 22 | METRE |
| 75030056 | 4 | MDTS-234 REV.1 | SYNTHETIC THERMOPLASTIC TPV WATER HOSE | 22 | METRE |
| 75030421 | 4 | IS:446-1987 TYPE 3 | HOSE PIPE 12.5MM (1/2") PNUMATIC) | 22 | METRE |
| 75030470 | 4 | IS:12492-1988 TYPE 2 | THERMOPLASTIC HOSE (TEXTILE REINFORCED) 12.5MM NOMINAL BORE,100MTR LON | 22 | METRE |
| 75030901 | 4 | ##### | PNEUMATIC HOSE PIPE 20MM, TYPE-1, SINGLE BRAIDED, MADE OF NITRILE BUTADIENE RUBBER (NBR), BLACK COLOURED. MAKE-GATES | 22 | METRE |
| 75033586 | 4 | AS PER PART NO. 1300100193 OF M/S ESAB INDIA OR AS PER PART NO. 6457057 OF M/S ADOR WELDING LIMITED OR AS PER PART NO. | HOSE PIPE 8MM (WELDING) FOR OXYGEN BLUE | 22 | METRE |
| 75034487 | 4 | IS:444-87 TY.2 T.1 PARA4.3&4.4 OD-41MM MAX.FIN.SMOOTH/FLUTED/FABRIC | WATER HOSE 31.5MM MANDREL MADE REINFORCED TYPE,NATURAL/SYNTHETIC FIBRE | 22 | METRE |
| 75034608 | 4 | IS:444-87 TY.2 T.1 P.4.3&4.4 OD-63 MM MAXIMUM FIN.SMOOTH/FLUTED/FABRIC | WATER HOSE 50MM MANDREL MADE REINFORCED TYPE, NATURAL/SYNTHETIC FIBRE | 22 | METRE |
| 75036587 | 4 | AS PER PART NO. 1300100203 OF ESAB INDIA | HOSE PIPE 8MM (WELDING) FOR ACTYLENE RED | 22 | METRE |
| 75040670 | 4 | IS:447-1988 | HOSE PIPE 8MM BLACK FOR CO2 | 22 | METRE |
| 75324295 | 4 | RUBBER NEOPRENE | RUBBER NEOPRENE DIA 80MMX65MM LONG SHORE 'A' HARDNESS 60-65 | 13 | KG |
| 75900026 | 4 | PST2326/NP REV- NIL FIRM SHOULD GOT SAMPLE APPROVED BEFORE BULK SUPPLY | PLASTIC / NYLON TAPERED PLUG | 1 | NOS |

| | | | | | |
|----------|---|---|---|----|-----|
| 75906120 | 4 | IS:1719-1979 HARD VARIETY | FELT 6MMX120X1000 MM | 1 | NOS |
| 75909832 | 4 | IS:5710-1970 | COUNTERS BORES WITH M.T SHANKS DIA 22MM | 1 | NOS |
| 75985561 | 4 | IS:5710-1970 | COUNTERS BORES HSS MT 25MM | 1 | NOS |
| 75985573 | 4 | IS:5710-1970 | COUNTERS BORES HSS MT DIA 31MM | 1 | NOS |
| 76010417 | 4 | LVD PART NO 05241993 | CYLINDRICAL NOZZLE DIA 0.8 MM FOR LVD LASER | 1 | NOS |
| 76011148 | 4 | IRSM: 28-12 CLASS A2 MEDIUM COATED TO IS:814-2004 SELF LIFE 18 MONTHS FROM THE DATE OF MFG.OR 12 MONTHS FROM THE DATE OF SUPPLY IN STORE WHICHEVER IS MORE. AS PER LETT. NO. | COVERED ELECTRODE FOR MANNUAL ARC WELDING SIZE 3.15X350MM | 1 | NOS |
| 76011173 | 4 | MAKE- II-VI INFRARED L141 | CYLINDRICAL ZOZZLE DIA 1.0 MM FOR LASER CUTTING | 1 | NOS |
| 76011215 | 4 | IRS:M28-1986 CLASS C2 MEDIUM IS:815-1974 (SHELF LIFE 18 MONTHS FROM DATE OF MFG | MS WELDING ELECTRODE 4MM, 450MM LONG | 1 | NOS |
| 76012281 | 4 | IRSM-28-86 CLASS G-2 (SHELF LIFE 18 MONTHS FROM DATE OF MFG) MAKE- ADOR FONTECH LH-115 | WELDING ELECTROD XUPER -2240/E-115/UTP-85 FN | 13 | KG |
| 76015208 | 4 | IS:5206-2003 IRS CL.M2 CODE 19.9 LR 26(HEAVY | STAINLESS STEEL ELECTRODE 3.15 MMX350 MM | 13 | KG |
| 76016833 | 4 | MAKE:-ADOR FONTECH AND PART NO LH 106,SELF | CAST STEEL WELDING ELECTRODE SIZE 3.15X350 MM | 13 | KG |
| 76017023 | 4 | IS:5206-1983 E-19.9 LR 26 (AUSTENITIC Cr-Ni FLUX COATED) | LOW HEAT INPUT,EXTRA LOW CARBON, STAINLESS STEEL ELECTRODE 2.5MM | 13 | KG |
| 76110333 | 4 | ##### | COPPER COATED CO2 WELDING FILLER SOLID WIRE SIZE 0.8MM.SHELF LIFE OF MATERIAL NOT TO BE LESS THEN ONE YEAR FROM DATE OF MANUFACTURING | 13 | KG |
| 76110345 | 4 | AS PER PART NO. NC 046 AOA OF M/S. BAISCH | ELECTRODE FOR CNC SPOT WELDING MACHINE | 1 | NOS |
| 76110357 | 4 | AS PER PART NO. NC 046 AOO OF M/S. BAISCH | ELECTRODE FOR CNC SPOT WELDING MACHINE | 1 | NOS |
| 76110369 | 4 | AS PER PART NO. SBO 13 AOO OF M/S. BAISCH | ELECTRODE FOR CNC SPOT WELDING MACHINE | 1 | NOS |
| 76113000 | 4 | IS:4412-1981 | COPPER WIRE 18 GAUGE/1.219MM IN COILS AND | 13 | KG |
| 76113942 | 4 | IRSM:39-2001,AMENDMENT NO 1&2 OR LATEST, GRADE W-1,COIL ID-300+/-25, COIL WEIGHT- 25+/-2 KG MAX SHELF LIFE 12 MONTHS FROM DATE OF MFG.OR 9 MONTHS FROM THE DATE OF RECEIPT IN | COPPER COATED BARE WIRE ELECTRODE COIL 3.15MM FOR SUBMEGERED ARC WELDI | 13 | KG |
| 76115136 | 4 | ##### | COPPER COATED CO2 WELDING FILLER SOLID WIRE SIZE 1.2MM,SHELF LIFE OF MATERIAL NOT TO BE LESS THAN ONE YEAR FROM THE DATE OF | 13 | KG |
| 76115150 | 4 | DIN 1733 JUNE 1988: SG-CUAL 8 OR EQUIVALENT | MIG BRAZING WIRE DIA 0.8MM IN SPOOL OF WEIGHT 12.5 KG.APPROX. | 13 | KG |

| | | | | | |
|----------|---|--|--|----|-----|
| 76116244 | 4 | SPEC NO. QMTS-002 (REV. NIL) DATED 28.01.2013. SELF LIFE 12 MONTHS FROM THE DATE OF RECEIPT | WELDING WIRE 1.2MM FOR ROBOTERSYSTEM | 13 | KG |
| 76210016 | 4 | IS 5983-1980 TAB.1 SL NO.XX, TAB 8 SL NO.XIV,TAB 12 'USE' 'MAG'. & CONFORMING TO IS:7524 (PT-1 & | DARK WELDING GLASS SIZE 3X82X108 MM | 1 | NOS |
| 76210194 | 4 | IRSM:39-2001, GRADE F-1, SHOULD FULFIL CONDITION OF CLAUSE 5.1 TO 5.6 SHELF LIFE 18 MONTHS FROM DATE OF MFG.(RDSO APPRD) | FLUX FOR SUBMERGED ARC WELDING (AGGLOMERATED TYPE) | 13 | KG |
| 76211666 | 4 | . | SAFETY SPAECTACLES TYPE GOGGLES HEAVY DUTY ROBUST FRAME, FOLDING SIDE CUPS OF WIRE NET/PLASTIC, ZERO POWER OPHTHALMIC GRADE, POWER TOUGHENED LENS AS PER IS-5983-1980 | 1 | NOS |
| 76211939 | 4 | IS:5983-1980 | EYE CUP GOGGLES WITH OCULAR -COLOURED GLASS. | 1 | NOS |
| 76213882 | 4 | IS:1179-1967 | FIBRE SHIELD WITHOUT GLASS | 1 | NOS |
| 76214461 | 4 | IS:1179-1967 (SIZE AS PER PARA 7.2.3.1) | WELDING FILTER COVER OF PLAIN GLASS 3 MM THICK | 1 | NOS |
| 76214667 | 4 | IS:5983-1980 TAB.1 SL NO.XXII,TAB.8 SL NO.XVI,TAB 12 USE 'MAG' & CONFORMING TO IS:7524(PT-1 & PT- | DARK WELDING GLASSES SIZE 3X82X108MM. | 1 | NOS |
| 76217012 | 4 | AS PER IS:7653-1975. MAKE:-BY ADOR WELDING LIMITED, PRODUCT:- KING TORCH NM WITH 1/16 INCHES NOZZLE. | MANUAL GAS CUTTING TORCH USING OXYGEN AND ACETYLENE GAS MIXTURE WITH SAFER AND SUPERIOR NOZZLE MIXING TECHNOLOGY TO BE SUPPLIED WITH | 1 | NOS |
| 76217346 | 4 | IS:7653 -1975 ESAB CODE NO. 0431-0144-100 OR ITS EQUIVALENT STANDARD/REPUTED FIRM. MAKE- "HMP" MODLE: 'BLOWFIRE' | HEATING TORCH (BLOW PIPE WITH SINGLE NOZZLE) | 1 | NOS |
| 76217437 | 4 | IS:7653-1975 (SAMPLE TO BE APPROVED BY | NOZZLE/TIP IN ONE PIECE FOR CUTOGEN CUTTER SIZE | 1 | NOS |
| 76217504 | 4 | MAKE- ATTC/ USA PART NO 648-327 | ELECTRODE FOR (FMC) CNC PLASMA PROFILE CUTTING | 1 | NOS |
| 76217760 | 4 | M/S ADOR WELDING LTD. PART NO. 0120601883/ M/S ABICOR BINZEL PART NO. 145.0078M/S ADOR WELDING LTD. PART NO. 0120601883/ M/S ABICOR BINZEL PART NO. 145.0078/PRO-ARC PART NO. | GAS NOZZLE 36 KD | 1 | NOS |
| 76217772 | 4 | SPEC NO:MP20151/2 REV 1 DATED 22.11.99. MAKE:-WELD CRAFT. | ANTI SPATTER NOZZLE GEL. | 1 | NOS |
| 76217851 | 4 | MODEL NO. PMT52 W OF KEMPPY OY FINLAND, TBI- 511 OF TBI L&T, MB501-D OF ABICOR TECHNOWELD PVT. LTD. BINZEL-PUNE, MV550 OF MIGATRONIC | WATER COOLED WELDING TORCH 500 AMP. AT 100% DUTY CYCLE, LENGTH OF TORCH 4.5 MTR. & EURO CONNECTOR | 1 | NOS |
| 76217875 | 4 | PAC ITEM-CODE NO 4270510 PART DRG. AS PER LIST | GAS NOZZLE FOR PROMIG KEMPPY W/S TCRCH MODEL | 1 | NOS |

| | | | | | |
|----------|---|--|--|----|-----|
| 76217887 | 4 | PAC ITEM-CODE NO 4265760 PART DRG. AS PER LIST NO. : , | INSULATING BUSH FOR NOZZLE FOR PROMIG KEMPI W/S TORCH MODEL PMT51W | 1 | NOS |
| 76217899 | 4 | SKETCH NO. SAS-III 101 | HEATING TORCHES BLOW PIPE WITH FOUR NOZZLES | 1 | NOS |
| 76218223 | 4 | TRUMPF PART NO. 0124561. | II-VI PART NO. L18, NOZZLE DIA 0.8 MM FOR TRUMPF | 1 | NOS |
| 76218351 | 4 | PART NO. L 20 OF M/S II-VI INFRARED | NOZZLE DIA 1.40 MM HP FOR LASER PROFILE CUTTING M/C (TRUMPF) | 1 | NOS |
| 76218363 | 4 | PART NO. L21 OF M/S II-VI INFRARED | NOZZLE DIA 1.70 MM HP FOR LASER PROFILE CUTTING M/C (TRUMPF) | 1 | NOS |
| 76218879 | 4 | MAKE PART NO ATTC/USA/020081 | ELECTRODE OXYGEN FOR PLASMA M/CS | 1 | NOS |
| 76218880 | 4 | PART NO. 020082 | ELECTRODE NITROGEN FOR PLASMA M/CS | 1 | NOS |
| 76219756 | 4 | IS:2641-1989 MAKE:-DIVYA | ELECTRODE HOLDER 600 AMPS | 1 | NOS |
| 76300005 | 4 | MAKE- L & T, TBI- 360. | STEEL LINER 1.2MM, 4 METERS LONG | 1 | NOS |
| 76903576 | 4 | KEMPPI PART NO. 9580122 | CONTACT TIP 0.8MM M8 LONG FOR PROMIG KEMPII W/S TORCH MODEL PMT 51 W | 1 | NOS |
| 76903588 | 4 | MW/MTC/BSW/CT/1 (PART NO-153501-007) INSP.BY A/REP.OF CPE | CONTACT TIP 1.6 MM B/S WELDING MACHINE MAKE:-CATMIG | 1 | NOS |
| 76903590 | 4 | MW/MTC/BSW/CT/2 ALT-'A' (PART NO-153501-009) INSP.BY A/REP.OF CPE MAKE:-PATHFINDER | CONTACT TIP 2.0 MM B/S WELDING MACHINE | 1 | NOS |
| 76903606 | 4 | KEMPPI PART NO.9580124 | CONTACT TIP 1.2, M8 LONG FOR PROMIG KEMPI W/S TORCH MODEL PMT 51 W | 1 | NOS |
| 76904131 | 4 | AS PER SPECIFICATION NO. EL/MTC/WELDING TORCH/2016-17 REV.00 DATED 07/01/2016 ISSUED | MIG/MAG 400 AMP.WELDING TORCH 4.5 MTS LONG | 1 | NOS |
| 76904143 | 4 | AS PER PART NO. 4298300 OF M/S KEMPPI (PAC | GAS DIFUSERS(PLASTIC) | 1 | NOS |
| 76904155 | 4 | AS PER SAMPLE TO BE APPROVED FROM | GEAR FEED WHEEL ORANGE 1.1-1.3 FOR KEMPPI WIRE | 1 | NOS |
| 76904167 | 4 | ##### | CONTACT TIP ADOPTOR/HOLDER FOR 36 KD WELDING TORCH. TYPE M6 X28 MM(L). | 1 | NOS |
| 76904179 | 4 | MAKE:- PRO ARC & PART NO. 014P00261. | GAS DIFFUSER - 36 KD | 1 | NOS |
| 76904180 | 4 | ESAB PART NO. 465-1691-920. SAMPLE MAY BE GOT APPROVED BEFORE BULK | CONTACT TIP 1.2MM | 1 | NOS |
| 76904210 | 4 | IS:8521(P1-1)-1977,TYPE III,CLASS 2,(WITH ATTACHEMENT TO SAFETY HELMET) | FACE SCREEN SIZE 9"X12" | 1 | NOS |
| 76904222 | 4 | MDTS-28271 REV-00 | READY MIXED ANTI SPATTER COMPOUND CUM FLUX | 13 | KG |

| | | | | | |
|----------|---|---|---|----|-------|
| 76904398 | 4 | DIN 8556 PT-1,1. 4370, RESIDUAL LIFE 12 MONTHS FROM THE DATE OF RECEIPT IN STORE. | STAINLESS STEEL WELDING WIRE 1.2 MM DIAMETER IN SPOOL OF WEIGHT 12.5KGS. (APPROX.) AND SHALL BE ANNEALED, DRY DRAWN AND MATT FINISH. RUNNING PERFORMANCE SHALL BE SATISFACTORY WHILE | 13 | KG |
| 76904416 | 4 | DIN 8556 PT-1,1. 4316,RESIDUAL LIFE 12 MONTHS FROM THE DATE OF RECEIPT IN STORE | STAINLESS STEEL WIRE 1.2 MM DIAMETER IN SPOOL OF WT. 12.5 KGS | 13 | KG |
| 76904428 | 4 | DIN 8556 PT -1,1. 4370, RESIDUAL LIFE 12 MONTHS FROM THE DATE OF RECEIPT IN STORE | STAINLESS STEEL WELDING WIRE 1.0 MM DIAMETER IN SPOOL OF WEIGHT 12.5KGS. (APPROX.) AND SHALL BE ANNEALED, DRY DRAWN AND MATT FINISH. RUNNING PERFORMANCE SHALL BE SATISFACTORY WHILE | 13 | KG |
| 76904430 | 4 | DIN 8556 PT -1,1. 4316, RESIDUAL LIFE 12 MONTHS FROM THE DATE OF RECEIPT IN STORE | STAINLESS STEEL WIRE 1.0MM DIAMETER IN SPOOL OF WEIGHT 12.5 | 13 | KG |
| 76904453 | 4 | DIN 8556 PART 1,1. 4316 RESIDUAL LIFE 12 MONTHS FROM THE DATE OF RECEIPT IN STORE | STAINLESS STEEL WIRE 0.8MM DIAMETER IN SPOOL OF WEIGHT 12.5 KG. | 13 | KG |
| 76904465 | 4 | M/s KEMPPPI - OY'S PART NO. 9580123 | CONTACT TIP 1.0MM M8 LONG FOR PROMIG KEMPPPI W/S TORCH MODEL PMT51W | 1 | NOS |
| 76904477 | 4 | ##### | CONTACT TIP 0.8MM, TYPE M6. MADE OF CUCRZR, SIZE 8X28MM (OD X LENGTH). REQUIRED FOR STANDARD 36 KD WELDING TORCH. | 1 | NOS |
| 76904489 | 4 | ADOR WELDING LTD. PART NO.0150102558/ABICOR BINZEL PART NO. 140.0379/PRO ARC PART | CONTACT TIP 1.2MM | 1 | NOS |
| 76904490 | 4 | KEMPPPI PART NO. 4188582 | WIRE CONDUIT STEEL (RED) 1.2MM & LENGTH 4.5 MTR FOR PROMIG KEMPPPI W/SET TORCH MODEL | 1 | NOS |
| 76904519 | 4 | PAC ITEM CODE NO 4188572 | WIRE CONDUIT STEEL (WHITE)0.8MM 4.5M FOR PROMIG KEMPI W/S TORCH PMT51W | 1 | NOS |
| 76904520 | 4 | ##### | WIRE CONDUIT ASSEMBLY,SIZE 0.8 TO 1.2MM WITH BRASS ADOPTER, LENGTH 5.0M REQUIRED FOR 36 KD TYPE ABICOR BINZEL/TBI AIR COOLED/WATER COOLED MIG WELDING TORCH. SAMPLE TO BE GOT APPROVED BY CONSIGNEE BEFORE BULK SUPPLY. | 1 | NOS |
| 76904532 | 4 | WS/MTC/02 & WS/MTC/02.1 | MAKE:-ABICOR BINZEL PART NO.1240035. | 1 | NOS |
| 76904544 | 4 | IS:9857-1990 | WIRE CONDUIT ASSEMBLY 1.2 MM | 1 | NOS |
| | | | WELDING CABLE (AL) COVERED WITH HOFR NORMAL DUTY ELAST.COMP 120 SQ MM | 22 | METRE |

| | | | | | |
|----------|---|--|--|----|-----|
| 76904556 | 4 | ##### | CONTACT TIP 1.2 MM, TYPE M8. MADE OF CUCRZR, SIZE 10X30 MM (OD X LENGTH). REQUIRED FOR STANDARD 36 KD WELDING TORCH. | 1 | NOS |
| 76904570 | 4 | M/S ADOR WELDING LTD. PART NO.0120601-885 OR EQUIVELENT PART NO OF M/s ABICOR BINZEL ,SAMPLE TO BE GOT APPD.BEFORE BULK SUPPLY | CONTACT TIP HOLDER FOR M8 36KD | 1 | NOS |
| 76904581 | 4 | 0165-1689-502 | TIP | 1 | NOS |
| 76980009 | 4 | 0165-1689-302 | INNER TUBE | 1 | NOS |
| 76980047 | 4 | ADVANI MAKE | SHORT SOCKET M8 HEAVY DUTY PT NO.A150102598 | 1 | NOS |
| 76980049 | 4 | X | CONTACT TIP 0.8MM M6 Pt.No.A150102561 | 1 | NOS |
| 76980091 | 4 | MAKE- INFINEON OR SEMIKRON OR EQUIVALENT. SPECIFICATION AND FITTING ARRANGEMENT SHOULD BE SAME AS PART NO. 75R12KS-4. MAKE:-INFINEON AND PART NO.IGBT MODULE F4- | IGBT MODULE 75R12KS4 400A FOR CO2 WELDING SETS. | 1 | NOS |
| 76980133 | 4 | AS PER MAKE SEMIKRON OR INFENEON OR EQUIVALENT. SPECIFICATION AND FITTING ARRANGEMENT SHOULD BE SAME AS PART NO. SKD | RECTIFIER MODULE SKD 83/16 FOR CO2 WELDING SETS. | 1 | NOS |
| 76981514 | 4 | SUIT.FOR WELD. PVC FLOORING RDSO STR C-8515 | PVC ELECTRODE COLOUR ASH GREY OF VIRGIN PVC AND SHOULD BE CLUBBED | 13 | KG |
| 76985027 | 4 | RALLI WOLF MAKE | ARMATURE ASSY NO.830.3.12 FOR SANDERS MODEL 25180 RALLI WOLF MADE | 1 | NOS |
| 76985192 | 4 | 0 | CONTACT TIP ADAPTOR | 1 | NOS |
| 76985635 | 4 | EN 440-G3Si1 AND PrEN-759, RESIDUAL LIFE 12 MONTHS FROM THE DATE OF RECEIPT IN STORE. | STEEL WIRE 1.2MM IN SPOOL OF WEIGHT APPROX.15 KG. | 13 | KG |
| 76986032 | 4 | WS/MTC/52 | CONTACT TIP ADOPTER (KEMPII) | 1 | NOS |
| 76986147 | 4 | PAC ITEM-CODE NO 427670001 PART DRG. AS PER LIST NO. : , | CONTACT TIP ADAPTOR STD FOR PROMIG W/S KEMPI TORCH MODEL PMT51W | 1 | NOS |
| 77010000 | 4 | ##### | GRINDING WHEEL, SIZE 180X6X22.23 MM, IRON FREE, MAXIMUM SPEED 8500 RPM, DEPRESSED CENTRE TYPE 27. MFG. DATE AND SHELF LIFE SHALL BE MENTIONED ON GRINDING WHEEL. PILOT SAMPLE TO BE GOT APPROVED FROM QUALITY DEPT. OF RCF/KPT | 1 | NOS |
| 79319944 | 4 | PST/2326/SPEC. /PREFILTER PAD FOR H.F.R. MASK, REVI-NIL, MAKE-3M INDIA LTD. BANGLORE. | PRE-FILTER PAD NO. 501 FOR HALF FACE RESPIRATOR MASK | 1 | NOS |

| | | | | | |
|----------|---|--|---|----|-------|
| 79319956 | 4 | PST/2326/SPEC./O.V./CARTRIDGE FOR H.F.R. MASK, REVI-NIL | OV CARTRIDGE NO. 6001 WITH RETAINER NO. 501 FOR HALF FACE RESPIRATOR MASK MAKE:-3M. | 1 | NOS |
| 79986031 | 4 | IS:1424-83 VARIETY NO. 2 CLAUSE 4.1 | COTTON CANVAS IN WIDTH OF 900MM | 22 | METRE |
| 79986067 | 4 | ISPEC NO. PST/SPEC/2326/VD REV. V, MAKE:DEERFOS, PRODUCT CODE:-SA331.M/S | VELCRO TYPE ALUMINIUM OXIDE SANDING DISC Gr.220 WITH IMPREGNATED FREE CUT COATING, SIZE | 1 | NOS |
| 79986079 | 4 | SPEC NO. PST/SPEC/2326/VD REV.V ISSUED BY DY. CME/FP | VELCRO TYPE ALUMINIUM OXIDE SANDING DISC Gr.80 WITH IMPREGNATED FREE CUT COATING, SIZE 5" OR | 1 | NOS |
| 82985029 | 4 | AS PER SPECIFICATION NO. C&M/SPEC/X-RAY/11 | INDUSTRIAL X-RAY FILM SIZE 15 INCH X 12 INCH | 1 | NOS |
| 85130000 | 4 | TECHNICAL SPEC. NO. RCF/MECH/MH/BEARING/2010 ALT. A DATED 09/12/2011 WITH MANUFACTURERS TEST | SPHERICAL ROLLER BEARING NO. 22309 E OF MAKE SKF/22309-E1 OF MAKE FAG/22309 CJW33 OF MAKE TIMKEN ONLY | 1 | NOS |
| 85130199 | 4 | TECHNICAL SPEC. NO. RCF/MECH/MH/BEARING/2010 ALT A DATED 09/12/2011 WITH MANUFACTURERS TEST | SPHERICAL ROLLER BRG.NO. 22212 E OF MAKE SKF/22212 S.MB OF MAKE FAG/22212 CC/W33 OF MAKE TIMKEN ONLY | 1 | NOS |
| 85130229 | 4 | TECHNICAL SPEC. NO. RCF/MECH/MH/BEARING/2010 ALT. A DATED 09/12/2011 WITH MANUFACTURERS TEST | SPHERICAL ROLLER BEARING NO. 22218 E OF MAKE SKF/22218 S.MB OF MAKE FAG/22218 CJW33 OF MAKE TIMKEN ONLY | 1 | NOS |
| 85130242 | 4 | TECHNICAL SPEC. NO. RCF/MECH/MH/BEARING/2010 ALT. A DATED 09/12/2011 WITH MANUFACTURERS TEST | SPHERICAL ROLLER BEARING NO. 22220 E OF MAKE SKF/22220 S.MB OF MAKE FAG/22220 CJW33 OF MAKE TIMKEN ONLY | 1 | NOS |
| 85130412 | 4 | TECHNICAL SPEC. NO. RCF/MECH/MH/BEARING/2010 ALT. A DATED 09/12/2011 WITH MANUFACTURERS TEST | SPHERICAL ROLLER BRG.NO 22209 E OF MAKE SKF/22209-E1 OF MAKE FAG/22209 CJW33 OF MAKE TIMKEN ONLY | 1 | NOS |
| 85980031 | 4 | SKF/ABC/REPUTED | BEARING NO 1211K | 1 | NOS |
| 90775612 | 4 | IS:3749-1990 T215Cr12, HOT ROLLED AND | TOOL STEEL FLAT 32MMX130MM | 13 | KG |
| 90775624 | 4 | IS:3749-1990 T215Cr12, HOT ROLLED AND ANNEALED, SILICON CONTENT ACCEPTABLE UPTO | TOOL STEEL FLAT 32MM X 250MM | 13 | KG |
| 90775636 | 4 | IS:3749-1990 T215Cr12, HOT ROLLED AND ANNEALED,SILICON COTENT ACCEPTABLE UPTO | TOOL STEEL FLAT 40MMX100MM | 13 | KG |
| 90775648 | 4 | IS:3749-1978 T215 CR.12 HOT ROLLED AND | TOOL STEEL FLAT 50MMX120MM | 13 | KG |
| 90775650 | 4 | IS:3749-1978 65T6 HOT ROLLED AND ANNEALED | TOOL STEEL FLAT 60MMX220MM | 13 | KG |
| 90775661 | 4 | IS:3749-1990 T215Cr12, HOT ROLLED AND | TOOL STEEL FLAT 65MMX105MM | 13 | KG |
| 90776069 | 4 | IS:3749-1978 65T6 HOT ROLLED AND ANNELED | TOOL STEEL FLAT 60MMX80MM | 13 | KG |

| | | | | | |
|----------|---|---|---|----|-----|
| 90776070 | 4 | IS:3749-1978 65T6 HOT ROLLED AND ANNELED | TOOL STEEL FLAT 70MMX110MM | 13 | KG |
| 90776100 | 4 | AS PER IS:3749-1990 T215CR12, HOT ROLLED AND | TOOL STEEL FLAT 60MMX300MM | 13 | KG |
| 90778960 | 4 | IS:3749-1990 T215Cr12 IN STANDARD LENGTHS, HOT ROLLED AND ANNEALED | TOOL STEEL ROUND 75 MM DIA | 13 | KG |
| 90982666 | 4 | SAE J827/J444 (C 0.85%-1.2%,S & PH NOT MORE THAN 0.05%,HARDNESS 40-50 HRC | STEEL SHOTS S-390,ROUND BALLS,11.70 AS PER ASTM, DENSITY 7.3 GM/CU.CM | 13 | KG |
| 90982678 | 4 | SAE-J827/J444 (C 0.85%-1.2%,S & PH NOT MORE THAN 0.05%,HARDNESS 40-50 HRC | STEEL SHOTS S-330,ROUND BALLS, 11.70 AS PER ASTM, DENSITY 7.3GM/CU.CM | 13 | KG |
| 90986374 | 4 | SAE J827/J444 (C 0.85%-1.2%,S & PH NOT MORE THAN 0.05%,HARDNESS 40-50 HRC | STEEL SHOTS S-280,ROUND BALLS,11.70 AS PER ASTM,DENSITY 7.3GM/CU.CM | 13 | KG |
| 90986398 | 4 | EN-24 | EN-24 ROUND ROD DIA 35MM | 13 | KG |
| 90986404 | 4 | EN-24 | EN-ROUND ROD DIA 40MM | 13 | KG |
| 90987044 | 4 | ICF/J&T/MISC-1345 COL I | ADJUSTABLE TIE ROD BENT TYPE | 1 | NOS |
| 90987056 | 4 | ICF/J&T/MISC-1343 COL I | ADJUSTABLE TIE ROD STRAIGHT TYPE | 1 | NOS |
| 90987135 | 4 | XW010501 ALT 'b', ITEMS NOS 2,3,6 & 10 ONLY | TIE ROD FOR COACH CENTRE | 1 | NOS |
| 90987317 | 4 | XW010501 ALT 'b' ITEM NOS 1,2,3 & 6 ONLY. | TIE ROD FOR BODY BOLSTER | 1 | NOS |
| 90987342 | 4 | SAE J827/J444 (C 0.85%-1.2%,S & PH NOT MORE THAN 0.05%, HARDNESS 40-50HRC | STEEL SHOT S-170,ROUND BALL,11.7 AS PER ASTM, DENSITY 7.3 GM/CU.CM | 13 | KG |
| 90987378 | 4 | EN-8 | EN-8 ROUND ROD DIA 40MM | 13 | KG |
| 90987561 | 4 | EN-31 | EN-31 SQUARE 110MM | 13 | KG |
| 90987720 | 4 | IS:3749-1990 T215Cr12, HOT ROLLED AND | TOOL STEEL FLAT 12.5MMX200MM | 13 | KG |
| 90987810 | 4 | IS:3749-1978 | TOOL STEEL FLAT 60MMX125MM | 13 | KG |
| 90987846 | 4 | IS:3749-1978 T215CR.12 HOT ROLLED AND | TOOL STEEL FLAT 60MMX200MM | 13 | KG |
| 90987860 | 4 | IS:3749-1978 65T6 | TOOL STEEL FLAT 65MMX210MM | 13 | KG |
| 90987883 | 4 | IS:3749-1978 T215 CR12 C LAUSE 14.1C | TOOL STEEL FLAT 75MMX100MM | 13 | KG |
| 90987925 | 4 | SAE J827/J444 (C 0.85%-1.2%, S & PH NOT MORE THAN 0.05%,HARDNESS 40-50HRC | STEEL SHOTS S-230,ROUND BALLS,11.70 AS PER ASTM, DENSITY 7.3GM/CU.CM | 13 | KG |
| 90988050 | 4 | IS:4948-2002 TYPE A-1 SNO.3 | MILD STEEL WELDED STEEL WIRE FABRIC | 1 | NOS |
| 91985171 | 4 | AS PER CQM LETTER NO.C&M/SPEC/003/WELD/2015, ON DATED:02/12/2015 | COPPER COATED BARE WIRE ELECTRODE DIA 2.0MM COIL FOR SUB. ARC WELDING MAKE:-ADORE | 13 | KG |
| 91985183 | 4 | AS PER CQM LETTER NO. C&M/SPEC/003/WELD/2015, ON | COPPER COATED BARE WIRE ELECTRODE 1.6MM COIL FOR SUB.ARC WELDING | 13 | KG |
| 91986503 | 4 | IS:2927-1975 | SOLDERING STICK | 13 | KG |